	N-8 2		AANTE	ER WELL RECORD	Form WWC-5	KSA 8	2a-1212			
1 LOCATIO	ON OF WAT		Fraction		Sec	tign Numb	er Township No	umber	Range Numb	er
County:	<u>Ellis</u>	£	N 12 1/2		1/4	5	<u> </u>	S	RIFL	E/W
Distance a	ina airection	Trom nearest tov	whor city street a	address of well if locate	d within city?)				
ol wares	J. J.	NER KOHE	or Carrel	bury Dr. (13th	<u>-Cunier bi</u>	γ				
DD# C+	Addross Bo	NEN: ROTTE	Field, Blds	740			Poord of A	arioulturo l'	Nicion of Water D	000111001
	Nuuress, 60/ , ZIP Code	· Thatis	KS 666	70-001			Application	•	ivision of Water R	esource:
				COMPLETED WELL	32					
AN "X"	IN SECTION	N BOX:	Donth(s) Ground	dwater Encountered 1	235	· . M. ELE:	VATION:			
as for		1 XI		WATER LEVEL . 23						
8			i .	p test data: Well wate						
	NW	· · NE	B	gpm: Well wate						
0	9		2	eter Xin. to						
W -	THE RESIDENCE OF THE PROPERTY	economicano E		TO BE USED AS:	5 Public wate		8 Air conditioning			
1	SW	l cr	1 Domestic	3 Feedlot	6 Oil field wa	er supply	9 Dewatering	12 (Other (Specify belo	w)
	was AAC man		2 Irrigation	4 Industrial	7 Lawn and g	arden only	10 Monitoring well	بالأس		
	9		Was a chemical	bacteriological sample s	submitted to De	partment?	YesNo	; If yes,	mo/day/yr sample	was sub
do			mitted	de Marcon de la companya de la comp			Water Well Disinfecte	d? Yes	No De	
5 TYPE C	OF BLANK C	ASING USED:		5 Wrought iron	8 Concre			NTS: Glued	Clamped	
1 Ste	expectation.	3 RMP (S	R)	6 Asbestos-Cement		specify be		A CONTRACTOR OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN T	ed	
(2 PV		4 ABS		7 Fiberglass				Windson.	ded. J. lust.	
Blank casi	ng diameter	···· \$ ···· £	in to	ft., Dia	in. to ♦ ३		ft., Dia	أ	n. to	ft.
_		and surface!		in., weight $\sqrt{2}$	A STATE OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN	CONTRACTOR OF THE PARTY OF THE				• • • • • •
1 Ste		R PERFORATIO 3 Stainles:		5 Fiberglass	(7 PV	ン P (SR)		estos-ceme		
2 Bra		4 Galvaniz		6 Concrete tile	9 AB			er (specily) ie used (op:		
		RATION OPENIN			ed wrapped	,	8 Saw cut	ic used (opi	11 None (open h	ole)
	ntinuous slo	- attendance	fill slot		wrapped		9 Drilled holes			0.0,
	uvered shutt	Charles and the Control of the Contr	ey punched		cut			<i>(</i>)		
SCREEN-F	PERFORATE	ED INTERVALS:		# 7	1 1	ft., F	rom	ft. to	o <i></i>	
			From	ft. to		ft., F	from	ft. to	o	ft.
G	BRAVEL PA	CK INTERVALS:	From	ft. to	<i>5</i>	ft., F	rom	ft. to) <i></i>	ft.
			From	ft. to	- Commence		rom			ft.
redikt)	MATERIAL	: 1 Neat	cement 💢	2 Cement grout	3 Bento	OUTDOOR OF THE OWNER	4 Other			
Grout Inter	rvals: Fror	1 Lal					ft From		ft. to	
What is the				ft., From	n.					
1 Septic tank 4 Lateral lines			contamination:		π.	10 Liv	estock pens	14 Al	oandoned water we	
	ptic tank	urce of possible 4 Later	contamination: ral lines	7 Pit privy		10 Liv	restock pens el storage	14 At 15 O	oandoned water we il well/Gas well	ell
2 Se	ptic tank wer lines	urce of possible 4 Later 5 Cess	contamination: rat lines s pool	7 Pit privy 8 Sewage lag		10 Liv 11 Fu 12 Fe	restock pens el storage rtilizer storage	14 At 15 O	oandoned water we	ell
2 Se 3 Wa	ptic tank wer lines atertight sew	urce of possible 4 Later 5 Cess er lines 6 Seep	contamination: rat lines s pool	7 Pit privy		10 Liv 11 Fu 12 Fe 13 Ins	restock pens el storage rtilizer storage secticide storage	14 At 15 O	oandoned water we il well/Gas well	ell
2 Se	ptic tank wer lines atertight sew rom well?	urce of possible 4 Later 5 Cess er lines 6 Seep	contamination: ral lines s pool page pit LITHOLOGIC	7 Pit privy 8 Sewage lag 9 Feedyard		10 Liv 11 Fu 12 Fe 13 Ins	restock pens el storage rtilizer storage secticide storage many feet? 100	14 At 15 O	pandoned water we il well/Gas well ther (specify below	ell
2 Se 3 Wa Direction for FROM	ptic tank wer lines atertight sew rom well?	urce of possible 4 Later 5 Cess er lines 6 Seep	contamination: ral lines s pool page pit LITHOLOGIC	7 Pit privy 8 Sewage lag 9 Feedyard	oon	10 Liv 11 Fu 12 Fe 13 Ins How r	restock pens el storage rtilizer storage secticide storage many feet? 100	14 At 15 Oi 16 O	pandoned water we il well/Gas well ther (specify below	ell
2 Se 3 Wa Direction for FROM O O 3.0	ptic tank wer lines atertight sew rom well?	urce of possible 4 Later 5 Cess er lines 6 Seep	contamination: ral lines s pool page pit LITHOLOGIC	7 Pit privy 8 Sewage lag 9 Feedyard	oon	10 Liv 11 Fu 12 Fe 13 Ins How r	restock pens el storage rtilizer storage secticide storage many feet? 100	14 At 15 Oi 16 O	pandoned water we il well/Gas well ther (specify below	ell
2 Se 3 Wa Direction for FROM OND 3.0 3.0	ptic tank wer lines atertight sew rom well?	urce of possible 4 Later 5 Cess er lines 6 Seep	contamination: ral lines s pool page pit LITHOLOGIC	7 Pit privy 8 Sewage lag 9 Feedyard	oon	10 Liv 11 Fu 12 Fe 13 Ins How r	restock pens el storage rtilizer storage secticide storage many feet? 100	14 At 15 Oi 16 O	pandoned water we il well/Gas well ther (specify below	ell
2 Se 3 Wa Direction for FROM O O 3.0	ptic tank wer lines atertight sew rom well?	urce of possible 4 Later 5 Cess er lines 6 Seep	contamination: ral lines s pool page pit LITHOLOGIC	7 Pit privy 8 Sewage lag 9 Feedyard	oon	10 Liv 11 Fu 12 Fe 13 Ins How r	restock pens el storage rtilizer storage secticide storage many feet? 100	14 At 15 Oi 16 O	pandoned water we il well/Gas well ther (specify below	ell
2 Se 3 Wa Direction for FROM OND 3.0 3.0	ptic tank wer lines atertight sew rom well?	urce of possible 4 Later 5 Cess er lines 6 Seep	contamination: ral lines s pool page pit	7 Pit privy 8 Sewage lag 9 Feedyard	oon	10 Liv 11 Fu 12 Fe 13 Ins How r	restock pens el storage rtilizer storage secticide storage many feet? 100	14 At 15 Oi 16 O	pandoned water we il well/Gas well ther (specify below	ell
2 Se 3 Wa Direction for FROM OND 3.0 3.0	ptic tank wer lines atertight sew rom well?	urce of possible 4 Later 5 Cess er lines 6 Seep	contamination: ral lines s pool page pit LITHOLOGIC	7 Pit privy 8 Sewage lag 9 Feedyard	oon	10 Liv 11 Fu 12 Fe 13 Ins How r	restock pens el storage rtilizer storage secticide storage many feet? 100	14 At 15 Oi 16 O	pandoned water we il well/Gas well ther (specify below	ell
2 Se 3 Wa Direction for FROM OND 3.0 3.0	ptic tank wer lines atertight sew rom well?	urce of possible 4 Later 5 Cess er lines 6 Seep	contamination: ral lines s pool page pit LITHOLOGIC	7 Pit privy 8 Sewage lag 9 Feedyard	oon	10 Liv 11 Fu 12 Fe 13 Ins How r	restock pens el storage rtilizer storage secticide storage many feet? 100	14 At 15 Oi 16 O	pandoned water we il well/Gas well ther (specify below	ell
2 Se 3 Wa Direction for FROM OND 3.0 3.0	ptic tank wer lines atertight sew rom well?	urce of possible 4 Later 5 Cess er lines 6 Seep	contamination: ral lines s pool page pit LITHOLOGIC	7 Pit privy 8 Sewage lag 9 Feedyard	oon	10 Liv 11 Fu 12 Fe 13 Ins How r	restock pens el storage rtilizer storage secticide storage many feet? 100	14 At 15 Oi 16 O	pandoned water we il well/Gas well ther (specify below	ell
2 Se 3 Wa Direction for FROM OND 3.0 3.0	ptic tank wer lines atertight sew rom well?	urce of possible 4 Later 5 Cess er lines 6 Seep	contamination: ral lines s pool page pit LITHOLOGIC	7 Pit privy 8 Sewage lag 9 Feedyard	oon	10 Liv 11 Fu 12 Fe 13 Ins How r	restock pens el storage rtilizer storage secticide storage many feet? 100	14 At 15 Oi 16 O	pandoned water we il well/Gas well ther (specify below	ell
2 Se 3 Wa Direction for FROM OND 3.0 3.0	ptic tank wer lines atertight sew rom well?	urce of possible 4 Later 5 Cess er lines 6 Seep	contamination: ral lines s pool page pit LITHOLOGIC	7 Pit privy 8 Sewage lag 9 Feedyard	oon	10 Liv 11 Fu 12 Fe 13 Ins How r	restock pens el storage rtilizer storage secticide storage many feet? 100	14 At 15 Oi 16 O	pandoned water we il well/Gas well ther (specify below	ell
2 Se 3 Wa Direction for FROM OND 3.0 3.0	ptic tank wer lines atertight sew rom well?	urce of possible 4 Later 5 Cess er lines 6 Seep	contamination: ral lines s pool page pit LITHOLOGIC	7 Pit privy 8 Sewage lag 9 Feedyard	oon	10 Liv 11 Fu 12 Fe 13 Ins How r	restock pens el storage rtilizer storage secticide storage many feet? 100	14 At 15 Oi 16 O	pandoned water we il well/Gas well ther (specify below	ell
2 Se 3 Wa Direction for FROM OND 3.0 3.0	ptic tank wer lines atertight sew rom well?	urce of possible 4 Later 5 Cess er lines 6 Seep	contamination: ral lines s pool page pit LITHOLOGIC	7 Pit privy 8 Sewage lag 9 Feedyard	oon	10 Liv 11 Fu 12 Fe 13 Ins How r	restock pens el storage rtilizer storage secticide storage many feet? 100	14 At 15 Oi 16 O	pandoned water we il well/Gas well ther (specify below	ell
2 Se 3 Wa Direction for FROM OND 3.0 3.0	ptic tank wer lines atertight sew rom well?	urce of possible 4 Later 5 Cess er lines 6 Seep	contamination: ral lines s pool page pit LITHOLOGIC	7 Pit privy 8 Sewage lag 9 Feedyard	oon	10 Liv 11 Fu 12 Fe 13 Ins How r	restock pens el storage rtilizer storage secticide storage many feet? 100	14 At 15 Oi 16 O	pandoned water we il well/Gas well ther (specify below	ell
2 Se 3 Wa Direction for FROM OND 3.0 3.0	ptic tank wer lines atertight sew rom well?	urce of possible 4 Later 5 Cess er lines 6 Seep	contamination: ral lines s pool page pit LITHOLOGIC	7 Pit privy 8 Sewage lag 9 Feedyard	oon	10 Liv 11 Fu 12 Fe 13 Ins How r	restock pens el storage rtilizer storage secticide storage many feet? 100	14 At 15 Oi 16 O	pandoned water we il well/Gas well ther (specify below	ell
2 Se 3 Wa Direction for FROM O D 3 O 17.0 24.0	ptic tank over lines atertight sew from well? TO 3,0 18,0 24,0 32.0	Top soil Clay sil Clay sil	contamination: ral lines s pool page pit LITHOLOGIC SI. Sandy by - v. S. Thy ty, tr. Sand	7 Pit privy 8 Sewage lagi 9 Feedyard LOG	FROM	10 Liv 11 Fu 12 Fe 13 Ins How r TO	restock pens el storage rtilizer storage secticide storage many feet? JOO PL	14 AI 15 Oi 16 O	pandoned water we il well/Gas well ther (specify below NTERVALS	
2 Se 3 Wa Direction for FROM O D 3 D JY.0 24.0	ptic tank ower lines atertight sew rom well? TO 3.0 18.0 24.0 32.0	Topsoil Clay, Sil Clay, Sil	contamination: ral lines s pool page pit LITHOLOGIC sl. sandy ty - v. s. Ity ty - tr. Sand ady	7 Pit privy 8 Sewage lage 9 Feedyard LOG	as (1 constru	10 Liv 11 Fu 12 Fe 13 Ins How r TO	restock pens el storage riflizer storage secticide storage many feet? JOO PL	14 AI 15 Oi 16 Oi	pandoned water we lil well/Gas well ther (specify below NTERVALS	and was
2 Se 3 Wa Direction f FROM O D 3.0 JY.0 24.0	ptic tank ower lines atertight sew rom well? TO 3,0 18,0 24,0 32,0 RACTOR'S (on (mo/day/	Top soil, Clay, sil Clay, sil Clay, sil	contamination: ral lines s pool page pit LITHOLOGIC sl. sandy ty - v. s. Ity ty - tr. sand Ady R'S CERTIFICAT	7 Pit privy 8 Sewage lage 9 Feedyard LOG	as (1 constru	10 Liv 11 Fu 12 Fe 13 Ins How r TO	restock pens el storage rtilizer storage secticide storage many feet? JOO PL econstructed, or (3) pecord is true to the be	14 At 15 Oi 16 O	pandoned water we il well/Gas well ther (specify below with the control of the co	and was
2 Se 3 Wa Direction for FROM O D 3.0 17.0 24.0 7 CONTECOMPLETED Water Wel	ptic tank ower lines atertight sew rom well? TO 3,0 18,0 24,0 32,0 RACTOR'S (on (mo/day/	Topsoil Clay sil	contamination: ral lines s pool page pit LITHOLOGIC sl. sandy ty - v. s. Ity ty - tr. sand Ady R'S CERTIFICAT	7 Pit privy 8 Sewage lage 9 Feedyard LOG	as (1 constru	10 Liv 11 Fu 12 Fe 13 Ins How r TO	restock pens el storage riflizer storage secticide storage many feet? / OO PI PI econstructed, or (3) pecord is true to the beed on (mo/day/yr)	14 At 15 Oi 16 O	pandoned water we il well/Gas well ther (specify below with the control of the co	and was
2 Se 3 Wa Direction for FROM O D 3.0 17.0 24.0 7 CONTF completed Water Wel under the	reptic tank over lines atertight sew rom well? TO 3,0 18,0 24,0 33,0 RACTOR'S on (mo/day/ Il Contractor' business na	PR LANDOWNE year)	contamination: rat lines s pool page pit LITHOLOGIC \$1. Sandy ty - v. S. Ity ty + r. Sand Ady R'S CERTIFICAT 11 194 pen. PLEASE PRESS	7 Pit privy 8 Sewage lage 9 Feedyard LOG	as (1 constru	10 Liv 11 Fu 12 Fe 13 Ins How r TO	restock pens el storage riflizer storage secticide storage many feet? DO PI	14 At 15 Oi 16 O .UGGING If	pandoned water we lil well/Gas well ther (specify below NTERVALS	and was