		ATER WELL:	Fraction			Section Number	er Township Nu	ımber	Range Number	
County:			SW 1/4	SW 1/4	SW 1/4	18	T 14	S	R 2 B(W)	
		on from nearest town		dress of well if	located within	n city?				
		d - Salina, Kans								
		WNER: Coastal M								
		ox# : 110 S. Ma	*				Board of Agricu	ulture, Divi	sion of Water Resources	
	e, ZIP Code		Kansas 67202				Application Nur			
									225.86	
VVIII-17		N De							3	
<u>†</u> [ì	T ; w	/ELL'S STATIC W	VATER LEVEL	22.29	ft. below land	surface measured o	n mo/day/	yr1/22/96	
	NW	NE _							mpinggpm	
	INVV	'; Es							mping gpm	
Mile	l ,		ore Hole Diamete	r 8 i	in. to	.30 ft.,			n. to	
<u>-</u> M		 	/ELL WATER TO	BE USED AS	: 5 Public v	vater supply	8 Air conditioning		Injection well	
1		_	1 Domestic	3 Feedlot	6 Oil field	water supply	9 Dewatering	12	Injection well Other (Specify below)	
	SW	1 7 1 1	2 Irrigation	4 Industrial	7 Lawn a	nd garden only	(10) Monitoring well			
↓	(!			acteriological s	ample submit				, mo/day/yr sample was	
		S su	ubmitted				later Well Disinfecte	d? Yes	No V	
5 TYPE	OF BLANK	CASING USED:	5	Wrought iron	8 0	oncrete tile	CASING JOI		u Ciampeu	
1 s		3 RMP (SR)	6	Asbestos-Cer	ment 9 C	ther (specify be	low)		ded	
(2)P'		4 ABS		Fiberglass				Thre	aded √	
Blank casi	ing diamete	r i	n. to 20	ft., Dia.		in. to	ft., Dia		. in. to ft.	
Casing he	ight above l	and surface	. . 4.2 in.	, weight			./ft. Wall thickness	or gauge N	√o Sch. 40	
TYPE OF	SCREEN C	R PERFORATION N	MATERIAL		(7	PVC	10 Asb	estos-cem	ent	
1 S	teel	3 Stainless st	eel 5	Fiberglass	8	RMP (SR)	11 Othe	r (specify)	
2 B	rass	4 Galvanized	steel 6	Concrete tile	9	ABS	12 Non	e used (or	pen hole)	
SCREEN	OR PERFO	RATION OPENINGS		5 (Gauzed wrapp	ed	8 Saw cut		11 None (open hole)	
1 C	ontinuous s	slot (3)Mills	slot	6 V	Vire wrapped		9 Drilled holes			
2 L	ouvered shu		punched		Forch cut		10 Other (specify))		
SCREEN	PERFORAT	TED INTERVALS:	From 2	20 ft.	to	0	rom	ft.	to ft.	
			From	ft.	to		rom	ft.	to ft.	
C	BRAVEL PA	ACK INTERVALS:	From J	. ŏ ft.	to	γ	rom	ft.	to ft.	
									to ft.	
	MATERIA			Cement grout	(3)	Bentonite -	4 Other			
Grout Inte	rvals: Fro	m <u>.</u> 0 ft.	. to 16	ft., From .	16	.ft. to <u>1</u> 8	ft, From		ft. to ft.	
What is th	e nearest s	ource of possible co	ontamination:			10 Live	estock pens	14 A	bandoned water well	
1 Sept	tic tank	4 Lateral I	lines	7 Pit priv	у	11 Fue	el storage		il well/Gas well	
2 Sewer lines 5 Cess			0 0		•		tilizer storage		Other (specify below)	
	•	er lines 6 Seepag	e pit	9 Feedya	ard		ecticide storage	U	ST. Basin	
Direction		NE					any feet? 140			
FROM	TO		LITHOLOGIC LO	G	FRO	M TO	PLU	JGGING II	VTERVALS	
0	0.34	Topsoil/Vegetat								
0.34	12	Clay, Dark Bro	wn							
12	18	Clay, Gray								
18	23	Clay, Brown								
23	30	Sand, Gray Bro	own							
7 T Adv. 11 11 11 11 11 11 11 11 11 11 11 11 11										
							MW8 , Tag # 00159476 , Flushmount			
							Project Name: Coas			
							GeoCore # 230, KD	HE # U5 0	85 1007	
7 CONTR	ACTORS	OR LANDOWNER'S	CERTIFICATION	: This water w	ell was (1) co	nstructed, (2) re	constructed, or (3)	olugged ur	nder my jurisdiction	
		n (mo/day/year)							knowledge and belief.	
Kansas W	ater Well C	ontractor's License	No	27	. This Water		s completed on (mo/			
	business na			Services, In		by (sign	///	RUD	9	
							· Par	ansum	Send top three copies to Kansas	
11401170	55110145. US	a rabanation of nell house h	or of Motor Toucks K	ancac 66620_0001	Telephone 01	3-296-5545 Send o	ne to WATER WELL OW	I GIISWUS. S	being top times copies to Kansas	

WATER WELL RECORD Form WWC-5 KSA 82a-1212