

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: Saline	$\frac{1}{4}$ SW $\frac{1}{4}$ SW $\frac{1}{4}$	30	T 14 S	R 2 E/W

Distance and direction from nearest town or city street address of well if located within city?

1410 Adam Travis Court - Salina, KS

2 WATER WELL OWNER: David Keyser	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box # : 1410 Adam Travis Court	Application Number:
City, State, ZIP Code : Salina, Kansas 67401	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL 55 ft. ELEVATION: 999
	Depth(s) Groundwater Encountered 1. 12 ft. 2. ft. 3. ft.
	WELL'S STATIC WATER LEVEL . . . 999 . . . ft. below land surface measured on mo/day/yr
	Pump test data: Well water was . . . NA . . . ft. after hours pumping gpm
	Est. Yield . . NA . . gpm: Well water was ft. after hours pumping gpm
	Bore Hole Diameter . . . 8 . . . in. to . . . 58 . . . ft., and in. to ft.
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well	
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)	
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well	
Was a chemical/bacteriological sample submitted to Department? Yes.....No.....; If yes, mo/day/yr sample was submitted	
Water Well Disinfected? Yes No <input checked="" type="checkbox"/>	

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below) Welded
2 PVC	4 ABS	7 Fiberglass	Threaded. <input checked="" type="checkbox"/>
Blank casing diameter 4 in. to 40 ft., Dia in. to ft., Dia in. to ft.			
Casing height above land surface 24 in., weight lbs./ft. Wall thickness or gauge No. Sch. 40			
TYPE OF SCREEN OR PERFORATION MATERIAL			
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
SCREEN OR PERFORATION OPENINGS ARE:			
1 Continuous slot	3 Mill slot	5 Gauzed wrapped	8 Saw cut
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes
SCREEN-PERFORATED INTERVALS: From 40 ft. to 55 ft., From ft. to ft.			
GRAVEL PACK INTERVALS: From 14 ft. to 55 ft., From ft. to ft.			

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
Grout Intervals: From 0 ft. to 14 ft., From ft. to ft., From ft. to ft.				
What is the nearest source of possible contamination:				
1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
Direction from well? Unknown				
How many feet?				

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	4	Clay, Dark Brown			
4	11	Silt, Brown			
11	18	Sand, Brown			
18	24	Sand, Brown			
24	27	Sand, Brown			
27	41	Sand, Brown			
41	42	Clay, Dark Brown			
42	55	Sand, Brown Red			
55	56	Clay, Orange Yellow Brown			
56	57	Shale, Green Red			
57	57.5	Shale, Black			
57.5	58	Shale, Black			
					LG1, Abovegrade
					Project Name: DW-Adam Travis Court
					GeoCore # 10003

7 CONTRACTOR'S OR LANDOWNERS CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 5/9/96 and this record is true to the best of my knowledge and belief.
Kansas Water Well Contractor's License No. 527 This Water Well Record was completed on (mo/day/yr) 6/7/96
under the business name of GeoCore Services, Inc. by (signature) <i>Don Roll</i>

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-295-5545. Send one to WATER WELL OWNER and retain one for your records.