| | | R WELL RECORD | Form WWC-5 | KSA 82a- | 1212 | |
|--|---------------------------------|----------------------------|---------------------|--|---------------------------------------|--|
| LOCATION OF WATER WE | LL: Fraction | NW. A |) [Sec | Stion Number | Township Number | Range Number |
| ounty: Saline istance and direction from ne | | | | <u> </u> | <u> </u> | R |
| | 0/0/823 | Glend | ale | | | |
| WATER WELL OWNER: | 1823, G/e | ehnle | | | Doord of Amiculation | Divinion of Mater Descure |
| R#, St. Address, Box # : ty, State, ZIP Code : | Salina | KMNMM | ا م | 67401 | Application Number: | Division of Water Resource |
| LOCATE WELL'S LOCATION AN "X" IN SECTION BOX: | N WITH 4 DEPTH OF C | OMPLETED WELL. | 7 9' | 7. ft. ELEVAT | TION: /230 | |
| W | WELL'S STATIC Pump Est. Yield | WATER LEVEL | ater was | elow land surface. O. ft. aft. aft. aft. aft. aft. aft. aft. | ace measured on mo/day/yiter | umping 15 gpn umping gpn n. to 9 ft Injection well |
| sw se | 1 Domestic | 3 Feedlot | | | = | Other (Specify below) |
| | 2 Irrigation | | | | 0 Monitoring well | |
| <u>i 1</u> | Was a chemical/t | pacteriological sampl | e submitted to D | | s; If yes er Well Disinfected? Yes | |
| TYPE OF BLANK CASING | | 5 Wrought iron | 8 Concr | | | ed . K Clamped |
| | RMP (SR) | 6 Asbestos-Cemer | nt 9 Other | (specify below |) Weld | ded |
| 2 PVC 4 | ABS, | 7 Fiberglass | | | | aded |
| ank casing diameter | 5 in. to 3.8. | ft., Dia | in. to | · | ft., Dia | in. to ft |
| asing height above land surfa /PE OF SCREEN OR PERF | | .in., weight | .16.0 .4.8 Pr | | | _ , , , , , , |
| | | E Eiberglage | | (P (SR) | 10 Asbestos-cem | |
| - | Stainless steel | 5 Fiberglass | 9 AB | | | ') |
| | Galvanized steel | 6 Concrete tile | | | 12 None used (o | • |
| REEN OR PERFORATION | | | uzed wrapped | | 8 Saw cut | 11 None (open hole) |
| 1 Continuous slot | 3 Mill slot | | e wrapped | | 9 Drilled holes | |
| 2 Louvered shutter | 4 Key punched | 7 lor | ch cut | | 10 Other (specify) | |
| CREEN-PERFORATED INTE | | . ft. to | <i>E</i> | ft., From | 1 ft. | tofl |
| GRAVEL PACK INTE | From RVALS: From | , ft. to | 49 | ft., From | 1 | toft |
| | From | ft. to | | | | |
| GROUT MATERIAL: | Neat cement | 2 Cement grout | 3 Bento | nite 4 (| Other | |
| rout Intervals: From | | | ft. | to | ft., From | ft. to |
| hat is the nearest source of | possible contamination: | | | 10 Livesto | ock pens 14 / | Abandoned water well |
| 1 Septic tank | 4 Lateral lines | 7 Pit privy | | 11 Fuels | torage 15 (| Oil well/Gas well |
| 2 Sewer lines | 5 Cess pool | 8 Sewage la | agoon | 12 Fertiliz | er storage 16 (| Other (specify below) |
| (3) Watertight sewer lines | 6 Seepage pit | 9_Feedyard | | 13 Insecti | icide storage | |
| irection from well? | North | 4 2 957 | T | How man | y feet? 20-2 | 2 フ |
| FROM TO | LITHOLOGIC | LOG | FROM | TO | PLUGGING | INTERVALS |
| 0' a' f | illdirt | | | | | |
| 2' 4' Ori | sinal Top | 5011 | | | | |
| 4' 12' C | isht Brow | in clar | | | | |
| 121 / Lis | INT Brown | clar And | | | | |
| | FINE SA | NDmile | عط | | | |
| 1, 36, 2, | Ne SAN |) | | | | |
| 36' 37' G | rey clay | | | | | |
| | larse SAN | D - Gna | 760 | | | |
|)-1 | Darker JAN | p - will | | | | |
| | 40 (1) | | | | | |
| | | | | | | |
| | | | + | | drive (A | |
| | | | | | | |
| | | | | | | |
| CONTRACTOR'S OR LAND | DOWNER'S CERTIFICATI | ON: This water well | was 🕜 constru | cted, (2) recor | nstructed, or (3) plugged un | der my jurisdiction and wa |
| ompleted on (mo/day/year) | 4-8-9 | | | | d is true to the best of my kr | powledge and belief. Kansa |
| ater Well Contractor's Licens | e No 5.入3 | This Water | Well Record wa | s completed o | n (mo/day/yr) | 7-97 |
| nder the business name of | M+D We | 11 Seru | ice | by (signatu | ire) M atthou | Souke |
| | | | | | the correct answers. Send top three | |
| or meaith and Environment, Bureau | лог water, торека, Kansas 66620 | v-uuu i. Telephone: 913-29 | v-vo45. Send one to | WAIER WELL OW | NER and retain one for your record | IS. |