

1 LOCATION OF WATER WELL: County: SALINE Fraction SE 1/4 NW 1/4 NW 1/4 Section Number 19 Township Number T 14 S Range Number R 2 EW

Distance and direction from nearest town or city street address of well if located within city?

1316 MEYERS DR.

2 WATER WELL OWNER: ROBERT STENZEL RR#, St. Address, Box #: 1316 MEYERS DR. City, State, ZIP Code: SALINA KS. 67401 Board of Agriculture, Division of Water Resources Application Number:

3 LOCATE WELL'S LOCATION WITH AN 'X' IN SECTION BOX: [Diagram of section box with 'X' in NW] 4 DEPTH OF COMPLETED WELL: 50.3 ft. ELEVATION: 1230. WELL'S STATIC WATER LEVEL: 21 ft. below land surface measured on 3-15-99. Pump test data: Well water was 26 ft. after 1 hour pumping 25 gpm. Est. Yield 7.5 gpm. Well water was 54 ft. after 25 hours pumping. Bore Hole Diameter: 9 in. to 54 ft. and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply, 8 Air conditioning, 11 Injection well, 12 Other (Specify below). Was a chemical/bacteriological sample submitted to Department? Yes. No. X. If yes, mo/day/yr sample was submitted. Water Well Disinfected? Yes X No

5 TYPE OF BLANK CASING USED: 1 Steel, 3 RMP (SR), 5 Wrought iron, 8 Concrete tile, CASING JOINTS: Glued X Clamped. 2 PVC, 4 ABS, 7 Fiberglass, 9 Other (specify below), Welded. Blanking diameter: 5 in. to 45 ft. Dia. Casing height above land surface: 14 in., weight 160 lbs./ft. Wall thickness or gauge No. SDR 26. TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel, 3 Stainless steel, 5 Fiberglass, 8 RMP (SR), 10 Asbestos-cement, 2 Brass, 4 Galvanized steel, 6 Concrete tile, 9 ABS, 12 None used (open hole). SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot, 3 Mill slot .035, 5 Gauzed wrapped, 8 Saw cut, 11 None (open hole), 2 Louvered shutter, 4 Key punched, 6 Wire wrapped, 9 Drilled holes, 7 Torch cut, 10 Other (specify). SCREEN-PERFORATED INTERVALS: From 45 ft. to 50 ft. GRAVEL PACK INTERVALS: From 26 ft. to 50.3 ft.

6 GROUT MATERIAL: 1 Neat cement, 2 Cement grout, 3 Bentonite, 4 Other. Grout intervals: From 0 ft. to 26 ft. What is the nearest source of possible contamination: 1 Septic tank, 4 Lateral lines, 7 Pit privy, 10 Livestock pens, 14 Abandoned water well, 2 Sewer lines, 5 Cess pool, 8 Sewage lagoon, 11 Fuel storage, 15 Oil well/Gas well, 3 Watertight sewer lines, 6 Seepage pit, 9 Feedyard, 12 Fertilizer storage, 16 Other (specify below), 13 Insecticide storage. Direction from well? SOUTH How many feet? 35

Table with columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, PLUGGING INTERVALS. Rows: 0-3 MILL DIRT, 3-26 CLAY BROWN SILTY, 26-52 SAND FINE TO MED. CLEAN TAN, 52-54 SHALE DARK GRAY.

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 3-15-99 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 388. This Water Well Record was completed on (mo/day/yr) 7-16-99 under the business name of PESTINGER PUMP SERVICE by (signature) [Signature]