		TER WELL REC	ORD Fo	orm WWC-5		2a-1212 ID N	lo		
1 LOCATION OF WA	TER WELL:	Fraction			Sec	tion Number	Township	,	Range Number
County: Salin		NW 1/4		14 SW		30	Т.	/4 s	R Z E(N)
Distance and direction	from nearest to	own or city street	address of	well if locate	d within cit	y?			_
1401 L	origina	C+ Sa	lina.	165					
2 WATER WELL OW	NER: <i>G. G.</i>	Kenisor	`						
RR#, St. Address, Box	# : 1401	Lorianne	icr					•	Division of Water Resource
City, State, ZIP Code	: Sa	ling Ks	674	OJ	110		Application	n Number:	
					77.	ft. ELEVA	TION:		
AN "X" IN SECTION	I BOX:	Depth(s) Ground							ft.
<u> </u>									
†		<i>i</i> —, <i>i</i>							oumping gpm
NW -	- NE	Est. Yield A.V.		Well water	was	ft. a	fter	hours p	oumping gpm
					,				in. to ft.
₩ W 1		WELL WATER T					Air conditionin	-	njection well
		1 Domestic	3 Feedl				Dewatering		Other (Specify below)
	- SE	2 Irrigation	4 Indust	riai (1)00	mestic (iawi	n & garden) Tu	wonitoring we	· · · · · · · · · · · · · · · · · ·	
 	1	Was a chemical/b	acteriologica	al sample subr	nitted to Dep	partment? Yes.	No. 🗸	; If yes, n	no/day/yrs sample was sub
S		mitted					Well Disinfecte	ed? Yes 1	No
5 TYPE OF BLANK C	ASING USED:		5 Wrought	iron	8 Concre				ed Clamped
1 Steel	3 RMP (SI	,		s-Cement		(specify below	•		ded
2PVC	4 ABS		7 Fiberglas						aded
Blank casing diameter	r	in. to	Øft.,	Dia	in				in. to
Casing height above I	and surface	<i>1.8</i> ir	., weight	>ch.			ft. Wall thicknes	ss or gauge N	lo
TYPE OF SCREEN (OR PERFORAT				PV			Asbestos-cem	
1 Steel	3 Stainles:		5 Fiberglas			P (SR))
2 Brass	4 Galvaniz		6 Concrete		9 ABS			lone used (or	•
SCREEN OR PERFO		NINGS ARE:		5 Gauze 6 Wire w	d wrapped		8 Saw cut 9 Drilled hole	ae .	11 None (open hole)
1 Continuous slot 2 Louvered shutte	_	ev nunched		7 Torch					
SCREEN-PERFORA		2.1	9	ft to	36	ft From	(ft t	io
SONLLIN-FERI ONA	ILD INTERVA	From		ft. to		ft From		ft. t	to
GRAVEL P	ACK INTERVA	LS: From. 🥏 🕏	- 54	ft. to	1.6	ft., From		ft. t	to
		From		ft. to		ft., From		ft. t	toft
6 GROUT MATERIAL	L: 1 Neat c	ement	2 Cement	grout	3 Bentor				
Grout Intervals: Fro	om !	ft. to	ft.,	From		to	ft., From		ft. to
What is the nearest s	source of possil	ble contamination	:			10 Livest	tock pens		bandoned water well
1 Septic tank	4 Later	ral lines		7 Pit privy		11 Fuel s	storage		Dil well/Gas well
2 Sewer lines 5 Cess pool 8 Sewage				8 Sewage la	goon	12 Fertilizer storage 16 Other (specify below)			
3)Watertight sewe	er lines 6 Seep	age pit		9 Feedyard		13 Insect	icide storage		
Direction from well?	UK					How mar		UK	
FROM TO		LITHOLOGIC LO	G		FROM	то	F	LUGGING II	NTERVALS
0 2	Clay-	dK							
2 19	Clay -	- very suff	6,00/9	sandy					
19 30	Sand.	fire h m	ed !	/					
30 40	Sand .	- fine to	Caurse						
40 52 52 54	Sand	+ Gravel							
52 54	Clay -	blue gro	cy						
,	/	<u> </u>	/						.,
							·		
	<u> </u>								· · · · · · · · · · · · · · · · · · ·
									nder my jurisdiction and was
completed on (mo/day	/year) 🛩/.								nowledge and belief. Kansa
Water Well Contractor	's Licence No.	با . با . با . با	Th	is Water Wel	Record wa			.61.41.0	24
under the business na	me of	scolore.	Inc			by (si	gnature)	/ Jala	Kall
INSTRUCTIONS: Use tree	writer or hall point pe			Coloarly Please fil	lin blanks unde	erline or circle the c	orrect answers. Send	top three copies t	o Kansas Department of Health and