	WAT	ER WELL REC	ORD Form W	WC-5 KS	A 82a-1212	ID No						
LOCATION OF WA	TER WELL:	Fraction			Section Nun			p Number	Rar	ge Num	ber	
County: SALINE		NW 1/4		NE 1/4	1'	7		14 s	R	2W	E/W	
Distance and direction		vn or city street	address of well if	located withi	n city?							
2819 ARIGON									-			
WATER WELL OW												
RR#, St. Address, Box City, State, ZIP Code			RT					f Agriculture, I ion Number:	Division o	f Water	Resources	
LOCATE WELL'S LC												
AN "X" IN SECTION	N BOX:	Depth(s) Ground	water Encountere WATER LEVEL	d 1	. 19	ft. 2.			0∴13	<u>:01 · · ·</u>	ft.	
T N	v	WELL'S STATIC	WATER LEVEL	. †.7ft.	pelow land si	urface m	neasured on	mo/day/yr	7.7.1.2			
T .i.,	i _	Pump 20	test data: Well	water was	. 20	. ft. afte	r .	hours	pumping .		gpm	
NW	- NE E	Est. Yield ~.Y	gpm: Well teri	water was		.ft. afte	r	hours p	oumping .		gpm	
W W											ft.	
∑ W	E V	1 Domestic	O BE USED AS: 3 Feedlot				ir conditioni	ng 11 ii 12 C	njection w		om/	
sw -	_ SE	2 Irrigation	4 Industrial					ell				
5w -	<u> </u>	•				•	•					
<u>†</u>		Vas a chemical/ba nitted	acteriological sampl	le submitted to				A; If yes, r ted? Yes 〉		s sample No		
TYPE OF BLANK C	ASING USED:	Ę	5 Wrought iron	8 Co	ncrete tile		CASING	JOINTS: Glue	ed¾	Clampe	d	
1 Steel	3 RMP (SR)		6 Asbestos-Ceme		ner (specify	,						
2 PVC	4 ABS		7 Fiberglass									
Blank casing diamete												
Casing height above	land surface	14 in	., weight 1	.00		. lbs./ft.	Wall thickne	ess or gauge N	ייייייי	. 20		
TYPE OF SCREEN				_7	PVC			Asbestos-cen				
			Fiberglass Concrete tile	RMP (SR) ABS	' (SR) 11 Other			(specify)				
			5 Gauzed wrapped					None asca (o)			holo)	
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot •025			6 Wire wrapped					les	11 None (open hole)			
2 Louvered shutte	er 4 Key	punched	7 T	orch cut				ecify)				
SCREEN-PERFORA	TED INTERVALS	8: From2	2 ft. to	o 42.	ft.,	From		ft. t	ю		ft.	
	ACK INTERVALS	From	O ft. to	o 42 [.]	ft.,	From		ft. t	0		ft.	
GRAVEL P	ACK INTERVALS	5: From	Υπ.τ ft. to	0	π., ft	From		π. τ ft ft	:0		tt.	
ODOUT MATERIAL	1 No.4											
GROUT MATERIAL Grout Intervals: Fro	L: 1 Neat cen	nent 20	2 Cement grout	3 Be	tt to	4 Otr	er # Erom	<i></i>			4	
1 Septic tank	arest source of possible contamination 4 Lateral lines		7 Pit privy			10 Livestock pens 11 Fuel storage			14 Abandoned water well 15 Oil well/Gas well			
2 Sewer lines 5 Cess pool			8 Sewage lagoon			12 Fertilizer storage			16 Other (specify below)			
3 Watertight sewer lines 6 Seepage pit			9 Feedyard			13 Insecticide storage .						
Direction from well?		, ,		,		w many	- 11	0				
FROM TO		THOLOGIC LO	3	FRO		T		PLUGGING II	NTERVAL	.S		
0 3	FILL DIR	ľ										
3 7	CLAY BRO											
7 10	CLAY GRA											
10 12	CLAY BRO											
12 30			STONE CREEK	GRAVEL								
30 42	CLAY BRO	MM										
						_						
						+-						
7 CONTRACTOR'S O	R LANDOWNER'S	S CERTIFICATION	ON: This water we	ell was (1) co	estructed (2)) recons	tructed or ((3) plugged up	der my iu	risdiction	and was	
completed on (mo/day/	(vear) 9-13-0	1				-						
Water Well Contractor'			This Wate					13-01	9			
under the business nar					•	y (signa	・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・		1	/		
				longo (III in Filant)				ef/s	w	urp	95	
IND LITUUL HUND: USE TYDE		LENGE PRESS FIRM	<u>LY</u> and <u>PRINT</u> clearly. P	rease IIII in Stanks,	unidenine of circle	e me come	cı answers. Sen	u upo urree copies to	nansas Dep	parupent of i	nearn and	
Environment, Bureau of Wa	ter, Topeka, Kansas 666	20-0001. Telephone 78	35-296-5524. Send one to	O WATER WELL C	WNER and retain	n one for yo	ur records. Fee	of 65.00 for each <u>co</u>	nstructed wel			