		WA	TER WELL RE	CORD For	m WWC-5	KSA 82a-12	12 ID N		- -		
1 LOCATI	ON OF WA	TER WELL:	Fraction			Section I		Townshi	p Number	Range Nun	nber
County:	SALTI	NTS.	SI 14	NW 1/2	NW 1/4	31		T	14 s	R 2W	E/W
	nd direction	from nearest t	own or city stree	t address of w	ell if located w	ithin city?					
:	2510 BL	AKEMORE									
2 WATER	WELL OW	NER: NANC	EVANS			· -					
_			BLAKEMORE					Board of	Agriculture, D	Division of Water	Resources
	ZIP Code		MA.KS. 6740)1					on Number:		
3 LOCATE	WELL'S LO		4 DEPTH OF		WELL52.		. ELEVAT	ION:	1234		
_	IN SECTION	,									
	<u>, Ņ</u>	 _	WELL'S STATION	WATER LEV	EL12	ft. below lan	d surface	measured on	mo/day/yr .9:	-26-01	
≜			Риг	np test data:	Well water was	14	ft. af	ter	hours p	umping 25	apm
	- RIW _	- NE	Est. Yield	7.5+gpm: '	Well water was		ft. af	ter	hours p	umping	apm
	_!	. ! 	Bore Hole Dian	neter 9	in. to	52	ft., a	nd	· · · · · · · · · · · · ·	in. to	ft.
∰ w	<u> </u>	' ∈	WELL WATER	TO BE USED	AS: 5 Public	water suppl	y 8	Air conditioni	ng 11 In	jection well	i
7	-	-	1 Domestic	3 Feedlot	6 Oil fiet	d water supp	oly 9	Dewatering	12 C	ther (Specify be	fow)
	-sw -	- SE	2 Irrigation	4 Industri	7 Domes	tic (lawn & ga	arden) 10	Monitoring we	ell		<i></i>
	_ ! _ i _	_ ! _ _	Mas a chamical	hactoriological	sample cubmitte	d to Dopada	ont? Voc	No	X .15 von m	o/day/yrs sampi	
<u> </u>	<u> </u>		mitted	bacteriological :	sample submitte	a to Departin		No Well Disinfect	-	io/day/yrs sampi N	
5 TYPE O	F BLANK C	ASING USED:		5 Wrought ire	on 8	Concrete til				d Ciampe	
1 Stee		3 RMP (S		6 Asbestos-		Other (spec	ify below			led	
2 PVC		4 ABS	,	7 Fiberglass		٠.	•	, <i></i>	Thre	aded	
		r 5	in. to 43	•)ia	in. to .		ft Dia		in to	ft
Casing he	inht shove l	and surface	16	in weight	1	60	ibs /f	Wall thickne	ss or name M	SDR 26	
l .			TION MATERIAL			7 PVC	103.71		Asbestos-cem		
1 Stee				 5 Fiberglass		8 RMP (SI	3)				
1 Steel 3 Stainless steel 5 Fibergla: 2 Brass 4 Galvanized steel 6 Concrete						9 ABS	•,		None used (or		
SCREEN OR PERFORATION OPENINGS ARE:								8 Saw cut	, .	11 None (open	hole)
1 Continuous slot 3 Mill slot •025								9 Drilled hol		, ,	ĺ
	vered shutte	er 4 K	ey punched		7 Torch cut						
SCREEN-	-PERFORAT	TED INTERVA	LS: From	1 2	ft. to 5	²	ft., From	. <i></i>	ft. t	o	ft.
			From	יאל	ft. to 5	2 · · · · · · · ·	ft., From	. 	ft. t	0	ft.
	GRAVEL P	ACK INTERVA	LS: From	٠٠	. ft. to	~	ft., From	• • • • • • • • • • •	II. 1	0 <i></i>	
							-				
6 GROUT	MATERIAL	L: 1 Neat c		2 Cement gr	out 3	Bentenite -	- 40	ther			
}			ft. to2		om						i
!		•	ble contaminatio					ock pens		bandoned water	well
1 Septic tank 4 Lateral lines			7 Pit privy			i1 Fuel s	•		il well/Gas well		
2 Sewer lines 5 Cess pool			-	8 Sewage lagoon			12 Fertilizer storage 16 Other (specify below)				
3 Watertight sewer lines 6 Seepage pit				9 Feedyard			13 Insecticide storage				
Direction	from well?	EAST					low man	,			
FROM	TO		LITHOLOGIC L	og	FF	ROM T	0		PLUGGING IN	ITERVALS	
0	4	FILL DI									
4	7	CLAY BR									
7	21		OOM WITH S		LAYERS						
21	51		NE TO MED.	TAN							
51	52	CLAY DA	RK GRAY				_				
							_				
			·								
											-
			R'S CERTIFICA								,
	ACTOR'S O		26-01			and t	his record	is true to the			,
completed	on (mo/day/	/year) 9 	26-01 388	This		and t	his record	is true to the		der my jurisdictio	,
completed	on (mo/day/	/year) 9 	26-01	This		and t	his record	l is true to the n (mo/day/)rr)			,
completed Water Well under the t	on (mo/day/ I Contractor' business nar	/year) 9- s Licence No me of PESTI	26-01 388		Water Well Red	and the cord was cor	his record npleted o by (sig	is true to the n (mo/day/)r) nature)	best of my kn	Sole and beli	ief. Kansas