WA	TER WELL RECORD	Form WWC-5	KSA 82a-12	12 ID N			
1 LOCATION OF WATER WELL:	Fraction		Section N		Township Number		umber
	NW 1/4 N		<u>14</u> 3 C	ノ	T /4/ S	$s \mid R \mid Z$	E(W)
Distance and direction from nearest t	-		within city?				•
	mar, Sali	ina, Ks					
2 WATER WELL OWNER: Phan	HUW NH						
RR#, St. Address, Box # : 2121					Board of Agriculture	e, Division of Wat	er Resources
City, State, ZIP Code : '5a	ling Ks (	67401	1 4010		Application Number	r:	
City, State, ZIP Code : Sa 3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	A DEPTH OF COME	PLETED WELL.	/tt.	ELEVAT	ION:		
AN "X" IN SECTION BOX:	Depth(s) Groundwate	er Encountered 1	.16 7	" ft. 2		t. 3	ft.
- N	WELL'S STATIC WAT	ER LEVEL . 16 7.1		d surface	measured on mo/day/yr	10/17/01	
<b>4</b> 1	Pump tes	t data: Well water wa	ıs	ft. aft	erhou	urs pumping	
NW NE					erhou		
					nd8		
₩ W		E USED AS: 5 Publi				1 Injection well	
₹" X !   !   `			eld water supp			2 Other (Specify I	helow)
sw se					Monitoring well	, , ,	,
SW SE	_	$\sim$	, –	-	_		
<b>♦</b>	Was a chemical/bacter	iological sample submitt	ted to Departme	ent? Yes	No. <b>/</b> . ; If ye:	s, mo/day/yrs sam	nple was <mark>sub</mark> -
S	mitted			Water \	Well Disinfected? Yes		No
5 TYPE OF BLANK CASING USED:			8 Concrete tile	-	CASING JOINTS: (	Glued Clam	nped
1 Steel 3 RMP (S	R) 6 As	sbestos-Cement	9 Other (spec	ify below)	V	Welded	
2 PVC 4 ABS	7 Fit				т	Threaded	
Blank casing diameter	in. to 3.4	ft., Dia	in. to		ft., Dia	in. to	
Casing height above land surface							
TYPE OF SCREEN OR PERFORAT		ngiit	(7 PVC)	100.710	10 Asbestos-		
1 Steel 3 Stainles:		perglass	8 RMP (SF	5)		cify)	
2 Brass 4 Galvania		oncrete tile	9 ABS	1)	12 None used	• •	
SCREEN OR PERFORATION OPE		5 Gauzed v			8 Saw cut	11 None (op	on hole)
	lill slot	6 Wire wrap			9 Drilled holes	i i None (op	en noie)
2 Louvered shutter 4 K	ev nunched						ft.
SCREEN-PERFORATED INTERVA	18: From 44 'E	7" # to 34	1'8"	ft From	10 Other (specify)	ft to	ft
SCREEN-PERFORATED INTERVA	From.	ft. to		ft., From .		ft. to	ft.
GRAVEL PACK INTERVA	LS: From50 5	ft. to . 1.8.		ft., From .		ft. to	ft.
6 GROUT MATERIAL: 1 Neat c	ement 2 Ce	ement grout	3 Bentonite	4 O	ther		
Grout Intervals: From							
What is the nearest source of possil		, 1101111		10 Livesto		4 Abandoned water	
•		7 Pit privy		11 Fuel st	•	5 Oil well/Gas wel	
	ral lines						
②Sewer lines 5 Cess	•	8 Sewage lago		12 Fertilizer storage		16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit		9 Feedyard		13 Insecticide storage .			
Direction from well?				1	feet? 60		
	LITHOLOGIC LOG	F	ROM T	0	PLUGGING	G INTERVALS	
O & Clay							
0 8 Clay	sandy, class	sea ins					
18 28 Sand- 28 35 Sand 35 48 Sand +	f. C						
28 35 Sand	+ Gravel						
35 48 Sand +	Gravel - C	Cooke					
48 50.5 Clay-	black (weath						
70 30,3 Clay	STACK (WEATH	tercy situity					
7 CONTRACTOR'S OR LANDOWNE	R'S CERTIFICATION:	This water well was	) constructed,	, (2) recon	structed, or (3) plugged	under my jurisdict	tion and was
7 CONTRACTOR'S OR LANDOWNE completed on (mo/day/year)	-16-01		and th	nis record	is true to the best of my	knowledge and b	elief. Kansas
Water Well Contractor's Licence No	527	This Water Well Ro	ecord was com	noleted or	(mo/day/yr) /0/i-	7/01	
			30010 Was con		1	POR	
under the business flattle of Ge	GCore, Inc	·		by (sign	Dale	10CL	
	DI C. 4 OF DDEOG EIR:	A DOMETIL A Direct Control	deater west-deat	alaska #		V 0	A - 411 W: .