W	ATER WELL RECORD	Form WWC-5	KSA 82a-12	12 ID No.				
1 LOCATION OF WATER WELL:	Fraction	······································	Section	1	Township Nun	nber	Range Number	
County: SALINE	NW 14 SW			30	<u>т 14</u>	S	r 2w ew	
Distance and direction from nearest	town or city street address	ss of well if located w	vithin city?				,	
2255 REDHAWK								
	AMTA HONGUILAY							
	55 REDHAWK				Board of Agric	ulture, Divis	ion of Water Resources	
City, State, ZIP Code : SALINA, KS. 67401					Application Nu	mber:		
3 LOCATE WELL'S LOCATION WITH	DEPTH OF COMPL	FTFD WELL		ELEVATION	DN: 1231 .			
AN "X" IN SECTION BOX:	Denth(s) Groundwater	Encountered 1	19	ft. 2.		ft. 3	ft.	
N N	Depth(s) Groundwater WELL'S STATIC WATE	RLEVEL19	. ft. below lan	id surface m	easured on mo/da	_{v/yr} 1	1-9-01	
4 ! !	Pump test	data: Well water was	22	ft afte	r1	hours pum	ping 25 gpm	
NW NE								
	Est. Yield .75 [±] gpm: Well water wasft. after hours pumping							
W	E WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well							
₩ E			ld water supp	•		•	r (Specify below)	
	. = •		•				· · · · · · · · · · · · · · · · · · ·	
SW x - SE					-			
*	Was a chemical/bacterio	logical sample submitte	ed to Departm	ent? Yes	No 🚶 ;	lf yes, "mo/d	ay/yrs sample was sub-	
Š	mitted				ell Disinfected?			
5 TYPE OF BLANK CASING USE			Concrete til				.X Clamped	
1 Steel 3 RMP (•		Other (spec					
<u>2 PVC</u> 4 ABS	7 Fibe	•					d	
Blank casing diameter								
Casing height above land surface.	\dots 1. $6\dots$ in., weiç	ght 160		lbs./ft. '	Wall thickness or	gauge No	SDR .26	
TYPE OF SCREEN OR PERFORA			7 PVC			tos-cement		
1 Steel 3 Stainle	erglass				11 Other (specify)			
2 Brass 4 Galvar	crete tile	te tile 9 ABS			12 None used (open hole)			
SCREEN OR PERFORATION OP	ENINGS ARE:	5 Gauzed w				11	l None (open hole)	
	Mill slot •025	6 Wire wrap	ped		9 Drilled holes			
2 Louvered shutter 4	Key punched 42	7 Torch cut	52		` ' ' '		ft.	
SCREEN-PERFORATED INTERV	ALS: From	16. 60						
ODANEL DAOK INTERV	From22 ALS: From22	ft. to	·	ft., From	• • • • • • • • • • • • •	ft. to		
GRAVEL PACK INTERV							π. 	
			Rentonite.					
Grout Intervals: From		.ft., From					to	
What is the nearest source of pos-	sible contamination:	7 Pit privy		10 Livestoci	k pens		doned water well	
: = : (r : :	· · · · · · · · · · · · · · · · · · ·			11 Fuel storage		15 Oil well/Gas well		
2 Sewer lines 5 Cess pool		8 Sewage lagoon		12 Fertilizer storage		16 Other (specify below)		
3 Watertight sewer lines 6 Seepage pit		9 Feedyard		13 Insecticide storage				
Direction from well? WEST				How many f	feet?	60		
FROM TO	LITHOLOGIC LOG	F	ROM T	0	PLUG	GING INTE	RVALS	
0 3 FILL D	IRT							
3 23 SANDY	LOOL							
	INE TO MED. TAN							
								
								
	** *****							
TI CONTRACTORIO CE I INVESTIGI	EDIO OEDTICIO (TIC)	L'	\	1 (0)	44			
7 CONTRACTOR'S OR LANDOWN	IER'S CERTIFICATION: TI 09 - 01	_						
completed on (mo/day/year)	ຈຽ໘		and t	his record is	s true to the best of	of my knowi	edge and belief. Kansas	
Water Well Contractor's Licence No.	· · · · · · · · · · · · · · · · · · ·	. Illis water well he	cord was cor	npleted on	(nho/day/y))	17:17	<i>.f.</i> t.y	
under the business name of PEST	INGER PUMP SERVI	CE		by (signa	itule) to !	1111	lea	
INSTRUCTIONS: Use typewriter or ball point p	pen. PLEASE PRESS FIRMLY and	PRINT clearly. Please fill in bl	anks, underline o	r circle the corre	ct answers. Send too Win	ee copies to Kan	sas Department of realth and	
Environment, Bureau of Water, Topeka, Kansa								