

1	LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County:	SALINE	SW 1/4 SW 1/4 SE 1/4	7	T 14 S	R 2N E/W

Distance and direction from nearest town or city street address of well if located within city?

1905 E. IRON

2 WATER WELL OWNER: MIKE WALKER
 RR#, St. Address, Box #: 1905 E. IRON
 City, State, ZIP Code: SALINA, KS. 67401
 Board of Agriculture, Division of Water Resources
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

N
-NW- -NE-
W - - E
-SW- -SE-
S

4 DEPTH OF COMPLETED WELL: 52 ft. ELEVATION: 1219

Depth(s) Groundwater Encountered 1 28 ft. 2 ft. 3 ft. 4 ft. 5 ft. 6 ft. 7 ft. 8 ft. 9 ft. 10 ft. 11 ft. 12 ft. 13 ft. 14 ft. 15 ft. 16 ft. 17 ft. 18 ft. 19 ft. 20 ft. 21 ft. 22 ft. 23 ft. 24 ft. 25 ft. 26 ft. 27 ft. 28 ft. 29 ft. 30 ft. 31 ft. 32 ft. 33 ft. 34 ft. 35 ft. 36 ft. 37 ft. 38 ft. 39 ft. 40 ft. 41 ft. 42 ft. 43 ft. 44 ft. 45 ft. 46 ft. 47 ft. 48 ft. 49 ft. 50 ft. 51 ft. 52 ft.

WELL'S STATIC WATER LEVEL: 28 ft. below land surface measured on mo/day/yr: 7-20-03

Pump test data: Well water was AIRFOAMED ft. after hours pumping gpm

Est. Yield: 100 gpm Well water was ft. after hours pumping gpm

WELL WATER TO BE USED AS:

1 Domestic	2 Irrigation	3 Feedlot	4 Industrial	5 Public water supply	6 Oil field water supply	7 Domestic (lawn & garden)	8 Air conditioning	9 Dewatering	10 Monitoring well	11 Injection well	12 Other (Specify below)
------------	--------------	-----------	--------------	-----------------------	--------------------------	----------------------------	--------------------	--------------	--------------------	-------------------	--------------------------

Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes A No

5 TYPE OF BLANK CASING USED:

1 Steel	2 PVC	3 RMP (SR)	4 ABS	5 Wrought iron	6 Asbestos-Cement	7 Fiberglass	8 Concrete tile	9 Other (specify below)
---------	-------	------------	-------	----------------	-------------------	--------------	-----------------	-------------------------

Blank casing diameter 8 in. to 42 ft., Dia 14 in. to 160 lbs./ft. Wall thickness or guage No. SDR 26

Casing height above land surface 14 in., weight 160 lbs./ft. Wall thickness or guage No. SDR 26

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel	2 Brass	3 Stainless Steel	4 Galvanized Steel	5 Fiberglass	6 Concrete tile	7 PVC	8 RMP (SR)	9 ABS	10 Asbestos-Cement	11 Other (Specify)	12 None used (open hole)
---------	---------	-------------------	--------------------	--------------	-----------------	-------	------------	-------	--------------------	--------------------	--------------------------

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot	2 Louvered shutter	3 Mill slot .032	4 Key punched	5 Gauzed wrapped	6 Wire wrapped	7 Torch cut	8 Saw cut	9 Drilled holes	10 Other (specify)	11 None (open hole)
-------------------	--------------------	------------------	---------------	------------------	----------------	-------------	-----------	-----------------	--------------------	---------------------

SCREEN-PERFORATED INTERVALS: From 52 ft. to 52 ft., From ft. to ft., From ft. to ft.

GRAVEL PACK INTERVALS: From 25 ft. to 52 ft., From ft. to ft., From ft. to ft.

6 GROUT MATERIAL:

1 Neat cement	2 Cement grout	3 Bentonite	4 Other
---------------	----------------	-------------	---------

Grout Intervals: From 5 ft. to 25 ft., From ft. to ft., From ft. to ft.

What is the nearest source of possible contamination:

1 Septic tank	2 Sewer lines	3 Watertight sewer lines	4 Lateral lines	5 Cess pool	6 Seepage pit	7 Pit privy	8 Sewage lagoon	9 Feedyard	10 Livestock pens	11 Fuel storage	12 Fertilizer storage	13 Insecticide storage	14 Abandoned water well	15 Oil well/Gas well	16 Other (specify below)
---------------	---------------	--------------------------	-----------------	-------------	---------------	-------------	-----------------	------------	-------------------	-----------------	-----------------------	------------------------	-------------------------	----------------------	--------------------------

Direction from well? EAST How many feet? 55

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	2	TOP SOIL			
2	26	CLAY BROWN SILTY			
26	50	SAND FINE TO MED. TAN			
50	52	SHALE GRAY			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 8-08-03 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No 388 This Water Well Record was completed on (mo/day/yr) 8-09-03 under the business name of PESTINGER PUMP SERVICE by (signature) Paul Pestinger

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.