		WA	ATER WELL RECO	ORD For	m WWC-5	KSA 82	2a-1212	ID No	D					
1 LOCATION OF WATER WELL: County: SALINE			Fraction NW 1/4	177.			Section N		1	ship Number		inge Num		
County:		T가고 from nearest tov	NW 1/4		within city	30	0	<u>Т</u>	<u>14 s</u>	l_R	2₩_	<u>E/W</u>		
	7 BENTL		WIT OF CITY SHEET A	duless of we	ii ii localeu	within City	ı							
		NER: KEN BU	JRNHAM											
City, State,		: SALINA	BENTLEY A,KS. 67401	L					Appli	d of Agricultur ication Numbe	er:			
			4 DEPTH OF CO	OMPLETED	WELL	51	ft.	ELEVAT	TION:	1231				
AN "X" IN	N SECTION I N	BOX:	Depth(s) Ground	dwater Enco	untered	120		ft.	2	on moldaylyr	ft. 3 8-26-0	٦ 	ft.	
	:	!	WELL'S STATIC P.ym	p test data:	Well water	r was	22	ft. a	ifter	hou	rs pumping	20	gpm	
	-NW	-NE	Est. Yield WELL WATER 1	2 gpm:	Well water	r was		ft. a	fter 8 Air cond	hou	rs pumping 1 Injection w		gpm	
	: 1	!	1 Domestic	1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)										
W X E 2 Irrigation 4 Industrial 7 <u>Domestic (lawn & garden)</u> 10 Monitoring well										•••••	•••••			
											waa aub			
was a chemical/bacteriological sample submitted to Department? YesNoX; if yes, morday/yrs									sample v N o					
	<u> S</u>	<u>t</u>												
		ASING USED:		5 Wrought			crete tile			NG JOINTS: 0	SluedX	Clamped	l	
1 Steel 3 RMP (SR) _2 PVC 4 ABS				6 Asbestos7 Fiberglas	9 Other (specify below)									
			in. to	46	ft., Dia		in. to			 ft., Dia	in	. to	ft.	
Casing hei	ght above la	nd surface	in., weig	ht	160	60ıı			os./ft. Wall thickness or guage No. SDR 26			•••••		
		R PERFORATIO	5 Fiberglas			7 PVC			10 Asbestos-Cement					
1 Steel 3 Stainless Steel 2 Brass 4 Galvanized Steel				6 Concrete			8 RMP (SR) 9 ABS			11 Other (Specify)				
SCREEN C	OR PERFOR	RATION OPENIN			5 Guaz	ed wrappe	d		8 Saw cu	ıt	11 None	e (open h	ole)	
1 Continuous slot 3 Mill slot •025 6 Wire wrapped 9 Drilled holes												4		
	vered shutter	r 4 K ED INTERVALS:	ey punched : From	46				+ From		,				
SUNEEN-F	ENFONAIE	ID IN I ENVALO.	From		ft. to		ft	t., From .	•••••	f	t. to		ft.	
C	3RAVEL PAC	CK INTERVALS		.21	ft. to	<u>51</u>	ft	t., From .		f	t. to		ft.	
			110111		11. 10									
	IT MATERIA		t cement ft. to 21	2 Cemen	it grout	_3_B	entonite	4	Other		***************************************	•••••		
Grout Inter				٠ ft., Fr	om	t		0 Livesto						
What is the nearest source of possible 1 Septic tank 4 Lat			ral lines		7 Pit privy		11 Fuel sto		•			Abandoned water well Oil well/Gas well		
2 Sewer lines 5 Cess pool			pool		agoon			J				N)		
		r lines 6 Seep		9 Feedyard				icide storag		•••••				
Direction from well? NORTN FROM TO LITHOLOG				1.06	OG FROM			, , , , , , , , , , , , , , , , , , ,			が PLUGGING INTERVALS			
0	3	FILL DIE		LOG		FROW	1 10			PLUGGIN	3 INTERVAL	,		
3	5	CLAY TAI					 						<u> </u>	
5	51		NE TO IED.	TAN										
51		SHALE G	RAY											
							+	-	-					
						ļ	_							
							 							
								_	 	·				
													_	
7 CONTR	ACTOR'S O	R LANDOWNE	R'S CERTIFICAT	ION: This w	ater well wa	ıs <u>(1) con</u> s	structed,	<u>(2)</u> recor	nstructed, o	r (3) plugged	under my jur	isdiction	and was	
completed of	on (mo/day/ye	ear) <u>Q.T.&.Q.</u>	-03 388				an	ıd this rec	ord is true to	o the best of m	ıy∡know[edge a	and belief	f. Kansas	
under the bi	usiness nam	e of PESTI	NGER PUAP S	SERVICE	rnis water	well Reco	ra was co		on (mo/da)		You ll	100	***********	
			en. <u>PLEASE PRESS FIF</u>		Clearly. Please	fill in blanks,	underline or			 	opies to Kansas D	epartment c	of Health	
and Enviro	nment, Bureau o		ction, 1000 SW Jacksor											