		W/	ATER WELL REG	CORD Form	WWC-5	KSA 82a-	1212 ID No	ɔ				
1 LOCAT	ION OF WA	TER WELL:	Fraction			Sec	ction Number	Township	o Number	Range	e Numbe	er
	<u>Saline</u>		SE 1/4		NW 1/4		31	<u> </u>	4 s	R	2	X /W
			wn or city street				_					
			511 Mitch				<u>; </u>					
_		255	ly Dunn (tion,	Inc.			_			
City, State,		" : Sali	Dundee ina, KS	67401-71				Applicati	f Agriculture, D ion Number:			
			4 DEPTH OF									
	N SECTION N		Depth(s) Grou	ındwater Encour IC WATER LEVI	ntered 1.	*******************	ft.	2	ft. 3	*		ft.
	' .	1	Pu	ump test data:	Well water v	was	ft. a	after	hours pi	umping		gpm
	_w_X_	- NE	Est. Yield30	040. gpm: 1	Well water v	was	ft. a	ıfter	hours pi	umping		gpm
		1	WELL WATER 1 Domestic	R TO BE USED A		ıblic water s I field water		8 Air condition 9 Dewatering		jection well ther (Specify	r bolow)	
w	! .	— !	2 Irrigation					10 Monitoring v				
- 1			-		_	<u>-</u>	<u> </u>	<u>.</u>				
	-sw -	- SE	Was a chemic	al/bacteriologica	al sample su	bmitted to f	Department? Y	'es No	X ; If yes, m	io/day/yrs sa	mple wa	as sub-
	1	1	mitted	_		Water Well Disinfected? Yes X No						
<u> </u>	S											
5 TYPE	OF BLANK C	ASING USED:		5 Wrought in	on	8 Concre			JOINTS: Glue	dX Cla	mped	
1 Stee		3 RMP (SI	R)	6 Asbestos-C			(specify below))	Weld	ed		
X2 PVC		4 ABS	in an	7 Fiberglass						aded		
			in. to									
_	-	na sunace R PERFORATIO		III., Weigin	i	X PV			:kness or guag Asbestos-Cem		_⊶ .∠,.I. .; ±	
1 Stee		3 Stainles		5 Fiberglass			1P (SR)		Asbesios-Cerri Other (Specify)			
2 Bras		4 Galvania		6 Concrete ti		9 AB			None used (op		*********	••••
SCREEN (OR PERFOR	RATION OPENIN	NGS ARE:		5 Guazeo	d wrapped		8 Saw cut		11 None (o	pen hole	e)
	tinuous slot		Mill slot		6 Wire w	• •		9 Drilled hole			•	
	vered shutte		Key punched		7 Torch c			10 Other (spe	• •			
SCREEN-	PERFORATE	ED INTERVALS:		42								
(GRAVEL PAG	CK INTERVALS	From 3: From	20	.π. το ft. to	52	ft., From .		to ft. to		•••••	π. ft
Ì				•••••								
6 GROU	IT MATERIA	I · · · · · · · · · · ·	at cement	2 Cement	arout	X Bent	tonita 4	Other		· ·		
Grout Inter		n. 0		20 ft., Fro	gioui m		O 4	ft From	·····	ft to		ft
			contamination:				10 Livesto			bandoned w		
	tic tank	•	eral lines		Pit privy		11 Fuel st	•		il well/Gas w		
	ver lines	5 Cess			Sewage lag	agoon 12 Fertiliz		zer storage		Other (specify below)		
X Wat	tertight sewe	r lines 6 Seep	page pit	9	Feedyard		13 Insecti	icide storage				
Direction fr	om well?	<i>l</i> lest				т	How many	y feet?	120			
FROM	TO		LITHOLOGI	C LOG		FROM	то	F	PLUGGING IN	TERVALS		
0	2	Topsoi										
	9	<u>Clay,</u>										
9	27	<u>Clay,</u>										
_27	48		fine to	<u>medlum</u>								
48	52	Shale,	gray									
<u>.</u>									_			
											•	
	<u> </u>	J										
了 CONTR	ACTOR'S O	R LANDOWNE	R'S CERTIFICA	ATION: This wat	er well was	(X constru	ucted, (2) recor	nstructed, or (3) plugged und	ler my jurisdi	iction an	nd was
completed of	on (mo/day/y	ear) .9./ .	.19/03				and this rec	ord is true to the	e best of my kn	owledge and	belief. K	Kansas
Water Well	Contractor's		1.38	T					m9,	<i>h</i> 26/03		
under the b												
	usiness nam	e of Pet	erson Ir	rigation	a, Inc.	•	by (s	signature)	Il Re 4	ellio	<u></u>	
INSTRUCT	TIONS: Use type	writer or ball point pe	erson Tr en. <i>PLEASE PRESS (</i> ection, 1000 SW Jacks	FIRMLY and PRINT c	tearly. Please fil	ll in blanks, und	erline or circle the c	correct answers. Sen	id top inree copies	to Kansas Depar	rtment of H	ealth