

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>Saline</u>		<u>SE 1/4 SE 1/4 SE 1/4</u>	<u>24</u>	<u>T 14 S</u>	<u>R 3 E</u>
Distance and direction from nearest town or city street address of well if located within city? <u>910 E. Claflin</u>					
2 WATER WELL OWNER:		Board of Agriculture, Division of Water Resources			
RR#, St. Address, Box # : <u>Betty Keller</u>		Application Number:			
City, State, ZIP Code : <u>910 E. Claflin</u>		<u>Salina, KANSAS</u>			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>50'</u> ft. ELEVATION: <u>1232</u>			
		Depth(s) Groundwater Encountered 1. <u>29</u> ft. 2. <u>29</u> ft. 3. <u>29</u> ft.			
		WELL'S STATIC WATER LEVEL <u>29</u> ft. below land surface measured on mo/day/yr <u>5-29-04</u>			
		Pump test data: Well water was <u>29 1/2</u> ft. after <u>1/2</u> hours pumping <u>15</u> gpm			
		Est. Yield <u>30</u> gpm; Well water was <u>29 1/2</u> ft. after <u>1/2</u> hours pumping <u>15</u> gpm			
		Bore Hole Diameter <u>8 1/2</u> in. to <u>30</u> ft. and <u>5 1/2</u> in. to <u>50</u> ft.			
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well			
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)			
		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well			
		Was a chemical/bacteriological sample submitted to Department? Yes <u>X</u> No <u>X</u> If yes, mo/day/yr sample was submitted			
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued <u>X</u> Clamped <u>X</u>			
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile		Welded <u>X</u> Threaded <u>X</u>			
12 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below)					
Blank casing diameter <u>5</u> in. to <u>40</u> ft. Dia <u>40</u> in. to <u>160</u> lbs./ft. Wall thickness or gauge No. <u>5AR26</u>					
Casing height above land surface <u>14</u> in. weight <u>160</u> lbs./ft.					
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC 10 Asbestos-cement			
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)		12 None used (open hole)			
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS					
SCREEN OR PERFORATION OPENINGS ARE:		8 Saw cut 11 None (open hole)			
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 6 Wire wrapped 9 Drilled holes 10 Other (specify)					
2 Louvered shutter 4 Key punched 7 Torch cut					
SCREEN-PERFORATED INTERVALS: From <u>40</u> ft. to <u>50</u> ft. From <u>40</u> ft. to <u>50</u> ft.					
GRAVEL PACK INTERVALS: From <u>25</u> ft. to <u>50</u> ft. From <u>25</u> ft. to <u>50</u> ft.					
6 GROUT MATERIAL:		1 Neat cement 2 Cement grout 3 Bentonite 4 Other			
Grout Intervals: From <u>0</u> ft. to <u>25</u> ft. From <u>0</u> ft. to <u>25</u> ft.					
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well			
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well		12 Fertilizer storage 16 Other (specify below)			
2 Sewer lines 5 Cess pool 8 Sewage lagoon 13 Insecticide storage					
3 Watertight sewer lines 6 Seepage pit 9 Feedyard					
Direction from well? <u>EAST</u>		How many feet? <u>30 ft.</u>			
FROM	TO	LITHOLOGIC LOG		FROM	TO
0'	3'	Compacted Top Soil			
3'	28'	Light Br Clay			
28'	35'	Brown clay + SAND mixed			
35'	50'	Coarse SAND + GRAVEL			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>5-29-04</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>523</u> This Water Well Record was completed on (mo/day/yr) <u>5-29-04</u> under the business name of <u>MAD Well Service</u> by (signature) <u>Matthew Jankup</u>					