			RECORD	Form WWC-	Form WWC-5 Divi		vision of Water Resources; App. No.		
	LOCATION OF WATER WELL:		Fraction		ection Number	Township Number	Range Number		
		y: Sal. 1		5W1/4 NE1/4 N	E 1/4	4	T / S 4/	R 2 EW	
				or city street address of we			Systems (decimal degr	ees, min. of 4 digits)	
	located within city? Latitude:								
-	E 0+ Salinà en Huy 40 Tomany mount 11 Tomanay La Ikingitude: 2 WATER WELL OWNER: Me Share 5 Elevation:								
2	RR#	St. Addres	IS Box# 1420E	nes north ST	1				
		State, ZIP	C-1		- 1	Datum:	Made at		
_			Jaima	K3 67401		Data Collection			
		ATE WEI	L'S 4 DEPTH OF C	OMPLETED WELL		ft	•		
	LOCATION WITH AN "X" IN Depth(s) Groundwater Encountered (1)2.7 ft. (2)								
		TION BOX	WBOX: WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr						
~	JECI	N Pump test data: Well water was							
'n		Est. Yieldgpm: Well water wasft. after hours pumpinggpm							
7 4	NIV	, N	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well						
Z _W	NW	Nac-	E 1 Domestic 3	E 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)					
	2 Irrigation 4 Industrial 7 Domestic (lawn & garden) Monitoring well								
	SW SE XX							TC	
		Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs Sample was submitted							
		C	- Sample was subm	muea	. water	well disinfected?	1 es No	•••	
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped									
5			NG USED: 5 Wro						
	1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded								
D 1	ank ac	cing diama	ter / in to	1918S	i	to #	I nreaded	in to θ	
Blank casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in., Weight lbs./ft. Wall thickness or guage No.5.4.80									
			OR PERFORATION M			onic. Want	intimities of guage 140.	.	
1 Steel 3 Stainless Steel 5 Fiberglass PVC 9 ABS 11 Other (Specify)									
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
1 Continuous slot 3 Mill slot 5 Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)									
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)									
SCREEN-PERFORATED INTERVALS: From. ft. to 7.2. ft., From ft. to ft. From. ft. to ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From 2.7 ft. to 2.2 ft., From ft. to ft.									
From									
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 6 Bentonite 4 Other									
Grout Intervals: From									
What is the nearest source of possible contamination:									
								16 Other (specify below)	
			sewer lines 6 Seepage		2 Fertilize		Dil well/gas well	Unknewn	
Di			l?			•		-	
	ROM	TO	LITHOL	OGIC LOG	FROM	ТО	PLUGGING INT		
	0	1	top Soil						
	/	23	J	×5					
	3	72	Sands						
ļ									
GOVERN A CTORUS OR A ANDOMATRIA CERRITARIA CONTRACTOR OF THE CONTRACTOR OF T									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed, (2) reconstructed, or (3) plugged									
under my jurisdiction and was completed on (mo/day/year) . 5./.2									
Kansas water well Contractor's License No Inis water well kecord was completed on (mo/day/year)									
under the business name of Laun's Fuvironmental Servicing (signature) Luck (signature) INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle de correct answers. Send top									
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone									
785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at									
http://www.kdhe.state.ks.us/geo/waterwells.									