WATE	R WELI	RECORD	Form WWC	-5	Division of Wate	er Resources; App. No.		
l		F WATER WELL:	Fraction		Section Number		_	
Cour		ALINE	NW 1/4 NE 1/4		31	T 14 S	R 2W E/W	
Distance and direction from nearest town or city street address of well if 24 pated within city? 2409 MTTCHELL DR					Global Positioning Systems (decimal degrees, min. of 4 digits)			
24009ted within city? 2409 MITCHELL DR.					Latitude:			
2 WATER WELL OWNER: KRISTI WHEELER					Longitude:			
	, St. Addre	TITIE WI			Datum:			
City, State, ZIP Code : SALINA, KS. 67401					Data Collection Method:			
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL53								
	CATION		22122 ***					
WIT	WITH AN "X" IN Depth(s) Groundwater Encountered (1)							
SEC	ECTION BOX: WELL'S STATIC WATER LEVEL1.9 ft. below land surface measured on mo/day/yr0.7_1.7_0							
	Pump test data: Well water was20ft. after1hours pumping20gpn							
	Est. Yield							
w NV	WELL WATER TO BE USED AS: 5 Public water supply 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 11 Injection well 12 Other (Specify below)							
W   <del>-    </del>		2 Irrigation 4 Ind	ustrial 7 Domest	ic (lawn	& garden) 10 Mor	nitoring well		
SV								
Sample was submitted								
S								
		ING USED: 5 Wrought I	fron 8 Conc			G JOINTS: Glued	_	
	1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded							
		4 ABS 7 Fiberglass	ft Diameter		in to ft	Diameter	in to ft	
Blank casing diameter 5 in. to 48ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in., Weight 160								
TYPE C	F SCREE	N OR PERFORATION MATE	RIAL:			or gauge rior	J-2-4	
1	Steel	3 Stainless Steel 5 Fiber	glass 7 PVC	9 A	ABS	11 Other (Specify).		
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
1 Continuous slot 3 Mill slot • 0 2 5 5 Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From								
From ft. to ft., From ft. to ft.								
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other								
Grout Intervals: From 0. ft. to 22. ft., From ft. to ft., From ft. to ft.								
What is the nearest source of possible contamination:								
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify								
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)								
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well								
Directio	TO TO	NORTHWEST		FROM	<del>* .       .                             </del>	DI LICCONG INTE		
FROM 0	4	LITHOLOGIC FILL DIRT	LUG	FROM	TO TO	PLUGGING INTE	SKVALS	
4	12	CLAY TAN SILTY						
12	53	SAND FINE TO MED	TAN CLEAN					
			· IIII ODDIII					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged								
under my jurisdiction and was completed on (mo/day/year) 0.71.70.6 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No.388 This Water Well Record was completed on (100/day/year) 171706								
		name of PESTINGER PU			y (signatura)	uf / Ilali	40	
INSTRUC	CTIONS: Us	e typewriter or ball point pen. PLEA.	SE PRESS FIRMLY and F	PRINT clea	rly. Please fill in blanks	s, underline or circle the co	rect answers. Send top	
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Sure 420, Topeka, Kansas 66612-1367. Telephone								

http://www.kdhe.state.ks.us/geo/waterwells.