		RECORD	Form WWC-	-5	Division of War	ter Resources; App. No. L		
1 LOCATION OF WATER WELL:			Fraction		Section Number	Township Number	Range Number	
County: Saline			Near¼ CTR¼ S		30	T 14 S	R 2	
Distance and direction from nearest town or city street address of well if Global Positioning Systems (decimal degrees, min. of 4 digital degrees).								
locate		ity? in Salina city	limits		Latitude:			
Wildcat Circle					⊥ Longitude:			
		LOWNER: Tyler Mo		Elevation:				
RR#, St. Address, Box # : 620 Ritt				Datum:				
City,	, State, ZIF	Code : Salina,	KS 67401			Method:		
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL58								
LOCATION								
WITH AN "X" IN Depth(s) Groundwater Encountered (1)								
L	SECTION BOX: WELL'S STATIC WATER LEVEL1.8ft. below land surface measured on mo/day/yr5/3/10							
	N Pump test data: Well water wasft. after hours pumping gp							
Est. Yield. 30 gpm: Well water was								
,,,,	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well							
w 1 1 F 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)								
2 Irrigation 4 Industrial X Domestic (lawn & garden) 10 Monitoring well								
Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs								
Sample was submitted								
S .								
5 TYPE	E OF CAS	ING USED: 5 Wrought I	ron 8 Conc	rete tile	CASIN	NG JOINTS: GluedX	Clamped	
		3 RMP (SR) 6 Asbestos-	0.04	. /:C.	11>	337 - 1 - 1 - 1	_	
	PVC	4 ABS 7 Fiberglass						
Blank ca	sing diam	eter 5 in. to 48	ft Diameter	i	n. to ft	Diameter	in, toft.	
XXPVC4 ABS7 FiberglassThreadedBlank casing diameter5in. to48ft., Diameterin. toft., Diameterin. toft., DiameterCasing height above land surface12in., Weight2.37lbs./ft.Wall thickness or guage No.21.4								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
1 Steel 3 Stainless Steel 5 Fiberglass X PVC 9 ABS 11 Other (Specify)								
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
1 Continuous slot XXMill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)								
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw cut 10 Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From ft. to ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From20								
From ft. to ft., From ft. to ft.								
6 CPO	IIT MATI	ERIAL: 1 Neat cement 2 (Camant grout & Rai	ntonite	1 Other			
Grout In		From 9 ft. to?						
1		source of possible contaminati		•••••	11. 10	16., 1 10111	11. 10	
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide storage 16 Other (specify								
							below)	
**Watertight sewer lines								
Direction from well? North How many feet? 100								
FROM	ТО	LITHOLOGIC		FROM	<u> </u>	PLUGGING INT	ERVALS	
0	4	Topsoil			1			
4	32	Clay, gray						
32	58	Fine to medium s	and	1				
58	60	Shale, green						
- 50		Diule, green			1			
					-			
							THE PART OF THE PA	

7 CONT	TRACTO!	2'S OR LANDOWNED'S CE	PTIFICATION. T	hie woter	well was (M cons	tructed (2) reconstruct	ed or (3) plugged	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (N constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) .5/3/10 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 138 This Water Well Record was completed on (mo/day/year)								
under the business name of Peterson Irrigation, Inc. by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top								
	es to Kansas	Department of Health and Environmen	nt, Bureau of Water, Geolo	gy Section,	1000 SW Jackson St.	, Suite 420, Topeka, Kansas	66612-1367. Telephone	
785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/index.html.								