WATE	CR WE	LL RECORD	Form WV	VC-5	Division of Water Resources App. No.	
1 LO	CATION	OF WATER WELL:	Fraction		Section Number Township No. Range Number	
Cou	nty: Sa	line	1/4 NE 1/4 NE	1/4 SW 1/4	4 30 T 14 S R 2 □E 🗹 W	
Stre	et/Rural	Address of Well Location; i	f unknown, distance &	Global Positioning System (GPS) information:		
from nearest town or intersection: If at owner's address, check here . Latitude:					Latitude: (in decimal degrees)	
			· · · · · · · · · · · · · · · · · · ·		Longitude: (in decimal degrees)	
21.	35 Kear	awk, Salina			Elevation:	
					<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27	
2 WA	TER W	ELL OWNER: Mark Me	Cartney		Collection Method:	
RR	#, Street	Address, Box #: 2135 Re			GPS unit (Make/Model:	
City	y, State,	TID O. I.	(S 67401		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey	
		Sainta, i	(0 0/401		Est. Accuracy:	
3 LOC	CATE W	ELL				
WIT	TH AN "X		COMPLETED WELL			
SEC	TION BO	OX: Depth(s) Ground	water Encountered (	(1)	ft. (2) ft. (3) ft.	
	N	WELL'S STATI	C WATER LEVEL	ft.	t. below land surface measured on mo/day/yr	
		Pump	test data: Well water	was	ft. after hours pumping gpm	
,,	w   1	EST. YIELD. 50	+gpm. Well water	was	ft. after hours pumping gpm	
w N	W   1	Bore Hole Diam	eter 9in. to .50	6f	ft., andft.	
l '' l					ter supply  Geothermal  Injection well	
i I	X	Domestic			ter supply   Dewatering   Other (Specify below)	
S	W   :				wn & garden  Monitoring well	
					o Department?  Yes M No	
	S		lay/yr sample was subn			
]	1 mile					
,		water well disin	fected? 📝 Yes 🔲 N			
5 TYPE OF CASING USED: Steel PVC Other						
CASIN	IG JOIN	TS: 🗹 Glued 🔲 Clam	ped 🗌 Welded 🛛	Threaded	d	
Casir	ng diame	ter .5 in. to .33	ft., Diameter	_ in. 1	to ft., Diameter in. to ft.	
Casing height above land surface18						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
☐ Steel ☐ Stainless Steel						
Brass Galvanized Steel None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
☐ Continuous slot						
F	Louvere	d shutter Key punched	☐ Wire wrapped ☐	Saw cut	Other (specify)	
SCREE	N-PERI	ORATED INTERVALS: 1	From 33 ft	to53	ft., From ft. to ft.	
					ft., From ft. to ft.	
	GRAV	FI PACK INTERVALS.	From 24 ft	to 53	ft From ft to ft	
GRAVEL PACK INTERVALS:       From						
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other						
Grout Intervals: From 4 ft. to .24 ft., From						
What is the nearest source of possible contamination:  Septic tank  Lateral lines Pit privy  Livestock pens  Insecticide storage  Other (specify below)						
	Septic ta			Livestock p		
_	☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well  ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well					
		n well West	i recdyard		from well . 50'	
			CIOC			
FROM	TO	LITHOLOGI	CLUG	FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS	
0	5	Clay - brown, silty				
5	28	Clay - gray				
28	56	Sand and gravel				
56	56	Shale				
				<del></del>		
			G CORPORED COMMON	ant :		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ✓ constructed, ☐ reconstructed, or ☐ plugged						
	under my jurisdiction and was completed on (mo/day/year) .5/.18/2010 and this record is true to the best of my knowledge and belief.					
Kansas Water Well Contractor's License No527 This Water Well Record was completed on (mo/day/year) 6/11/2010						
under the business name of Geo. Core. Inc. by (signature) dale a Roll						
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies						
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.						
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us, at						
http://www.kdheks.gov/waterwell/index.html.  KSA 82a-1212 Check: White Copy, Pink Copy						
NOA 82a-	1212				Check: White Copy, Blue Copy, Pink Cop	