

1 LOCATION OF WATER WELL: County: SALINE Fraction: NW 1/4 NW 1/4 NW 1/4 Section Number: 19 Township Number: T 14 S Range Number: R 2 EW

Distance and direction from nearest town or city street address of well if located within city? 752 Moundview

2 WATER WELL OWNER: JACK + VALARIE BARR

RR#, St. Address, Box # : 752 Moundview Board of Agriculture, Division of Water Resources
 City, State, ZIP Code : SALINA KANSAS 67401 Application Number: 1226

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

N	
X	
-NW-	-NE-
-SW-	-SE-
W	E
S	

4 DEPTH OF COMPLETED WELL ft. ELEVATION: 1226

Depth(s) Groundwater Encountered 1 24 1/2 ft. 2 ft. 3 ft.

WELL'S STATIC WATER LEVEL 24 1/2 ft. below land surface measured on mo/day/yr 9-18-10

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield 35 gpm: Well water was ft. after hours pumping gpm

WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well

Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes X No

5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded
 7 Fiberglass Threaded

Blank casing diameter 5 in. to 3.9 ft., Dia in. to ft., Dia in. to ft.

Casing height above land surface 16 in., weight 160 lbs./ft. Wall thickness or gauge No. TDK26

TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-Cement
 1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 Other (Specify)
 2 Brass 4 Galvanized Steel 6 Concrete tile 9 ABS 12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes
 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) ft.

SCREEN-PERFORATED INTERVALS: From 39' ft. to 49' ft., From ft. to ft.
 From ft. to ft., From ft. to ft.

GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft.
 From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 8 Bentonite 4 Other

Grout Intervals: From 0 ft. to 24 ft., From ft. to ft., From ft. to ft.

What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
 13 Insecticide storage

Direction from well? North How many feet? 15

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0'	2'	light Br clay fill			
2'	3'	Top soil			
3'	10'	Brown clay			
10'	24'	Light Br clay + Fine SAND			
24'	35'	FINE SAND			
35'	49'	Medium to coarse SAND + gravel			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 9-20-10 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No 523 This Water Well Record was completed on (mo/day/yr) 9-20-10 under the business name of M+D well service by (signature) Matthew Soukup