WATER WELL RECORD			Form W	WC-5	Division of Water Resources App. No.	
1 LOCATION OF WATER WELL:			Fraction		Section Number Township No. Range Number	
Coun		Saline	1/4 SW 1/4 SV		4 20 T 14 S R2 □E XX W	
					Global Positioning System (GPS) information:	
from nearest town or intersection: If at owner's address, check here .					Latitude: (in decimal degrees)	
965	S. Mar	ymount, Salina, K	5		Longitude: (in decimal degrees)	
		-			Elevation:	
2 WA	TED W	ELL OWNER: Poto	Daral a a		Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27	
1		11 5 "	Earles		Collection Method: GPS unit (Make/Model:)	
C' C 7ID C1-			S. Marymount		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey	
	, 2, _	Saili	na, KS 67401		Est. Accuracy:	
3 LOCATE WELL						
WITI	H AN "X		COMPLETED WEL			
SECT	TION BO	X: Depth(s) Ground	dwater Encountered	(1)	ft. (2) ft. (3) ft. t. below land surface measured on mo/day/yr 5/6/11	
	N	WELL'S STAT	IC WATER LEVEL	ŊÐ	t. below land surface measured on mo/day/yr?/.9/.!!	
					ft. after hours pumping gpm	
NW NE					ft. after hours pumping gpm	
					.ft., andft.	
WEEL WITHK TO BE OBEI					ter supply Geothermal Injection well	
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)						
☐ Irrigation ☐ Industrial ★ Domestic-lawn & garden ☐ Monitoring well						
Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted						
Water well disinfected? \(\overline{\pi} \) Yes \(\overline{\pi} \) No						
Water went distincted: M. Tes 110						
5 TYPE OF CASING USED: Steel PVC Other						
CASING JOINTS: Glued Clamped Welded Threaded						
Casing diameter						
Casing height above land surface12						
TYPE OF SCREEN OR PERFORATION MATERIAL: □ Steel □ Other (Specify) Other (Specify)						
☐ Steel ☐ Stainless Steel ☐ Other (Specify) ☐ Brass ☐ Galvanized Steel ☐ None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
☐ Continuous slot						
Louvered shutter Key punched Saw cut Other (specify)						
SCREEN-PERFORATED INTERVALS: From						
From						
GRAVEL PACK INTERVALS: From1.5						
From ft. to ft., From ft. to ft.						
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other						
Grout Intervals: From						
What is the nearest source of possible contamination:						
X Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well						
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well						
Direc	ction from	n well	·	. Distance	from well 50 ft.	
FROM	TO	LITHOLOG		FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS	
0	2	Topsoil				
2	24	Clay, gray				
24	33	Fine Sand w/creel	k gravel			
33	40	Shale, gray				
				1		
		PARTY SET TO THE SET OF THE SET O				
		American contract to		ļ		
	7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☒ constructed, ☐ reconstructed, or ☐ plugged					
	under my jurisdiction and was completed on (mo/day/year) 5/6/11 and this record is true to the best of my knowledge and belief.					
					Record was completed on (mo/day/year)5/11/11	
under the business name ofpetersonIrrication The						
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.						
	Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at					
http://www.kdheks.gov/waterwell/index.html.						
KSA 82a-	KSA 82a-1212					