County Salive Swift Fraction Swift NE NE NE NE NE NE NE N
Casing height Casing heigh
From nearest town or intersection: If at owner's address, check here
Longitude: 7.7.57618 Ledward Longitude: 7.5.57618 Ledward Longitude: 7.5.57618 Ledward Ledwa
Superior State S
WATER WELL OWNER Called or Section Collection Methods Collectio
City, State, ZIP Code Salim S 6740 Digital Map/Photo, Topographic Map, Land Survey Est. Accuracy 3 m, May 3 m, >15 m >15 m
State
SECTION BOX: N
Depth(s) Groundwater Encountered (1)
WELL'S STATIC WATER LEVEL
Pump test data: Well water was. ft. after. hours pumping. gpm Bore Hole Diameter S. in. to Z.O. ft. and in. to ft. WELL WATER TO BE USED AS: Public water supply Geothermal Injection well Domestic Feedlot Oif field water supply Dewatering Other (Specify below) Irigation Industrial Domestic-lawn & garden Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No No If yes, mo/day/yr sample was submitted. Water well disinfected? Yes No No Yes No No No No No No No N
NW
Bore Hole Diameter Stainles Stainles Steel PVC Other Dbs./ft. Walthickness of gauge No. Stainless Steel PVC Other (Specify) Stainless Steel Stainless Steel Saw cut Other (Specify) Stainless Steel Saw
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)
Irrigation Industrial Domestic-lawn & garden Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No
Irrigation Industrial Domestic-lawn & garden Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No
S
Water well disinfected? Yes No
STYPE OF CASING USED: Steel PVC Other HUPE
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter
Casing diameter
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole) Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft. From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft. From ft. to ft., From ft. to ft. GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From 5 ft. to 290 ft., From ft. to ft. What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below) Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well
SCREEN OR PERFORATION OF ENINGS ARE: Continuous slot Mill slot Gause wrapped Torch cut Drilled holes None (open hole)
☐ Continuous slot ☐ Mill slot ☐ Gabse wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft. from ft. to From ft. to ft. from ft. to GRAVEL PACK INTERVALS: From ft. to ft. to ft., From ft. to From ft. to ft. from ft. ft. from ft. to ft. ft. GRAVEL PACK INTERVALS: From ft. to ft. from ft. ft. from ft. ft. to ft. ft. GRAVEL PACK INTERVALS: From ft. to ft. from ft. ft. ft. ft. ft. from ft. ft. to ft. ft. GRAVEL PACK INTERVALS: From ft. to ft. from ft. ft. ft. ft. ft. from ft. to ft. ft. GRAVEL PACK INTERVALS: From ft. to ft. from ft. ft. ft. ft. ft. from ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)
SCREEN-PERFORATED INTERVALS: From
GRAVEL PACK INTERVALS: From
From ft. to ft., From ft. to ft. 6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft. What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well
6 GROUT MATERIAL: □ Neat cement □ Cement grout □ Bentonite □ Other
Grout Intervals: From
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below) Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well ☐ HOUSE
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well
FROM TO LITHOLOGIC LOG FROM TO LITHO. LOG (cont.) or PLUGGING INTERVALS
O I SOIL
16 170 SHALE 2-190
170 176 LIMESTONE Z-180
176 ZOO SHALE 1-176
colored
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, or plugged under my jurisdiction and was completed on (mo/day/year) 3.729.29
under my jurisdiction and was completed on (mo/day/year) 2.74.7
Kansas Water Well Contractor's License No. 7.60 This Water Well Record was completed on (pro/day/year) 5-20-20/ under the business name of ASSOCIATIO ORTHON (BL
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.
KSA 82a-1212