WATER WEL	L RECORD	Form V	WWC-5	Division of Water	Resources App. No)
	OF WATER WELL:	Fraction SE 1/4 N	12/4. SIDV	Section Number	Township No.	Range Number R 2 □E W
	ddress of Well Location;	if unknown, distance	e & direction	Global Positioning		
	wh or intersection: If at		Latitude: (in decimal degrees)			
2010 0				Longitude: (in decimal degrees)		
2369 GEORGETOWN RD				Elevation:		
2 WATER WELL OWNER: GHOSH				Collection Method:		
2 WATER WELL OWNER: GHOSH RR#, Street Address, Box #: 2366 GEOBELTOWN RO. City, State, ZIP Code : SALWA, KS 60401				☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey		
City, State, ZI	SALI	va, Ks 6	7401	Est. Accuracy:	3 m,	5-15 m, \square >15 m
3 LOCATE WEI	L	NATE OF THE PARTY AND PROPERTY OF THE PARTY	41			
WITH AN "X" SECTION BOX	IN 4 DEPTH OF	COMPLETED WE		ft. (2)	ft (2	A (1
SECTION BOX: Depth(s) Groundwater Encountered (1)						
Pump test data: Well water wasft. after						
EST. YIELD. 670. 1. gpm. Well water was						
W E Bore Hole Diameter						
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well Domestic Feedlot Oil field water supply Dewatering Other (Specify below)						
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well						
Was a chemical/bacteriological sample submitted to Department? Yes						
S If yes, mo/day/yr sample was submitted						
water went districted. [22.105						
5 TYPE OF CASING USED: Steel PVC Other						
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter in. to ft., Diameter ft., Diameter ft.						
Casing diameter						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
Steel Stainless Steel PVC Other (Specify)						
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:						
Continuous slot Mill slot (Ca) Gauze wrapped Torch cut Drilled holes None (open hole)						
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)						
SCREEN-PERFORATED INTERVALS: From						
From						
From ft. to ft., From ft. to ft.						
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other						
Grout Intervals: From						
what is the hearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)						
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well						
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well Direction from well Out THE Color Distance from well YO						
FROM TO LITHOLOGIC LOG FROM TO LITHOL LOG (cont.) or PLUGGING INTERVALS						
0 3	FILL DIET				32.200	
3 16	CLAY TAN SO					
16 24	SAND FINE TO	9N				***************************************
24 52	CLAY TAN SOF	GOAL SAND L	MYEES			
SA	UMMILL AIGHT	CICHY				
M COPINE VOICE	DICOD & ANDOMAIN	יים א יא די תודיות כוויקוי אין כו	ION. This seed	ar wall was Mass-t-	uotod [] racenst	uotad or Taluacad
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☑ constructed, ☐ reconstructed, or ☐ plugged under my jurisdiction and was completed on (mo/day/year) ☐ 2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2						
Kansas Water Well Contractor's License No. 31.1 This Water Well Record was completed on (mo/glay) year)						
under the business name of PLSTINGER. PUMP. SERVICE. by (signatural Speck King Landson)						
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.						
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at						
http://www.kdheks.gov/waterwell/index.html. KSA 823.1212						
KSA 82a-1212						