		ELL RECORD Form	n WWC-5	KSA 82a-12			i
1 LOCATION OF WATER WELL:	Fraction	SIA/ . NE		on Number	Township Numb		
County: Saline Distance and direction from nearest t			hin city?	7	⊤ 14	S R 2 W	i
Distance and direction from hearest t	own or city street addres	1901 E North St	., Salina,	KS			li .
2 WATER WELL OWNER: Brow	vn & Brown/Hall E	Bros. Recycling					ì
RR#, St. Address, Box # : 1901	E. North St.				Board of Agricultu	re, Division of Water Resources	i i
City, State, ZIP Code : Salin	ıa, KS 67401				Application Number	er:	ì
LOCATE WELL'S LOCATON WIT	rul I	DI ETED MELL	25	# CLC\/	ATION	1210 35	ì
AN "X" IN SECTION BOX:	DEPTH OF COM	PLETED WELL	25	II. ELEV	ATION:	1219.35	Q
N						_ft. 3Ft.	OFFICE
1						no/day/yr 03/14/12	띪
NW NE	Pump tes	t data: Well water v	vas		i. after r	nours pumping	USE
<u> </u>	Est. Yield	Gpm: Well water v	vas	F1	i, after	Hours pumping Gpm	
₩ W X	Bore Hole Diameter	8.625 In. to	35		ft. and	in. to Ft. 11 Injection well 12 Other (Specify below)	ONLY
SW SE	WELL WATER TO B	EUSEDAS: 5 Pui Feed lot 6 Oil	onc water su field water s	ppiy unpiv	9 Dewatering	12 Other (Specify below)	~
SW SE	2 Irrigation /	Industrial 7 Las	un and dard	en (domestic) 10 Monitoring we	⊪ MW-2	
							į
S		eriological sample su	bmitted to D			If yes, mo/day/yr sample was Yes No X	í
	Submitted		0 0		er Well Disinfected?		
5 TYPE OF BLANK CASING USED		-				: Glued Clamped	i
1 Steel 3 RMI		Asbestos-Cement	9 Other (specify belov	v)	Welded	i
2 PVC 4 ABS	3 7	Fiberglass				Threaded X	i
Disable series diameter 2	in to 20	Ft.,	In to	,	ft Dia	in. to ft.	i
Blank casing diameter 2 Casing height above land surface	FILISH	uniaht SC	H 40			uge No.	
1		weight	7 [10 Asbestos		i
TYPE OF SCREEN OR PERFORATI	inlana stani E	Fiberglass	0 1			pecify)	i
1 0100.	vanized steel 6	Concrete tile	9	RMP (SR) ABS	12 None us	ed (open hole)	⊣
SCREEN OR PERFORATION OPEN	INGS ARE:	5 Gauzeo	wrapped		8 Saw cut	11 None (open hole)	i
} · ·	3 Mill slot				9 Drilled holes		i
·	4 Key punched		ut		10 Other (specify)		i
SCREEN-PERFORATED INTERVAL	• •		35			ft. toft.	i
OOKLERY EN GIGWES WELLOW						ft. toFt.	æ
SAND PACK INTERVALS:	From 18	ft to	35	ft. F	rom	ft, to Ft.	ינג
SAND FACILITY ERVICES.	From				rom		
6 GROUT MATERIAL: 1 Nea							
		E+	Ft				ı
Grout Intervals From2 0.5	ft. to 16	From3 16	to	18	ft. From	ft. toft.	
What is the nearest source of possibl				10 Livest	ock pens	14 Abandoned water well	
1 Septic tank	4 Lateral lines	7 Pit privy		11 Fuel s	torage	15 Oil well/ Gas well	i
2 Sewer lines	5 Cess pool	8 Sewage la	igoon	12 Fertiliz	er storage	16 Other (specify below)	
3 Watertight sewer lines	6 Seepage pit	9 Feedyard		13 Insect	icide storage	Contaminated Site	
Direction from well?				How many	feet?		
FROM TO CODE	LITHOLOGI		FROM	то	PLUGG	SING INTERVALS	
	Gravel and surfac	e sands					SEC
	Silty Clay						•
	Sandy Silt						
35 TD E	nd of Borehole						
7 CONTRACTOR'S OR LANDOWN	IED'S CEDTICIOATION	This water well was	(v) construc	led (2) recei	netructed or (2) pluses	and under my jurisdiction and	
_		ınıs water well was	(Y) COURLING	cou, (∠) recor	istructed, or (3) plugg	powledge and belief. Keeses	
Completed on (mo/day/yr)		<u>2</u> 85	And thi	ntor Mail D -	ue to trie best or my K	nowledge and belief. Kansas on (mo/day/yr) 03/29/12	
Water Well Contractor's License No.		Environmental				ley J. Johnson	
under the business name of INSTRUCTIONS: Please fill in bla	inks and circle the correct s	nswers. Send three co	pies to Kansa	By s Department	of Health and Environment	Modera of Water, Youeka	
Kansas 66620-0001. Telephone:	913-296-5545. Send one t	WATER WELL OWN	ER and retain	one for your	ecords.`		