WATER WELL RECORD		Form W				er Resources App. 1	No	
1 LOCATION OF WATER WELL:		Fraction NW NN	رالعدع. براريخ		30	T /4 S	R 2 □E WW	
Street/Rural Address of Well Location; if unknown, distance & direction				Glob	Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here .					Latitude:			
2157 REDHAWK					Elevation:			
2 WATER WELL OWNER: LEGACY BUILDERS RR#, Street Address, Box #: 042 BARLOW DR. City, State, ZIP Code : SALINA KS 67401					Collection Method:			
RR#, Street Address, Box #: 042 BACLOW DE.					☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
City, State, ZIP Co	de SAL	INA, KS 6	7401				ic Map, ☐ Land Survey ☐ 5-15 m, ☐ >15 m	
3 LOCATE WELL				73	A			
WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL							
N SECTION BOX.								
Pump test data: Well water was2.0ft. after								
EST. YIELDgpm Well water wasft. afterhours pumping								
W Bore Hole Diameter ft., and ft., and ft.							ft.	
WELL WATER TO BE USED AS:								
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
☐ Irrigation ☐ Industrial ☑ Domestic-lawn & garden ☐ Monitoring well								
Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted								
S If yes, mo/day/yr sample was submitted								
5 TYPE OF CASING USED: Steel YPVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter 5 in to 9.6 ft. Diameter in to ft. Diameter in to ft.								
Casing height above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL: .								
Steel Stainless Steel PVC Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Das Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.								
SCREEN-PERFORATED INTERVALS: From								
From. ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From 21 ft. to ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From \mathcal{L} ft. to $\mathcal{A}I$ ft., From ft. to ft., From ft. to ft.								
What is the nearest source of possible contamination:								
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well								
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well Direction from well Distance from well								
FROM TO	LITHOLOG	IC LOG	FROM	TO			UGGING INTERVALS	
0 3 F1	LL DIET	A 10 Marie 1 a 10						
	AY TAN SI	LTY						
12 32 SA	NOY LOOM	TAN						
32 53 SA	ND FINE TO	MED. TAN						
	1.42							
					Ori	iginal Return	ed to Sender	
					for	Correction	Date: 5-17-12	
	The second secon							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ★ constructed, □ reconstructed, or □ plugged								
under my jurisdiction and was completed on (mo/day/year) 0.4-1.3								
Kansas Water Well Contractor's License No. 237 This Water Well Record was completed on (mo/day/year)								
under the business name of PESTINGE PURP SEQUICE by (signature) Soul Purp Sequipose in Structions: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies								
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5524.	Send one copy to WAT	ER WELL OWNER and	retain one for	your reco	rds. Include fe	e of \$5.00 for each	constructed well. Visit us at	
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212								