WATER WELL RECORD		Form WWC-5		D	ivision of Wate				
1 LOCATION OF WATER WELL:		Fraction		Secti	Section Number Township No.				
County: SALINE		NE%SE 1/N							
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here					Global Positioning System (GPS) information:  Latitude:				
from nearest town of intersection. If at owner s address, check here					Longitude:				
513 S. ESTATES DE.				Eleva	Elevation:				
2 WATER WELL OWNER: OLAF FRANDSEN					Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27 Collection Method:				
RR#, Street Address, Box #: 513 S. ESTATES De.					GPS unit (Make/Model:)				
City, State, ZIP Code	10A98. 67401			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m					
1 LOCATE WELL	SAL	10 A,7 18. 6	1701	Est. A	Accuracy:	3 m, ∐ 3-5 m, ∐	5-15 m, <u>L</u>	<u>  &gt; 15 m</u>	
3 LOCATE WELL WITH AN "X" IN	4 DEPTH OF	COMPLETED WEL	<u>ک</u> د	TG	ft.				
SECTION BOX: Depth(s) Groundwater Encountered (1)								ft.	
N WELL'S STATIC WATER LEVEL									
Pump test data: Well water wasft. after									
W NW NE E	Bore Hole Dian	neter /Din. to	er						
WELL WATER TO BE USED AS: ☐ Public water supply						othermal Ir		rell	
SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify be									
☐ Irrigation ☐ Industrial ☑ Domestic-lawn & garden ☐ Monitoring well								• • • • • • • • • • • • • • • • • • • •	
S If yes, mo/day/yr sample was submitted									
1 mile  Water well disinfected?									
5 TYPE OF CASING USED: Steel YPVC Other									
CASING JOINTS: St Glued Clamped Welded Threaded									
Casing diameter									
Casing height above land surface									
☐ Steel ☐ Stainless Steel									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous slot ☑ Mill slot ☑ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)									
SCREEN-PERFORATED INTERVALS: From									
From									
From									
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
Grout Intervals: Fromft. toft., Fromft. toft., Fromft.									
What is the nearest source of possible contamination:  Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)									
Sewer lines	Cesspool		Fuel stora		Abandoned		i (specify	below)	
Watertight sewer l		pit Feedyard	Fertilizer		Oil well/ga				
Direction from well		TIC LOC				OG (cont.) or PLU			
	LITHOLOG L DIET	HC LOG	FROM	ТО	LITHO, LA	JG (cont.) or PLUC	JOING II	NIERVALS	
	Y BLOWN	JILTY	"						
12 25 SAN	by LODA	1 TAN							
35 05 Ch		N SILTY							
35 41 Cer			-						
41 51 CLA	tik Gem	OCL BEOWN							
	OID STONE								
	ALE GEAS								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed,     reconstructed, or   plugged									
under my jurisdiction and was completed on (mo/day/year) 26.33.2 and this record is true to the best of my knowledge and belief.  Kansas Water Well Contractor's License No. 3.2 This Water Well Record was completed on (mo/day/gear) 2									
under the business name of PESTINGRO. PHMP. SECURE by (signature)									
INSTRUCTIONS: Use typew	riter or ball point per	n. PLEASE PRESS FIRML	Y and PRINT c	learly. Ple	ease fill in blanks	and check the correct	answers. S		
(white, blue, pink) to Kansas I Telephone 785-296-5524. Ser									
http://www.kdheks.gov/waterwell/index.html.									
KSA 82a-1212									