WATER WELL REC	CORD	Form V	VWC-5	Di	vision of Wate	r Resources App. No	_{>.}		
1 LOCATION OF WA	TER WELL:	Fraction	15 "16)	- C	on Number	Township No.	Range N		
County: SAL		Stal NW S			<u>30</u>	T /4 S			
Street/Rural Address of		System (GPS) in							
from nearest town or intersection: If at owner's address, check here \(\sigma\).					Latitude: (in decimal degrees) Longitude: (in decimal degrees)				
23 WILDOAT GECLE					Elevation: (in decimal degrees)				
N WILDCHT CIECLE					Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27				
2 WATER WELL OWNER: DAVID KOHARE				Collec	Collection Method:				
RR#, Street Address, Box #: # 93 WILACAT CLEOLA City, State, ZIP Code: # 93 WILACAT CLEOLA				H;	☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
City, State, Zii Code	SAI	LINA KS	102401			3 m, 🔲 3-5 m, 🔲			
3 LOCATE WELL		,							
WITH AN "X" IN	4 DEPTH OF	COMPLETED WE	LL <i>Θ</i> ς	ي	ft.	• "			
SECTION BOX:	Depth(s) Groundwater Encountered (1). 20								
WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/ytt									
EST VIELD And Wall water was A offer have average									
W Bore Hole Diameter in. to ft., and in. to ft.									
WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well								/ell	
SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)									
Was a chemical/bacteriological sample submitted to Department? Yes No									
S If yes, mo/day/yr sample was submitted									
Water went districted: A 165 140									
5 TYPE OF CASING USED: Steel YPVC Other									
CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter									
Casing height above land surface									
TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel ☐ Other (Specify)									
Brass Galvanized Steel None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot Mill slot, Car Gauze wrapped Torch cut Drilled holes None (open hole)									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft.									
From ft to ft From ft to ft fo									
From									
From									
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
Grout Intervals: From									
What is the nearest source of possible contamination:									
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock p ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage									
Watertight sewer lines Seepage pit Feedyard Fertilizer sto					Oil well/ga		• • • • • • • • • • • • • • • • • • • •		
Direction from well			Distance		eil / 🕉	pia *		•••••	
FROM TO	LITHOLOG	IC LOG	FROM	TO	LITHO. LC	OG (cont.) <u>or</u> PLU	GGING I	NTERVALS	
D 3 FILL	DIET								
3 18 01A			1 1						
12 18 CLA	Y TAN S		-						
18 38 SAN			<u> </u>						
32 10 SAN		O MED. TI	4W						
60 CLA	AY BEAY								
		.	+						
		1.04100							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed, reconstructed, or plugged									
under my jurisdiction and was completed on (mo/day/year) 2000000000000000000000000000000000000									
Kansas Water Well Contractor's License No. 31.1 This Water Well Record was completed on (morday year) OX -07-12. under the business name of PESTINGGER. PUMP. SCRUCC by (signature)									
under the business name of PESTINGGERS. PUMA O'CRUICE by (signature)									
INSTRUCTIONS: Use typew (white, blue, pink) to Kansas I	riter or ball point pen. Department of Health	. <u>PLEASE PRESS FIRM</u> and Environment Busses	<u>LY</u> and <u>PRINT</u> cle u of Water <u>Geo</u> ld	arly. Plea	ase fill in blanks on 1000 SW Iso	and check the correct	answers. S	end three copies	
Telephone 785-296-5524. Sen	nd one copy to WAT								
http://www.kdheks.gov/waterwell/index.html.									
KSA 82a-1212									