WATER WELL RECORD ☐ Original Record ☐ Correction ☐ Change in Well Use						ision of Wate		Well ID	
Original Record Correction Chang LOCATION OF WATER WELL:				ction,					
County: 41146			NE	4 NW/SF 1/4	NE14	19	T /4 S	R Z DE ZW	
2 WELL OWNER: Last Name: JOHNSON First: CANON					Street or Rural Address where well is located (if unknown, distance and				
2 WELL OWNER: Last Name: JOHNSON Business: Address: 735 VICTORIA HEIHTS Address:					direction from nearest town or intersection): If at owner's address, check here:				
Address:	135 VIC		'''					,	
	ALINA	Sta	ite: ZIP	61401					
3 LOCAT		4 DEPTH O	F COMPLE	TED WELL:	2.00 ft	5 Latit	ıde:	(decimal degrees)	
WITH "	'X" IN ON BOX:			intered: 1)				(decimal degrees)	
	N 2)π. 3)π., or 4) L					Datum: WGS 84 NAD 83 NAD 27			
	WELL'S STATIC WATER LEVEL:					Source for Butteace Bongitude.			
NIW/	above land surface, measured on								
	Pump test data: Well water was			vas f	t.		and Survey Topogi		
w	E after hours pumping			-			nline Mapper:		
SW	SWSE after hours pump			vas 1 ning					
	Estimated Yield:			gpm			6 Elevation:ft. Ground Level TOC		
1				13/4 in. to200 ft. and			Source:		
1 mile in. to ft. Uniter									
7 WELL WATER TO BE USED AS: 1. Domestic: 5. □ Public Water Supply: well ID									
	☐ Household 6. ☐ Dewatering: how many wells?					11. Test Hole: well ID			
	☐ Lawn & Garden 7. ☐ Aquifer Recharge: well ID					☐ Cased ☐ Uncased ☐ Geotechnical			
	☐ Livestock 8. ☐ Monitoring: well ID						nermal: how many bore		
	2. ☐ Irrigation 9. Environmental Remediation: well ID 3. ☐ Feedlot ☐ Air Sparge ☐ Soil Vapor Ext					a) Ci b) O	osed Loop ☐ Horizon oen Loop ☐ Surface D	ischarge Inj. of Water	
	4. Industrial Recovery Injection								
Was a chemical/bacteriological sample submitted to KDHE? Yes Fro If yes, date sample was submitted:									
Water well disinfected? Yes No									
8 TYPE OF CASING USED: Steel PVC Other Port CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter 3/4 in. to									
Casing height above land surface									
Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE: ☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)									
. –	nuous Slot ered Shutter	☐ Mill Slot ☐ Key Punched	☐ Gauze V		w Cut \B\			••••••	
					ft., From .	ft. to) ft., From	ft. to ft.	
SCREEN-PERFORATED INTERVALS: From									
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From									
Grout Interv	als: From	ft. to .Z	UO ft., F	From	ft. to	ft., From	ft. to	ft.	
Nearest source of possible contamination: ☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage									
Sewer Lines									
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well									
Direction from	(Specify)	OUTH		Distance from w	/b0		fi		
10 FROM	TO		HOLOGIC L		FROM	ТО		r PLUGGING INTERVALS	
0	12	DIRT-TOP SO					Z.,		
12					1	1			
16	25	SAND-GRAVI	<u> </u>						
25	25 200	SAND-GRAN SHALE/BOCK,		MIX					
				MIX					
				MIX					
				MIX	Notes:				
				MIX	Notes:				
25	200	SHALE / BOCK,	/QUATZ				4		
25	200	SHALE / BOCK,	/QUATZ			well was	constructed, □ rec	onstructed, or □ plugged	
25	200	SHALE / BOCK,	/QUATZ			well was this record	constructed, rec	onstructed, or □ plugged by knowledge and belief.	
25	200	SHALE / BOCK,	/QUATZ			well was this record ord was cor	constructed, rec s true to the best of m npleted on (mo-day-y	onstructed, or plugged by knowledge and belief.	
11 CONT under my jr Kansas Wa under the b	RACTOR' urisdiction a ater Well Co pusiness nam CTIONS: Send of	SOR LANDOW nd was complete ntractor's Licens e of BASSALL.	VNER'S CE	RTIFICATION y-year) 3.7.7.2 This Wa	This water and ater Well Rec	fee of \$5.00 for		onstructed, or plugged by knowledge and belief.	