WATER WELL R	ECORD Form WW Correction Change in			sion of Water arces App. No		Well ID	
1 LOCATION OF WATER WELL: County: SALINE SWASWSE 1/4			Section Number Township Number Range Number				
2 WELL OWNER: Last Name: For A Park, First: ROB Street or Rural Address where well is located (if unknown, distance and							
Business: 1545	AUSTIN CIEC	16		ection from nearest town or intersection): If at owner's address, check here:			
Address: City: SALINA State: KUZIP: Lettol 1545 AUSTIN CIECLE							
3 LOCATE WELL 4 DEPTH OF COMPLETED WELL. See a 5 Letitude: (decimal degrees)							
WITH "X" IN SECTION BOX:	Depin(s) Groundwater Encountered: 1)						
SECTION BOX:	2) ft. 3) WELL'S STATIC WATER	ft., or 4)	Dry Well	Dry Well Datum: WGS 84 NAD 83 NAD 27 Source for Latitude/Longitude: DRY (unit make/model:)			
	🔀 below land surface, mea	asured on (mo-day-y	T)&\$\tau_T\\$\tau_A				
NWNE	above land surface, mea			(WAAS enabled?			
W E	after			Online Mapper:			
SW SE	Well water was					<u> </u>	
	Estimated Vield	_	6 Elevation:ft. Ground Level TOC				
S mile	Bore Hole Diameter:, in. to ft. and Source: Land Survey GPS Cother						
7 WELL WATER TO BE USED AS:							
1. Domestic:	5. ☐ Public Water S 6. ☐ Dewatering: h						
Lawn & Garden	7. Aquifer Recha						
Livestock 2. Irrigation	8. Monitoring: w 9. Environmental Re						
3. Feedlot	☐ Air Sparge	xtraction	traction b) Open Loop Surface Discharge Inj. of Water 13. Other (specify):				
4. ☐ Industrial ☐ Recovery ☐ Injection ☐ 13. ☐ Other (specify):							
Water well disinfected? Yes No							
8 TYPE OF CASING USED: Steel PVC Other							
Casing height above land surface							
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel Fiberglass PVC Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE: Continuous Slot Mill Slot 23 Gauze Wrapped Torch Cut Drilled Holes Other (Specify)							
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)							
SCREEN-PERFORATED INTERVALS: From							
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.							
Grout Intervals: From							
Nearest source of possible contamination: Septic Tank							
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well ☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well							
Other (Specify) Direction from well? Distance from well?							
Direction from well? 10 FROM TO	LITHOLOGIC		FROM		<u>f</u> LITHO, LOG (cont.) c	t. or PLUGGING INTERVALS	
0 2	FILLDIET		I I COLYI		(Cont.)		
2 26	CLAY BROWN						
35 50	SAWDY LOOM SAWD FINE TO				<u> </u>		
56	SHALE GRAY						
: (America): .			Notes:				
			110631				
11 CONTRACTORS OF LANDOWNED'S CEPTIFICATION. This worter wall was Voonstructed or Industrial							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No							
under the business name of PESTINGFO. Puma Sickuica.							
INSTRUCTIONS: Send one copy to WATER WELL OWNER and retain one copy for your records. Submit fee of \$5.00 for each constructed well along with one (white) copy to Kansas Department of Health and Environment, Burgan of Water, Geology Section, 1000 SW, Jackson St., Suite 420, Topeka, Kansas 66612-1367, Telephone (785) 296-3565.							

KSA 82a-1212

Visit us at http://www.kdheks.gov/waterwell/index.html

Revised 9/10/2012