S 4	ECORD Form WWC-5		sion of Water		W 11 ID
Original Record   1 LOCATION OF W			urces App. No.	Township Numbe	well ID Range Number
County: SAL		1/4 SW/4   Sect	30	T / S	R 2 □ E XW
2 WELL OWNER: I	ast Name: First:			<del></del>	(if unknown, distance and
Business: To K	INVESTMENTS			ersection): If at owner'	's address, check here:
Address: P.D. Box 542 Address: P.D. Box 542 Address: P.D. Box 542					
City: SALI	NA State: KJ ZIP: 67401	, ,	110		
3 LOCATE WELL	4 DEPTH OF COMPLETED WELL	: 58 A	5 Latitude		(decimal degrees)
WITH "X" IN	Depth(s) Groundwater Encountered: 1)	24 ft.			(decimal degrees)
SECTION BOX:	2) ft. 3) ft., or 4	1) Dry Well	Datum: [	] WGS 84 □ NAD	
	WELL'S STATIC WATER LEVEL: . 2.5  below land surface, measured on (mo-d	ا-ر د د کار	Source for	r Latitude/Longitude:	
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	above land surface, measured on (mo-d				)
NW NE	Pump test data: Well water was . 25	(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map			
W E	after				rr
SW SE	Well water was				
	after hours pumping Estimated Yield:gpm		6 Elevation	n:ft.	☐ Ground Level ☐ TOC
S	Estimated Yield:gpm Bore Hole Diameter:fin. in. to5.9	ft. and	_	_	SPS  Topographic Map
mile	in. to	ft.	L	Other	
7 WELL WATER TO			10 🗆 Oil E:	ald Water Consulation las	
1. Domestic:	<ul><li>5. □ Public Water Supply: well ID</li><li>6. □ Dewatering: how many wells?</li></ul>			eid water Suppry: lea	ase
Lawn & Garden	7. ☐ Aquifer Recharge: well ID		☐ Cased ☐ Uncased ☐ Geotechnical		
Livestock	8. Monitoring: well ID		12. Geothermal: how many bores?		
2. ☐ Irrigation 3. ☐ Feedlot	9. Environmental Remediation: wel ☐ Air Sparge ☐ Soil Vap	or Extraction	a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Water		
4. Industrial	Recovery Injection				
Was a chemical/bacter	iological sample submitted to KDHE?				l:
Water well disinfected?	Yes No	•	•	-	
8 TYPE OF CASING USED: Steel PVC Other					
Casing diameter					
. O	and the work of the second	11 /0	337-11-41-1-1		· ~ / ~
Casing height above land s	surface	20 lbs./ft.	Wall thicknes	s or gauge No. 4. 6.	2.01.6.
Casing height above land s TYPE OF SCREEN OR	surface	æ♥ lbs./ft.	Wall thicknes	s or gauge No	∠. <b>Ω.(.6</b>
Casing height above land s TYPE OF SCREEN OR Steel Stain Brass Galv	surface	æ♥ lbs./ft.	Wall thicknes  ☐ Other (	s or gauge No	
Casing height above land s TYPE OF SCREEN OR Steel Stain Brass Galv SCREEN OR PERFOR	surface	De used (open hole)	Wall thicknes  Other (	s or gauge No. S. D. S.	
Casing height above land s TYPE OF SCREEN OR Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot	surface	De used (open hole)	Wall thicknes  ☐ Other ( )  rilled Holes ☐	s or gauge No. 2. 2. Specify)  Other (Specify)	
Casing height above land s TYPE OF SCREEN OR Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot	surface	De used (open hole)	Wall thicknes  ☐ Other ( )  rilled Holes ☐	s or gauge No. 2. 2. Specify)  Other (Specify)	
Casing height above land s TYPE OF SCREEN OR  Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAG	surface	Torch Cut Dr Saw Cut No ft., From	Wall thicknes  Other (  )  rilled Holes  one (Open Hole) ft. to	Specify)  Other (Specify)  t., From  ft., From	ft. to ft.
Casing height above land s TYPE OF SCREEN OR  Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAC	surface	Torch Cut Dr Saw Cut No ft., From	Wall thicknes  Other ( )  rilled Holes  one (Open Hole) ft. to ther	Specify)  Other (Specify)  ft., From  ft., From	ft. to ft ft.
Casing height above land s TYPE OF SCREEN OR  Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC  GROUT MATERIA Grout Intervals: From	in. Weight	Torch Cut Dr Saw Cut No ft., From	Wall thicknes  Other ( )  rilled Holes  one (Open Hole) ft. to ther	Specify)  Other (Specify)  ft., From  ft., From	ft. to ft ft.
Casing height above land s TYPE OF SCREEN OR  Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAG  GROUT MATERIA Grout Intervals: From Nearest source of possible	in. Weight	Torch Cut Dr. Saw Cut No	Wall thicknes  Other (  )  rilled Holes  one (Open Hole)	Specify)	ft. to ft ft. to ft.
Casing height above land s TYPE OF SCREEN OR  Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC  GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines	in. Weight	Torch Cut Dr. Saw Cut No ft., From ft., From Bentonite Or ft. to	Wall thicknes  Other ( )  rilled Holes  one (Open Hole) ft. to ther	Specify)	ft. to ft ft. to ft.
Casing height above land s TYPE OF SCREEN OR  Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAG  GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lir	in. Weight	Torch Cut Dr. Saw Cut No ft., From ft., From Bentonite Or ft. to	Wall thicknes  Other (  )  rilled Holes  one (Open Hole)	Other (Specify)	ft. to ft.  ft. to ft.  ft. to ft.  ft. to ft.
Casing height above land s TYPE OF SCREEN OR  Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAG  GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lir Other (Specify)	in. Weight	Torch Cut Dr. Saw Cut No	Wall thicknes  Other (  )  rilled Holes  one (Open Hole)	Specify)	ft. to ft.  ft. to ft.  ft. to ft.  ft. to ft.
Casing height above land s TYPE OF SCREEN OR  Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAC  9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lin Other (Specify) Direction from well?	in. Weight	Torch Cut Dr. Saw Cut No ft., From ft., From bentonite Or ft. to	Wall thicknes  Other ()  rilled Holes  one (Open Hole)	Specify)	ft. to ft.  ft. to ft.  ft. to ft.  ft. to ft.  ide Storage ned Water Well l/Gas Well
Casing height above land s TYPE OF SCREEN OR  Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAG  GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lir Other (Specify)	in. Weight	Torch Cut Dr. Saw Cut No	Wall thicknes  Other ()  rilled Holes  one (Open Hole)	Specify)	ft. to ft.  ft. to ft.  ft. to ft.  ft. to ft.
Casing height above land s TYPE OF SCREEN OR  Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC  9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lir Other (Specify) Direction from well?  10 FROM TO	in. Weight	Torch Cut Dr. Saw Cut No	Wall thicknes  Other ()  rilled Holes  one (Open Hole)	Specify)	ft. to ft.  ft. to ft.  ft. to ft.  ft. to ft.  ide Storage ned Water Well l/Gas Well
Casing height above land s TYPE OF SCREEN OR  Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAC  GRAVEL PAC  GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lin Other (Specify) Direction from well?  TO FROM TO	in. Weight	Torch Cut Dr. Saw Cut No	Wall thicknes  Other ()  rilled Holes  one (Open Hole)	Specify)	ft. to ft.  ft. to ft.  ft. to ft.  ft. to ft.  ide Storage ned Water Well l/Gas Well
Casing height above land s TYPE OF SCREEN OR  Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAG  GRAVEL PAG  GROUT MATERIA Grout Intervals: From Nearest source of possibl Sewer Lines Watertight Sewer Lin Other (Specify) Direction from well?  10 FROM TO  O  O  O  O  O  O  O  O  O  O  O  O	in. Weight	Torch Cut Dr. Saw Cut No	Wall thicknes  Other ()  rilled Holes  one (Open Hole)	Specify)	ft. to ft.  ft. to ft.  ft. to ft.  ft. to ft.  ide Storage ned Water Well l/Gas Well
Casing height above land s TYPE OF SCREEN OR  Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAC  GRAVEL PAC  GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lin Other (Specify) Direction from well?  TO FROM TO	in. Weight	Torch Cut Dr. Saw Cut No	Wall thicknes  Other (  )  rilled Holes  one (Open Hole)	Specify)	ft. to ft.  ft. to ft.  ft. to ft.  ft. to ft.  ide Storage ned Water Well l/Gas Well
Casing height above land s TYPE OF SCREEN OR  Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAG  GRAVEL PAG  GROUT MATERIA Grout Intervals: From Nearest source of possibl Sewer Lines Watertight Sewer Lin Other (Specify) Direction from well?  10 FROM TO  O  O  O  O  O  O  O  O  O  O  O  O	in. Weight	Torch Cut Dr. Saw Cut No	Wall thicknes  Other (  )  rilled Holes  one (Open Hole)	Specify)	ft. to ft.  ft. to ft.  ft. to ft.  ft. to ft.  ide Storage ned Water Well l/Gas Well
Casing height above land s TYPE OF SCREEN OR  Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAG  GRAVEL PAG  GROUT MATERIA Grout Intervals: From Nearest source of possibl Sewer Lines Watertight Sewer Lin Other (Specify) Direction from well?  10 FROM TO  O  O  O  O  O  O  O  O  O  O  O  O	in. Weight	Torch Cut Dr. Saw Cut No	Wall thicknes  Other (  )  rilled Holes  one (Open Hole)	Specify)	ft. to ft.
Casing height above land s TYPE OF SCREEN OR  Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAG  9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Sewer Lines XWatertight Sewer Lir Other (Specify) Direction from well?  10 FROM TO  10 FROM TO  14 57  57 58	in. Weight	Torch Cut	Wall thicknes  Other ()  rilled Holes  one (Open Hole)	Specify)	ft. to ft ft. to ft
Casing height above land s TYPE OF SCREEN OR  Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAG  9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Sewer Lines XWatertight Sewer Lir Other (Specify) Direction from well?  10 FROM TO  10 FROM TO  14 57  57 58	in. Weight	Torch Cut	Wall thicknes  Other ()  rilled Holes  one (Open Hole)	Specify)	ft. to ft ft. to ft
Casing height above land s TYPE OF SCREEN OR  Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAG  GROUT MATERIA Grout Intervals: From Nearest source of possibl Sewer Lines Watertight Sewer Lir Other (Specify) Direction from well?  10 FROM TO  O  Y  Y  Y  Y  Y  Y  Y  Y  Y  Y  Y  Y	in. Weight	Torch Cut  Dr Saw Cut  No	Wall thicknes  Other ()  rilled Holes  one (Open Hole)	Specify)	ft. to
Casing height above land s TYPE OF SCREEN OR  Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAC  GR	in. Weight	Torch Cut  Dr Saw Cut  No. ft., From  Bentonite  Or ft. to  Lagoon  FROM FROM Notes:  Notes:	wall thicknes  Other ()  rilled Holes  one (Open Hole)	Specify)  Other (Specify)  ft., From  ft., From  Insectici  Abandoi  e Oil Wel  ft.  THO. LOG (cont.) or  onstructed,  reconue to the best of my eted on (mo-day-ye	ft. to

KSA 82a-1212

Revised 9/10/2012

Visit us at http://www.kdheks.gov/waterwell/index.html