WATER WELL RECORD			Form WW	C-5	Division of Water	Resources App. No).	
	ATION ty: Salin	OF WATER WELL:	Fraction NW 1/4 NW 1/4 NE	4 SW 1/4	Section Number 8	Township No.	Range Number R 2 □E ☑W	
Stree	t/Rural A	ddress of Well Location; i	f unknown, distance & d	Global Positioning System (GPS) information:				
from	from nearest town or intersection: If at owner's address, check here .				Latitude: 38,84840 (in decimal degrees)			
1/2	1/2 mile East of Salina			Longitude: 97.57079 (in decimal degrees)				
						Elevation: 1213		
2 WATER WELL OWNER: Salina Country Club					<u>Datum</u> : ☐ WGS 84, ☑ NAD 83, ☐ NAD 27 Collection Method:			
	RR#, Street Address, Box #: 2101 East Country Club Rd.				GPS unit (Make/Model:)			
			Ks. 67401		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
		Saina, i	NS. 01401		Est. Accuracy: \square <	3 m, 🔲 3-5 m, 🔲	5-15 m, \square >15 m	
3 LOC		LL		E 2		# EAST O	F RIVER	
	H AN "X'	"X" IN 4 DET IN OF CONTLETED WELL						
SECI	Depth(s) Groundwater Encountered (1)							
	WELL'S STATIC WATER LEVEL							
1 1	FOR VIEW 200 22 Wall and a second sec							
w NV	NW NE EST. YIELD 200-2 gpm. Well water was							
1	WELL WATER TO BE LIGER AS. C. Ruhlis metals and Conthessed. C. Linication well							
	Domestic Feedlet Oil field water supply Dewatering Other (Specify below)							
SV	SW SE							
	Was a chemical/bacteriological sample submitted to Department? Yes No							
	S If yes, mo/day/yr sample was submitted							
Water well disinfected? ☑ Yes ☐ No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter								
Casing height above land surface 12 in., Weight 12.52 lbs./ft., Wall thickness or gauge No. 0.490								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From 23 ft. to 52 ft., From ft. to ft.								
From								
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other								
Grout Intervals: From1								
What is the nearest source of possible contamination:								
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Smoky Hill River								
Direction from well West Distance from well 100 feet								
FROM	TO	LITHOLOG	IC LOG	FROM	TO LITHO. LO	OG (cont.) or PLU	GGING INTERVALS	
0	3	Topsoil						
3	12	Clay, silty- brown						
12	40	Clay, brown- sandy						
40	48	Sand, fine to coarse- cl	ean					
48	49	Limestone						
49	52	Shale, gray						
T CONTRACTORIS ON A AND ON AND PROGRAMME OF THE STATE OF								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo/day/year) .10/21/2014 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 138 This Water Well Record was completed on providay/year 10/28/2014 under the business name of Peterson Irrigation, Inc.								
under the business name of Peterson Imagino, Inc. by (signature) Instructions: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send one copy to								
Kansas Department of Health and Environment, Bureau of WATER WELL OW/NER and retain one for your records. Include for off \$5.00 for each constructed well. Visit us at								

http://www.kdheks.gov/waterwell/index.html