WATER WELL RECORD		Form WWC-5		Division of Water Resources App. No.				
1 LOCATION OF W	ATER WELL:	Fraction				Township No.	Range Number	
County: Saline 4 SW 4 NE 4 NE 4				6 T 14 S R 2 DE 7W				
Street/Rural Address of Well Location; if unknown, distance & direction					Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here .					Latitude: .38.8679777. (in decimal degrees) Longitude: -97.5787933 (in decimal degrees)			
Marcy Lane & Aubrey Ave.					Elevation:			
·					Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: McShares					Collection Method:			
RR#, Street Address, Box #: 1835 East North Stret				GPS unit (Make/Model:)				
City, State, ZIP Code : Salina, Ks. 67401				☐ Digital Map/Photo, ☐ Topographic Map, ☑ Land Survey Est, Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m				
		Est. Ac	curacy: [] <	.3 m, ∐ 3-3 m, ∐	13-13 m, 11/13 m			
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 72								
ft (2) tt (3)tt								
NO STATES THE CONTRACTOR WATER TO STATE AND THE STATES OF A STATE AND STATES THE ASSULTED ON THE STATES OF A STATE AND A STATES OF A STATE AND A STATE								
Down test date: Well water was fit after nours pumping gpin								
CST VIELD onm Well water wastt. after nours pumping gpm								
Rore Hole Diameter 3.25 in. to								
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
' Dewatering Other (Specify below)								
Was a chemical/bacteriological sample submitted to Department? Yes No								
S If yes, mo/day/yr sample was submitted								
mile Water well disinfected?								
5 TYPE OF CASING USED: Steel PVC Other Other								
CASING JOINTS: Glued Clamped Weider Filleader Casing diameter 1 in. to .57 ft., Diameter in. to								
Casing height above land surface. U								
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Other (Specify)								
☐ Steel ☐ Stainless Steel ☐ PVC · ☐ Guiet (Specify) · ☐ Guiet (Sp								
A DEPLOY OF PERON OPENINGS APE								
—								
Continuous slot Mill slot Gauze wrapped Other (specify)								
Ε # to # From II. W III.								
CDAVEL DACK INTERVALS: From 54 ft. to .72 ft., From							to π.	
6 GROUT MATERIAL: Neat cement Cement Company Department Company Depart								
6 CROUT MATER	IAL: Neat cen	Compant amoust	77 Rento	nite	l Other			
Grout Intervals: F	rom 0 ft.	to 54 ft., From		ft. to	ft	., From	ft. toft.	
What is the nearest so	ource of possible cor	tamination:			_			
Septic tank Lateral lines Pit privy Livestock pens I insecticute storage State (specific							ther (specify below)	
Sewer lines Cesspool Sewage lagoon Fuel stora Watertight sewer lines Seepage pit Feedyard Fertilizer								
☐ Watertight se	wer lines Seepage	, p		_				
	LITHOLO	GIC LOG	FROM	TO	LITHO.	LOG (cont.) or PL	UGGING INTERVALS	
FROM TO		GIO DOG						
NA NA								
				<u> </u>	<u></u>		 	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \(\sqrt{\constructed} \) constructed, \(\sqrt{\constructed} \) reconstructed, or \(\sqrt{\constructed} \) plugged								
under my jurisdiction and was completed on (mo/day/year)								
INSTRUCTIONS: Use	typewriter or ball point	pen. <u>PLEASE PRESS FIRML</u> comment Rureau of Water Ger	logy Section.	1000 SW	Jackson St., St	nite 420, Topeka, Kan	ect answers. Send one copy to usas 66612-1367.	
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PROSS PROMET</u> and <u>PROSS PROMET</u> and <u>PROSS PROMET</u> and <u>Pross Promets</u> and <u>Pross Pross Promets</u> and <u>Pross Pross Promets</u> and <u>P</u>								
http://www.kdheks.gov/waterwell/index.html								