WATE	R WEI	L RECORD	Form WWC-5	Division of Water Resources App. No.
	ATION ty: Sali	OF WATER WELL:	Fraction NW ¼ NE ¼ SW ¼ SE ¼	Section Number Township No. Range Number T 14 S R 2 DE WW
Stree	t/Rural A	ddress of Well Location; i	f unknown, distance & direction	Global Positioning System (GPS) information:
from	nearest t	own or intersection: If at o	owner's address, check here .	Latitude: .38,801096 (in decimal degrees)
230	8 Saddle	ebrook Dr Salina, Ks		Longitude: -97.582555 (in decimal degrees)
		,		Elevation: 1221 ft   Datum:   WGS 84, ☑ NAD 83,   NAD 27
2 WA	TER W	ELL OWNER: Gary He	ecker/dba Legacy Builders	Collection Method:
		Address, Box #: 3331 S.	Crest Ln.	☑ GPS unit (Make/Model:)
City	, State, Z	IP Code : Salina, I	Kansas 67401	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m
3 LOC	ATE WE	LL		
WIT	H AN "X	'IN 4 DEPTH OF (	COMPLETED WELL53	
SEC	TION BO N	X: Depth(s) Ground	water Encountered (1)	ft. (2) ft. (3) ft below land surface measured on mo/day/yr10/13/2015
		WELL'S STATI	test data: Well water was	ft. after hours pumping gpm
	.   ,	PET VIELD 5		ft. after hours pumping gpm
w N	V N	E Bore Hole Diam	eter	ft., andft.
	_	WELL WATER	TO BE USED AS: Public wat	ter supply
SV	v   <b>火</b> - s	E Domestic Irrigation	☐ Industrial ☐ Oil field wat	wn & garden Monitoring well
				Department? Yes V No
	S		day/yr sample was submitted	
l	1 mile	Water well disin	fected? 🔽 Yes 🗌 No	
5 TYPE OF CASING USED: Steel PVC Other				
CASING JOINTS: M Glued Clamped Welded Threaded				
Casing diameter				
Casing height above land surface				
Steel Stainless Steel PVC Other (Specify)				
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)				
SCREEN OR PERFORATION OPENINGS ARE:  Continuous slot  Mill slot  Gauze wrapped  Torch cut Drilled holes  None (open hole)				
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)				
SCREEN-PERFORATED INTERVALS: From				
From				
GRAVEL PACK INTERVALS:         From				
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other				
Grout Intervals: From . 0 ft. to . 25 ft., From . ft. to ft., From ft., From ft.				
What is the nearest source of possible contamination:				
	Septic ta Sewer lin		les Pit privy Livestock	
		ht sewer lines		
		n well East		from well100 ft.
FROM	ТО	LITHOLOG	IC LOG FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS
3	22	Topsoil Clay top		
22	53	Clay, tan Sand and gravel		
		Cana and graver		
	-			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ☐ constructed, ☐ reconstructed, or ☐ plugged				
under my jurisdiction and was completed on (mo/day/year) .10/13/2015 and this record is true to the best of my knowledge and belief.				
Kansas Water Well Contractor's License No897 This Water Well Record was completed on (mo/day/year) 10/15/2015				
under the business name of Peterson McNett Drilling, Inc. by (signature) by (signature) INSTRUCTIONS: Use typewriter or ball point pen PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send one copy to				
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.  Telephone 785-296-5524. Send one corpy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at				

http://www.kdheks.gov/waterwell/index.html