WATER WELL RECORD Form WWC-5						ision of Water			
	Original Record							Well ID	
			1.4	Fraction 16/45 W/48 K 1/4	Se V	cuon rumber 17	T /4 S	Range Number	
Count	ty: Jal	Ne D	1100 400	Town of the last	Street or Ru			(if unknown, distance and	
2 WELL Business	CWNER	: Last Name:	ARGINE	,				r's address, check here:	
Address	627	PRAIRI	ELANL			1000			
Address: (24.142.0) Smart X.S. 2119: (0.240.1)						627 HEAIRIE LANE			
3 LOCATE WELL WITH "X" IN  4 DEPTH OF COMPLETED WELL:									
WITH		4 DEPT	H OF CUMI		7 ft	Lanutu			
	Depth(s) Groundwater Encountered: 1)					ft.   Longitude:			
	N	WELL'S	STATIC WATI	ER LEVEL:Ó. /	ft.	Source	for Latitude/Longitude		
	below land surface, measured on (mo-day					√ □ GP	S (unit make/model:	·)	
NW -	ahove land surface, measured on (mo-da)					٠	(WAAS enabled? □		
	Pump test data: Well water was						nd Survey Topogra		
W	E after nours pumping						une wapper:		
SW	SW SE after hours pumping					C 173	l	<b>5 5</b>	
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					o Elevat	10M;tt.	Ground Level TOC	
	Bore Hole Diameter:					Source:	□ Cand Survey □ C	GPS  Topographic Map	
in. to									
7 WELL WATER TO BE USED AS: 1. Domestic: 5, Public Water Supply: well ID									
☐ House				how many wells?		11. Test H	ole: well ID		
	& Garden	7.	Aguifer Rec	harge: well ID			ed Uncased []		
Lives		8.	☐ Monitoring:	well ID			ermal: how many bores		
2. 🔲 Irriga	☐ Irrigation 9. Environmental Remediation: well ID								
3. Peedle			Air Sparge	☐ Soil Vapor E	xtraction			scharge 🔲 Inj. of Water	
4. Industrial Recovery Injection 13. Other (specify):									
Was a chemical/bacteriological sample submitted to KDHE?   Yes No If yes, date sample was submitted:									
Water well disinfected? Yes No									
8 TYPE OF CASING USED: ☐ Steel M PVC ☐ Other									
Casing diameter 6 in to 65 ft., Diameter in to ft., Diameter in to ft., Diameter in to ft.  Casing height above land surface 6 in. Weight 160 lbs/ft. Wall thickness or gauge No. 526 26									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)									
SCREEN OR PERFORAȚION OPENINGS ARE:									
Continuous Slot Mill Slot 1835 Gauze Wrapped Torch Cut Drilled Holes Other (Specify)									
Louvered Shutter									
GRAVEL PACK INTERVALS: From									
GRAVEL PACK INTERVALS: From									
From									
Nearest source of possible contamination:									
☐ Septic			Lateral Lines	Pit Privy	_	Livestock Pens		ide Storage	
Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well									
Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well									
Other (Specify) Direction from well?									
9 FROM	TO		LITHOLOGI		FROM			PLUGGING INTERVALS	
R	2		) I A T	ОДО	121427		ATTACK (VOILL) OF	TOOGGIVO INTERVALS	
2	18	CLAY		ALD					
18	102	SAND	FIIDE VI	CLYSILTY TAI	5				
102	210	SAND	FINE 'W	CREEK GRAD	سس				
70	35	CREEK	BRADE						
					Notes:				
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION. This water well was Evanstanced									
1 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION; This water well was constructed, reconstructed, or plugged nder my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.  This Water Well Record was completed on (mo-day-year).  This Water Well Record was completed on (mo-day-year).									
ansas Wa	iter Well C	ontractor's Lic	ense No.	This Wat	er Well Rec	ord was comm	leted operational days ve	ar)	
ider the b	usiness nai	ne of KL 37.	Michaeler.	H.ULN P SK. M. Y	46.00		est of Kenthan	<b>3</b>	
INSTRUCTIONS: Send one copy to WATER WELL OWNER and retain one copy for your records. Submit fee of \$5,00 for each constructed well along with one (white) copy to Kansas									
Viel us of health and chylrogenetic Bureau of Water, Geology Section. 1000 SW Jackson St., Suite 429, Topeka, Kantas 66612-1367. Telephone (785) 296-3565.									
					7A(I*) Z			Revised 9/10/2012	