KOLAR Document ID: 1387620

WATER WELL RECORD Form WWC-5						Division of Water							
Original Record Correct 1 LOCATION OF WATER		e in Well Use	2			irces App. N		Tanan alaka		Well ID	an Manulana		
County:	WELL:	Fraction 1/4	1/4 1/4	4 ½	Sect	ion Numbe	er	Township T	Number S	R	ge Number □ E □ W		
2 WELL OWNER: Last Name:		First:	7.		r Rurs	al Address	whe	re well is lo					
Business:							check here:						
Address:										_			
Address: City:	State:	ZIP:											
2 LOCATE WELL			<u> </u>										
WITH "X" IN 4 DI	WITH "X" IN 4 DEPTH OF COMPLETED WELL:					5 Latitu	ude:				(decimal degrees)		
SECTION BOX: Depti	Depth(s) Groundwater Encountered: 1)										(decimal degrees)		
	2) ft. 3) ft., or 4) 🗆 I WELL'S STATIC WATER LEVEL:							WGS 84 [3 □ N	AD 27		
below land surface, measured on (mo-day-yr								Latitude/Lon)		
								WAAS enabl					
	Pump test data: Well water was ft.					☐ Land Survey ☐ Topographic Map					0)		
W X E						Online Mapper:							
CW CE	cw cr well water wa				was ft.								
	after hours			s pumping gpm			6 Elevation:ft. ☐ Ground Level ☐ TOC						
	in. to ft. and				Source:								
1 mile		in. to ft.				Other							
7 WELL WATER TO BE USED AS:													
1. Domestic:	5. 🗌 Public Wa					10. 🔲 Oi	il Fie	ld Water Sup	ply: lease	;			
Household						11. Test Hole: well ID							
☐ Lawn & Garden 7. ☐ Aquifer Recharge: well ID													
2. ☐ Irrigation	Livestock 8. Monitoring: well ID												
3. ☐ Feedlot						a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Water							
4. Industrial Recovery Injection						13. Other (specify):							
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:													
Water well disinfected? Yes No													
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded													
Casing diameter in. to ft., Diameter in. to ft., Diameter ft.													
Casing height above land surface													
TYPE OF SCREEN OR PERFORATION MATERIAL:													
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)													
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:													
Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)													
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)													
SCREEN-PERFORATED INTERVALS: From													
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft.													
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other													
Grout Intervals: From ft. to ft., From ft., From ft. to ft.													
Nearest source of possible contain		🗆 D	it Dairer			ivanto als Da			[manatiaida	Ctomoro			
□ Septic Tank □ Lateral Lines □ Pit Privy □ Livestock Pens □ Insecticide Storage □ Sewer Lines □ Cess Pool □ Sewage Lagoon □ Fuel Storage □ Abandoned Water Well													
☐ Watertight Sewer Lines			eedyard	igoon		Fertilizer Sto			Oil Well/C		VCII		
Other (Specify)													
Direction from well? Distance from well													
10 FROM TO	LITHOLOG	GIC LOG		FRO	M	TO	LIT	HO. LOG (co	ont.) or PL	LUGGING	3 INTERVALS		
				Notes	s:								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged													
under my jurisdiction and was completed on (mo-day-year)													
Kansas Water Well Contractor	's License No		This W	ater Wel	Reco	ord was cor	nple	ted on (mo-	day-year)			
under the business name of										<u></u>			
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment Burgau of Water Geology Section 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367, Telephone 785-296-3565													
	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212												