KOLAR Document ID: 1515523

WATER WELL	RECORD Correction		WWC-5 ge in Well Use		vision of Wat ources App. 1			Well ID		
1 LOCATION OF WATER WELL:					tion Number Township Nu					
County:					1/4 T S R [
					treet or Rural Address where well is located (if unknown, distance and					
Business: Address:	direction from	irection from nearest town or intersection): If at owner's address, check here:								
Address:										
City:		State:	ZIP:							
3 LOCATE WELL WITH "X" IN	f									
SECTION BOX:	Depth(s) Gr		ft. □ Dry Well	Longitude:						
N	WELL'S ST				Datum: WGS 84 NAD 83 NAD 27 Source for Latitude/Longitude:					
			-yr)	· 🗌 🗆 🖸	GPS (unit make/model:)					
NW NE	Pump test d		-yr)		(WAAS enabled? ☐ Yes ☐ No)					
W E	-	hours			□ Land Survey □ Topographic Map □ Online Mapper:					
$\begin{bmatrix} W \\SW \\SE \\ -$		Well water was ft.								
		hours	. gpm	6 Elevation:ft. Ground Level TOC						
S	Estimated Y Bore Hole I		ft. and		Source: Land Survey GPS Topographic Map					
1 mile		in. to ft.				□ Other				
7 WELL WATER TO BE USED AS:										
1. Domestic:	5. Public Water Supply: well ID 6. Dewatering: how many wells?									
Lawn & Garden					\Box Cased \Box Uncased \Box Geotechnical					
Livestock	8. 🗆] Monitorin		12. Geot	12. Geothermal: how many bores?					
2. Irrigation			D		a) Closed Loop Horizontal Vertical					
3. ☐ Feedlot 4. ☐ Industrial	□ Air Sparge □ Soil Vapor Extracti □ Recovery □ Injection					b) Open Loop □ Surface Discharge □ Inj. of Water 13. □ Other (specify):				
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:										
Water well disinfected? Ves No										
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded										
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.										
Casing height above land surface										
□ Steel □ Stainless Steel □ PVC □ Other (Specify)										
□ Brass □ Galvanized Steel □ None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify) □ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)										
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.										
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.										
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other										
Grout Intervals: From										
Nearest source of possible contamination: No potential source of contamination within 200 ft. Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage										
Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well										
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well										
Direction from well? ft.										
10 FROM TO		ITHOLO		FROM	ТО		HO. LOG (cont.) or	PLUGGIN	G INTERVALS	
				Notes:						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed, reconstructed, or plugged										
under my jurisdiction a Kansas Water Well Co	and was comp	leted on (n	no-day-year)	and	this record	is tru	to the best of my	y knowled	ge and belief.	
Kansas Water Well Co under the business nan										
	Send one copy t	o WATER W	/ELL OWNER and retain	one for your rec	ords. Fee of \$	5.00 fe	or each constructed we	11.		
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212										