## KOLAR Document ID: 1526525

	WELL R			WWC-5			vision of Wat					
		Correction		e in Well Use			ources App.			Well ID		
<b>1 LOCATION OF WATER WELL:</b> Fraction						1 0				ge Number		
County: 1/4 1/4 1/4						1⁄4						
							treet or Rural Address where well is located (if unknown, distance and					
Business: dir Address:							rection from nearest town or intersection): If at owner's address, check here:					
Address: Address:												
City:			State:	ZIP:								
<b>3 LOCATE WELL</b> WITH (32) N <b>4 DEPTH OF COMPLETED WELL:</b>												
SECTIO	SECTION BOX:Depth(s) Groundwater Encountered: 1)N2) $ft.$ 2) $ft.$ 3)											
N WELL'S STATIC WATER LEVE								Datum: WGS 84 NAD 83 NAD 27 Source for Latitude/Longitude:				
		$\Box$ below la							)			
NW	NF	above land surface, measured on (mo-day-yr)						☐ GPS (unit make/model:) (WAAS enabled? ☐ Yes ☐ No)				
		Pump test da			Land Survey Topographic Map							
w	XE	after	after hours pumping gpm					Online Mapper:				
SW		Well water was ft.										
				after hours pumping gpm				6 Elevation:ft.  Ground Level  TOC				
	s		Estimated Yield:gpm					Source: Land Survey GPS Topographic Map				
	-	Bore Hole L	Bore Hole Diameter: in. to ft.				boun					
7 WELL WATER TO BE USED AS:         1. Domestic:       5. <ul> <li>Public Water Supply: well ID</li> <li>10.              <li>Oil Field Water Supply: lease</li> </li></ul>												
	$\Box$ Household $G$ Household											
		7. Aquifer Recharge: well ID										
								12. Geothermal: how many bores?				
2. 🗌 Irrigati	2. Irrigation 9. Environmental Remediation: well ID						a) C	losed	l Loop 🔲 Horizont	al 🗌 Verti	cal	
	3. ☐ Feedlot											
4. 🗌 Industr		Recovery	Injection		13. 🗌 C	13.						
Was a chemical/bacteriological sample submitted to KDHE?  Yes No If yes, date sample was submitted:												
Water well disinfected?  Yes No												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.												
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
□ Steel □ Stainless Steel □ PVC □ Other (Specify)												
Brass Galvanized Steel None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From												
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft., From ft. to ft. o ft. o ft. o ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.												
				ft., From								
		e contaminati	on: No	potential source of c	ontan	nination wi	ithin 200 ft.					
□ Septic	Tank		Lateral Line				Livestock P			cide Storage		
Sewer 1			Cess Pool	Sewage			Fuel Storag			oned Water	Well	
	ight Sewer Lir			Feedyard			Fertilizer St	orage	e 🗌 Oil We	ll/Gas Well		
Direction from well? ft.												
10 FROM	TO		ITHOLOG		well	/ FROM	ТО		ft. THO. LOG (cont.) or		GINTEDVALS	
IU FROM	10	L	THOLU	51C LUG		TROM	10		110. LOG (COIII.) OF	LUGOIN	JINTERVALO	
								-				
								<u> </u>				
							+					
							1					
						Notes:	I	I				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged												
under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.												
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo-day-year)												
under the business name of												
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.												
-		ks gov/waterwel		, a.e., Geology Seetioll,	1000	S IT JACKSUL	. 5t., 5une 420	, 10p	-xa, ixansas 00012-130		SA 82a-1212	