


1 LOCATION OF WATER WELL: County: Salina Fraction: NW $\frac{1}{4}$ SW $\frac{1}{4}$ X $\frac{1}{4}$ Section Number: 7 Township Number: T 14 S Range Number: R 2W EW
 Distance and direction from nearest town or city street address of well if located within city?

2 WATER WELL OWNER: Location of Well - 450 N. Ohio Street, Salina, KS
 RR#, St. Address, Box #: Lawrence D. Triplett
549 N. Ohio, Box 647 Board of Agriculture, Division of Water Resources
 City, State, ZIP Code: Salina, KS 67401 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  4 DEPTH OF COMPLETED WELL: 50 ft. ELEVATION:
 Depth(s) Groundwater Encountered: 1 ft. 2 ft. 3 ft.
 WELL'S STATIC WATER LEVEL: 21 ft. below land surface measured on mo/day/yr
 Pump test data: Well water was ft. after hours pumping gpm
 Est. Yield gpm: Well water was ft. after hours pumping gpm
 Bore Hole Diameter in. to ft., and in. to ft.
 WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Water for Nursery business
 Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped
 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded
 7 Fiberglass Concrete Casing Threaded
 Blank casing diameter: X ~~3~~ in. to ft., Dia. 12 inches in. to ft., Dia. in. to ft.
 Casing height above land surface in., weight lbs./ft. Wall thickness or gauge No.
 TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify)
 SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.
 From ft. to ft., From ft. to ft.
 GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft.
 From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: X - see below 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
 Grout Intervals: X From see below ft. to 0 ft., From 6 ft. to ft., From ft. to ft.
 What is the nearest source of possible contamination: X 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
 13 Insecticide storage Not known
 Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
		The well was abandoned because it was no longer needed.			
		Well was 50' deep from bottom of well to top of casing			
		There was 29' of water in the well.			
		Steps taken:			
		(a) 1 gallon of clorox was put in well.			
		(b) Clean sand was dumped in the hole to a point 29' above bottom of well.			
		(c) Hole was allowed to sit overnight allowing water to go back into well.			
		(d) Clay soil was added to within approximately 6' of the top of casing.			
		(e) The 6' was filled with concrete to top of well casing.			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) X 10-15-89 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. This Water Well Record was completed on (mo/day/yr)
 under the business name of by (signature) X Triplett Inc
by Deane Allen

OFFICE USE ONLY T R EW SEC.