LOCATION OF WATER WELL Fraction SE 1/4 SE 1/4 NW 1/4 8		WATER	WELL RECORD	Form WWC-5		1212		
Netance and direction from nearest town or city street address of well if located within city? 2737 E. NORTH STRUET WATER WELL OWNER. JAMES F. CUSICK 184. St. Address, Box #: 2682 S. NORTH ST. WATER WELL OWNER. JAMES F. CUSICK 184. St. Address, Box #: 2682 S. NORTH ST. Dophrits Groundwater Encountered 1. 18 ft. 2 Application Number: LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX NOTE: 1. 1	LOCATION OF WATER WELL:	CTO .		Sec	tion Number		1 -	
WATER WELL OWNER: JAMES F. CUSTOK Board of Agriculture, Division of Water Resour application Number: 2682 S. NORTH ST. Application Number: 2	<u> </u>				<u> </u>	T 14 S	R 2 E/W	
WATER WELL OWNER JAMES F. CUSTCK R. St. Address, Box # 2682 E. NORTH ST. Board of Agriculture, Division of Water Resour Application Number: APPLICATION APPLICATIO	istance and direction from hearest to	•		-				
Board of Agriculture, Division of Water Resour Application Number:	WATER WELL OWNER. TANKE		NORTH STREE	¥				
No. State ZIP Code SALTNA KS 67H01 Application Number:						Decad of Assis, North and	Divinion of Weter Deserves	
DCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1.8 t. below land surface measured on moldaylyr 7-15-94		4 .						
Depth(s) Groundwater Encountered 1						·		
betting Normower's Encountered 1. 18. It. below land surface measured on mordaylyr 7-15-94. WELL'S STATIC WATER LEVEL 18. It. below land surface measured on mordaylyr 7-15-94. Pump test data: Well water was 22. it. after 1. hours pumping 35. gp 25. It. after 1. hours pumping 35. gp 35. gp 35. It. after 1. hours pumping 35. gp 35. gp 35. It. after 1. hours pumping 35. gp 35. gp 35. It. after 1. hours pumping 35. gp 35. gp 35. It. after 1. hours pumping 35. gp 35. gp 35. gp 35. It. after 1. hours pumping 35. gp 35. gp 35. gp 35. gp 35. It. after 1. hours pumping 35. gp	AN "X" IN SECTION BOX:							
Pump test data: Well water was 22								
Est, Yield 75 th gpm: Well water was fit after hours pumping gpm brown bear was fit after hours pumping gpm brown brown and surface 2 into 5 public water supply a fit and into 1 powers into 5 public water supply a fit and into 2 property for the fit of								
Well Water To Be UseD As: Well Water To Be UseD As: S Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feeddot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) Was a chemical/bacteriological sample submitted to Department? Yes. No. X; If yes, mo/dayryr sample was smitted Water Well Disinfected? Yes X No TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 6 Asbestos-Cement 2 PYC. 4 ABS 7 Fiberglass 7 Fiberglass 7 Fiberglass 1 Steel 3 Stainless steel 5 In. to 53 It., Dia In. to It., Dia In. to 2 Sever BEFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 1 Steel 3 Stainless steel 6 Concrete tile 9 ABS 1 Very Correct of the Yes Correc	NW NE							
WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 1 Domestic 3 Feedlot							· -	
1 Domestic 2 Irrigation 3 Feedlot 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitroing well	W E	ł .	·	-				
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well		1				•	•	
Was a chemical/bacteriological sample submitted to Department? Yes No	SW SE					_		
TYPE OF BLANK CASING USED								
TYPE OF BLANK CASING USED: 1 S Wrought iron 8 Concrete tile			teriological sample s	ubmitted to De				
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC	TYPE OF BLANK CASING USED:		Wrought iron	9 Conor				
2 PVC			•					
Second S	· ·	*				, :: -		
Asing height above land surface 20 in, weight 160 lbs./ft. Wall thickness or gauge No. SDR 26 ASPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) CREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 1 Continuous slot 3 Mill slot •035 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) CREEN-PERFORATED INTERVALS: From 53 ft. to 58 ft., From ft. to GRAVEL PACK INTERVALS: From 35 ft. to 58 ft., From ft. to From ft. to ft., From ft. to GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From 0 ft. to 25 ft., From ft. to ft., From ft. to What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage FEILLD NONE APPARENT How many feet? How many feet? FROM TO PLUGGING INTERVALS		in to 53	# Dia	in to				
YPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) 12 Continuous slot 3 Mill slot •035 6 Wire wrapped 8 Saw cut 11 None (open hole) 1 Continuous slot 3 Mill slot •035 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) .								
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)	* *		., weight					
2 Brass			Fiberalass					
CREEN OR PERFORATION OPENINGS ARE:					• /	` •	• *	
1 Continuous slot 3 Mill slot •035 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) CREEN-PERFORATED INTERVALS: From 53 ft. to 58 ft., From ft. to From ft. to ft., From ft., Fr					S	,	•	
2 Louvered shutter				• •			11 None (open note)	
CREEN-PERFORATED INTERVALS: From				• •				
From								
GRAVEL PACK INTERVALS: From 35. ft. to 58. ft., From ft. to From ft. to ft., From ft. to GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From 0 ft. to 25 ft., From ft. to ft., From ft. to What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage PEN FEILD NONE APPARENT Direction from well? How many feet? FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 0 3 TOP SOIL 3 23 CLAY TAN SILTY 23 36 CLAY GRAY SOFT								
From ft. to ft., From ft. to GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From 0 ft. to 25 ft., From ft. to ft., From ft. to ft., From ft. to What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage PEN FEILD NONE APPARENT Direction from well? FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 0 3 TOP SOIL 3 23 CLAY TAN SILTY 23 36 CLAY GRAY SOFT	GRAVEL PACK INTERVALS							
GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From 0 ft. to 25 ft., From ft. to 10 Livestock pens 14 Abandoned water well 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage PEN FETLID NONE APPARENT Direction from well? FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 0 3 TOP SOIL 3 23 CLAY TAN SILTY 23 36 CLAY GRAY SOFT								
Vhat is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 3 Watertight sewer lines 6 Seepage pit 9 Feedyard Direction from well? FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 0 3 TOP SOIL 3 23 CLAY TAN SILTY 23 36 CLAY GRAY SOFT	GROUT MATERIAL: 1 Neat	cement 2	Cement grout	3 Bento	nite 4 (
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage OPEN FEILD NONE APPARENT. Direction from well? How many feet? FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 0 3 TOP SOIL 3 23 CLAY TAN SILTY 23 36 CLAY GRAY SOFT	Grout Intervals: From 0					ft., From	ft. to	
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage OPEN FEILD NONE APPARENT. Birection from well? How many feet? FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 0 3 TOP SOIL 3 23 CLAY TAN SILTY 23 36 CLAY GRAY SOFT	What is the nearest source of possible	e contamination:			10 Liveste	ock pens 14	Abandoned water well	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage OPEN. FEILD NONE APPARENT. How many feet? FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 0 3 TOP SOIL 3 23 CLAY TAN SILTY 23 36 CLAY GRAY SOFT	1 Septic tank 4 Late	eral lines	7 Pit privy		11 Fuel storage 15 Oil well/Gas well			
How many feet? How many feet? FROM TO	2 Sewer lines 5 Cess	s pool	8 Sewage lago	on	12 Fertiliz	er storage 16	Other (specify below)	
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 0 3 TOP SOIL 3 CLAY TAN SILTY 3 23 CLAY GRAY SOFT 3 CLAY GRAY SOFT 3 3 3 CLAY GRAY SOFT 3 3 3 3 4	3 Watertight sewer lines 6 Seep	page pit	9 Feedyard		13 Insect	cide storageOPEN FEII	D NONE APPARENT	
0 3 TOP SOIL 3 23 CLAY TAN SILTY 23 36 CLAY GRAY SOFT	rirection from well?				How man			
3 23 CLAY TAN SILTY 23 36 CLAY GRAY SOFT		·····	G	FROM	ТО	PLUGGING	INTERVALS	
23 36 CLAY GRAY SOFT								
				_				
36 58 SAND FINE TO COARSE SILTY				_				
	36 58 SAND FI	NE TO COARSE	SILTY					
			annual to 196 at the state of t				THE RESIDENCE OF THE PROPERTY	
							ABIN A	
					<u> </u>			
				-			THE RESIDENCE OF STREET STREET, STREET	
						- Advid Address of the continue and date. We also have depleted able to the Continue and th		
	11							
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and w						./	•	
ompleted on (mo/day/year) 7-15-94					*		knowledge and belief. Kansas	
/ater Well Contractor's License No 388 This Water Well Record was completed on (mb/day/yr)		200	TI : 144 . 144			- (-1 / Marie / / / Marie	EZOL Z	
nder the business name of PESTINGER PUMP SERVICE by (signature) by (signature)				ell Hecord wa	s completed o	n (mb/gay/yr)	7-3-4 / <u></u>	
INSTRUCTIONS. Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department				ell Hecord wa	*		styre	