		ER WELL RECORD F	orm WWC-5	KSA 82a-1		
] LOCATION OF WATE County: SALINE	R WELL: Fraction S正数图 1	4 KW NW4 SW	SW <sub>4</sub> Sect	ion Number 24 19	Township Number	Range Number
	rom nearest town or city street	/ /		HAT. 17	<u>T                                    </u>	R 2 E/W
Distance and Unecholl II	1313 LOUISE I		watering City?			
WATER MELL CHAN	ER: DARRELL SHUTTS	M = 1.11				
	# : 1313 LOUISE LAND	₹!			Paged of Agriculture	e, Division of Water Resources
	CATTAL IZO COL	<b>^4</b>				
LOCATE WELL'S LO	CATION WITH DEPTH OF	COMPLETED WELL	53 <del>1</del>	# ELEVAT	ON: 1231	•
AN "X" IN SECTION	BOX: Donth(s) Group	COMPLETED WELL	 25	π. ELEVAII	ON:	
7	WELL'S STATI	C WATER LEVEL 25	;:≻ Hr.he	II. Z.	ce measured on molday	3. 8-16-91 ft.
)   i	Pur	nn toet data: Well water	II. DE	26 # 3#4	te measured on morday/	yr25 gpm
NW	- NE Est Vield 75	anm: Well water	was	t att	hours	pumping gpm
	Bore Hole Diar	neter 9 in to	53	ft ar	al	in. toft.
w i i			Public water			1 Injection well
- xi	1 Domesti				•	2 Other (Specify below)
5W	- SE 2 Irrigation					
					47	es, mo/day/yr sample was sub-
<u> </u>	mitted	•			r Well Disinfected? Yes	<b>v</b>
TYPE OF BLANK CA	SING USED:	5 Wrought iron	8 Concre	te tile	CASING JOINTS: GI	ued X Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (	specify below)	We	elded
2 PVC	4 ABS	7 Fiberglass			Th	readed
Blank casing diameter .		ft., Dia	in. to		ft., Dia	in. to ac ft.
Casing height above lan	d surface24	in., weight	0	Ibs./ft.	Wall thickness or gauge	No
TYPE OF SCREEN OR	PERFORATION MATERIAL:		_7 PV0	2	10 Asbestos-ce	ment
1 Steel	3 Stainless steel	5 Fiberglass	8 RMI	P (SR)	11 Other (speci	fy)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS		12 None used (	•
SCREEN OR PERFORA	ATION OPENINGS ARE:		wrapped		8 Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot .035	W-4***	rapped		9 Drilled holes	
2 Louvered shutter	,	43 7 Torch c	<sup>cut</sup> 53	1	0 Other (specify)	. to
SCREEN-PERFORATED	INTERVALS: From	:: ft. to		ft., From		. toft.
0041/51 0401	From	35 tt. to	··· 53½····	ft., From	ft	. to
GRAVEL PACI	K INTERVALS: From From					
GROUT MATERIAL:		ft. to 2 Cement grout	3 Bentor	ft., From		to ft.
_	0ft. to20					
	rce of possible contamination:			10 Livesto		Abandoned water well
1 Septic tank	4 Lateral lines	7 Pit privy		11 Fuel st	•	Oil well/Gas well
2 Sewer lines	5 Cess pool	8 Sewage lagoo	nn	12 Fertilize	•	Other (specify below)
	lines 6 Seepage pit	9 Feedyard	<b>"</b> "		ide storage	Circi (Specify Below)
Direction from well?	EAST	o . oodya.d		How many	~~~	
FROM TO	LITHOLOGIC	CLOG	FROM	TO		INTERVALS
0 3	TOP SOIL					
3 9	CLAY BROWN					
9 25	SANDY LOOM					
25   35	SAND FINE					
35 36	CLAY TAN					
36 53½	MED. SAND & GRAV	EL				
			<u> </u>			
			<b> </b>			
			<b> </b>			
	·					
	*		Ll			
CONTRACTOR'S OF	R LANDOWNER'S CERTIFICAT	TION: This water well was	(1) construc	ted, (2) recons	structed, or (3) plugged u	inder my jurisdiction and was
completed on (mo/day/ye	0 4 / 04					knowledge and belief. Kansas
Water Well Contractor's		This Water We	Record was	completed or	(mo(da)/yr)	B)16-91
under the business name		SERVICE		by (signatur		lation .
INSTRUCTIONS: Use type	ewriter or ball point pen. PLEASE PRESS	FIRMLY and PRINT clearly. Plea	se fill in blanks, u		7/	ee copies Mansas Department
	t, Bureau of Water, Topeka, Kansas 666					