

1 LOCATION OF WATER WELL	Fraction	Section Number	Township Number	Range Number
County: Trego	1/4 1/4 SW 1/4	33	T 14 S	R 23 E/W

Distance and direction from nearest town or city? South of WaKeeney 15 1/2 Miles
 Street address of well if located within city?

2 WATER WELL OWNER: Ruth Wiles
 RR#, St. Address, Box #: 1621 Fairview
 City, State, ZIP Code: Wichita, Kansas 67214
 Board of Agriculture, Division of Water Resources
 Application Number: 35492

3 DEPTH OF COMPLETED WELL: 92 ft. Bore Hole Diameter: 36 in. to 92 ft., and in. to ft.
 Well Water to be used as:
 1 Domestic 3 Feedlot 5 Public water supply 8 Air conditioning 11 Injection well
 2 Irrigation 4 Industrial 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 7 Lawn and garden only 10 Observation well
 Well's static water level: 21 ft. below land surface measured on 10 month 14 day 81 year
 Pump Test Data: Well water was 55 ft. after 3 hours pumping 1893 gpm
 Est. Yield 2000 gpm: Well water was 24 ft. after 4 hours pumping 1158 gpm

4 TYPE OF BLANK CASING USED:
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile Casing Joints: Glued Clamped
 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded
 7 Fiberglass Threaded
 Blank casing dia 20 in. to 44 ft., Dia in. to ft., Dia in. to ft.
 Casing height above land surface: 12 in., weight lbs./ft. Wall thickness or gauge No 188
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)
 Screen or Perforation Openings Are:
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify)
 Screen-Perforation Dia in. to ft., Dia in. to ft., Dia in. to ft.
 Screen-Perforated Intervals: From Doerr 44 ft. to 92 ft., From ft. to ft., From ft. to ft.
 Gravel Pack Intervals: From ft. to 92 ft., From ft. to ft., From ft. to ft.

5 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Concrete
 Grouted Intervals: From 0 ft. to 10 ft., From ft. to ft., From ft. to ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Cess pool 7 Sewage lagoon 10 Fuel storage 14 Abandoned water well
 2 Sewer lines 5 Seepage pit 8 Feed yard 11 Fertilizer storage 15 Oil well/Gas well
 3 Lateral lines 6 Pit privy 9 Livestock pens 12 Insecticide storage 16 Other (specify below)
 13 Watertight sewer lines
 Direction from well North How many feet 4,000? Water Well Disinfected? Yes No X
 Was a chemical/bacteriological sample submitted to Department? Yes No If yes, date sample was submitted month day year: Pump Installed? Yes No X
 If Yes: Pump Manufacturer's name Model No. HP Volts
 Depth of Pump Intake ft. Pumps Capacity rated at gal./min.
 Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other

6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on Oct 14 month 81 day year
 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 245
 This Water Well Record was completed on Jan 23 month 82 day year under the business name of Western Well and Pump, Inc.
 by (signature) Roy F. Senior

7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
		0	28	Sand & sandy clay		
	28	90	Sand & Gravel W/large rocks			
	90		Shale			

ELEVATION:
 Depth(s) Groundwater Encountered 1. 21 ft. 2. ft. 3. ft. 4. ft. (Use a second sheet if needed)

INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY
T
R
23
EW
SEC.
SW
1/4
1/4