	LL RECORD	Form WWC	<i>-</i> -5	Division of Water Resources App. No.
1 LOCATION OF WATER WELL: County: GOVE		Fraction 1/4 SW 1/4	NW ¼	Section Number Township No. Range Number T 14 S R 27 DE VW
Street/Rural Address of Well Location; if unknown, distance & direction			ection	Global Positioning System (GPS) information:
from nearest town or intersection: If at owner's address, check here . Latitude:				
6 MI FAST	OF GOVE ON CORD S	8 MI SOUTH ON COR	1	Longitude: (in decimal degrees)
O WILLIAM OF GOVE ON GO THE GO THE GO			0.00	Elevation:
A WATER WELL ON THE				Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27
1	VELLOWNER: BILL BE			Collection Method:
RR#, Street Address, Box #: 801 CO			1	GPS unit (Make/Model:
City, State, ZIP Code : GOVE. I		KS 67736		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey  Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m
3 LOCATE WELL				
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 55				
SECTION BOX: Depth(s) Groundwater Encountered (1) ft.				
N	WELL'S STAT	C WATER LEVEL 27	A h	below land surface measured on mo/day/yr
Pump test data: Well water wasft. after hours pumpingg				
	i I non vini n ac	gpm. Well water wa	S	ft. after hours pumping gpm
				., andft.
				r supply Geothermal Injection well
l cw				r supply   Dewatering   Other (Specify below)
sw   -se				
Was a chemical/bacteriological sample submitted to Department? Yes No				
S If yes, mo/day/yr sample was submitted				
1 mile-	Water well disin	fected? 🔽 Yes 🗌 No		
5 TVPF OF C	ASING USED: Steel	P PVC Other	r	•••••
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter .5				
Casing height above land surface. 24 in., Weight .160 lbs./ft., Wall thickness or gauge No.				
TYPE OF SCREEN OR PERFORATION MATERIAL:				
Steel Stainless Steel PVC Other (Specify)				
Brass Galvanized Steel None used (open hole)				
SCREEN OR PERFORATION OPENINGS ARE:				
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)				
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)				
SCREEN-PERFORATED INTERVALS: From				
From				
GRAVEL PACK INTERVALS: From				
From				
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other				
Grout Intervals	: From .7 II. to	<del>2</del> 9 π., From	n.	i. to tt., From tt. tott.
what is the nea	rest source of possible conta		irraata ale mar	
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☑ Abandoned water well				
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well				
Direction from well SE Distance from well .60'				
FROM TO	LITHOLOG			TO LITHO. LOG (cont.) or PLUGGING INTERVALS
0 5	TOPSOIL			
5 12	TAN CLAY			
12 17	FINE SAND			
17 37	BROWN & TAN CLAY			
37 41	SANDY CLAY			
41 53	SAND		<del></del>	
53 54	WHITE & TAN CLAY			
54 55	BLACK SHALE			
<del>                                     </del>				
<del>  </del>	<del>                                     </del>			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ☐ constructed, ☐ reconstructed, or ☐ plugged				
under my jurisdiction and was completed on (mo/day/year) .3/16/11 and this record is true to the best of my knowledge and belief.				
Kansas Water Well Contractor's License No. 489 This Water Well Record was completed on (mo/day/year) 41/11				
under the business name of AQUA PUMP LLC by (signature)				
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies				
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.				
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at				
http://www.kdheks.gov/waterwell/index.html.				
KSA 82a-1212 Check: White Copy, Deluc Copy, Pink Copy				