		TER WELL:	Fraction			Section Number		Number	Range Nu	ımber
County:			SW 1/4	NE 1/4	NW 1/4	13	T 14	S	R 3	E (/\/)
		n from nearest towr		ddress of well if	located within	n city?				
		St, 125' W of 4t								
2 WATE	R WELL O	NNER: This & T	hat Lamps &	Shades						
RR#, St. A	ddress, Bo	x# : 618 E. Re	public				Board of Agri	culture, Divis	sion of Water Re	esources
City, State	, ZIP Code	:Salina, K	ansas 67401				Application N			
				MPLETED WEL	1 38	# FIE	VATION:	· · · · · · · · · · · · · · · · · · ·	0	
WITH A	N"X" IN S						ft. 2 0			
T ==		N .								.
^	i						surface measured			
	N/X						after			
	1400						after			
Wile W	ļ.		ore Hole Diamet	:er .8 i	in. to	.38 ft.,	, and	in	ı. to0.	ft.
<u>₹</u> W -		Elv	VELL WATER TO	O BE USED AS	: 5 Public	water supply	8 Air conditioni	ng 11	Injection well	유
,	1	460	1 Domestic	3 Feedlot	6 Oil field	water supply	9 Dewatering	12	Other (Specify I	below) C
1664	- SW	SE	2 Irrigation	4 Industrial			10 Monitoring w	ell		
	i		Vas a chemical/l	bacteriological s			nt? YesNo.			nole was m
<u> </u> ▼ L			ubmitted	Ü	·		Vater Well Disinfed	-	No 🖠	·/ 1 ^
5 TYPE (JE BI ANK	CASING USED:		5 Wrought iron	8.0	Concrete tile	CASING I	OINTS: Gluer	d , Clamp	\ \(\frac{1}{2}
				6 Asbestos-Cer		Other (specify be			ded	
1 St		3 RMP (SR)					•		aded √	
(2)P\	/C	4 ABS		7 Fiberglass						
		· 2 i								
Casing hei	ght above l	and surface	Ø i	n., weight			s./ft. Wall thicknes	s or gauge N	vo Sch.	40
TYPE OF	SCREEN O	R PERFORATION I	MATERIAL		(7	PVC	10 As	sbestos-cem	ent	
1 St	eel	3 Stainless st	teel :	5 Fiberglass	- E	RMP (SR)	11 Of	her (specify	')	¬
2 Br	ass	4 Galvanized		6 Concrete tile		ABS		one used (or		
SCREEN (OR PERFO	RATION OPENINGS		5 (Gauzed wrapp	ned	8 Saw cut		11 None (ope	n hole)
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes										
	ouvered shu				Torch cut	•	10 Other (speci			
l		ED INTERVALS:	Erom			23 # 1	From			
	EKFORAI	ED INTERVALS.	From	4V	to	ا , ب ب ب ب ب ب ب	From	IL.	to	
ے ا	'DA\/EL DA	CK INTERVALS:	From	38 #	to		From	IL.	to	· · · · · · · 监 고
	RAVEL PA	CK INTERVALS:								•
							From			
6 GROUT	MATERIA	_: 1 Neat ce	ment 2	Cement grout	(3)		4 Other			
Grout Inter	vals: Fro	m 19 f	t. to 9	ft., From .	21	. ft. to 19	ft., From .		ft. to	ft.
What is th	e nearest s	ource of possible c	ontamination:			10 Liv	estock pens	14 A	Abandoned water	r well
1 Septic tank 4 Lateral lines				7 Pit priv	vy	11 Fu	11 Fuel storage 15 Oil well/Gas well			
2 Sew	er lines	5 Cess p	ool	8 Sewag	e lagoon	12 Fe	12 Fertilizer storage 16 Other (specify below)			
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage								1 ~		
Direction f	_	East	2- 1	- · · ,			any feet? 200			
FROM	TO	Entro	LITHOLOGIC L	.OG	FRO			LUGGING I	NTERVALS	
0	0.75	Concrete,								
0.75	8	Clay, Yellow B	POWN							
		-								
8	16	Clay, Medium								
16	22	Clay, Medium		<u>vn</u>						
22	26.5	Clay, Orange E								
26.5	30	Clay, Orange E	Brown, dark ;	gray stained						
30	36	Sand, Dark Gr	ay							
36	38	Sand, Dark Gr	av							
			<u>io al</u>							
				CHICAGO I I I						
							BAXXI40 TW 1 7 7	1		
					-		MW13 , Flush Mo			
							Project Name: Th			
	<u></u>						GeoCore # 64, K	DHE # 0508	5854	
7 CONTR	RACTORS	OR LANDOWNER'S	CERTIFICATION	ON: This water v	well was (1)	onstructed (2) r	econstructed or (3) pluaaed 11	nder mv jurisdic	tion
		n (mo/day/year)		< 10 0 10 F			record is true to t			I .
		n moruay, veall					, , , , , , , , , , , , , , , , , , ,	THE PROPERTY OF THE	it in consciue all	4 NOIIOI,
					This \Mate			noldaylyr		
1	/ater Well 0	Contractor's License	No	. 527		Well Record wa	as completed on (r	no/day/yr)		
under the	/ater Well 0 business n	Contractor's License	No	527 e Services, Ir	nc.	Well Record we by (sig	as completed on (r nature)	Lold	7/14/9	5

WATER WELL RECORD Form WWC-5 KSA 82a-1212