

Distance and direction from nearest town or city street address of well if located within city?

2 WATER WELL OWNER:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 4 DEPTH OF COMPLETED WELL... 38 ft. ELEVATION: 33

5	TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped
	1 Steel	6 Asbestos-Cement	9 Other (specify below)	Welded
	2 PVC	7 Fiberglass		Threaded. <input checked="" type="checkbox"/>
	3 RMP (SR)			
	4 ABS			

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other

Grout Intervals: From 0 ft. to 20 ft. From 20 ft. to 22 ft. From ft. to ft.

[illegible]

Flush Mount
waiver
D.Taylor
8/21/95

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.