	WATI	ER WELL RECORD	Form WWC	-5 KSA 82a	-1212		111W -8	
1 LOCATION OF WATER WEL	L. Fraction		S	ection Number	Township		Range Nu	mber
County: Saline Distance and direction from nea	NE 1		1/4	13	<u>T 14</u>	S	R 3	= <b>6</b> W)
	· ·		a within city	(				
2 WATER WELL OWNER:	Santa Fe, Salin	a, ru						
RR#, St. Address, Box Asbur	y-Salina Reg.	Med Ctr			Board o	f Agriculture,	Division of Water	Resources
City, State, ZIP Code 400 S	5. Santa Fe, Sa	lina, Ks 6740	2		Applicat	ion Number:	chost spine more times more	
LOCATE WELL'S LOCATION AN "X" IN SECTION BOX:	WITH DEPTH OF	COMPLETED WELL	43 9	ft. ELEVA	TION:	100 000 0000 0000 0000		
AIV X IIV SECTION BOX.	Depth(s) Groun	dwater Encountered1		ft. 2	Access to the second states	tt. 3		π.
	I 1	C WATER LEVEL32.						
was an NW cas and an NE a	10 EU .	gpm: Well water						
•		neter <b>8 . 625</b> in. to	/ / 7					
× W	WELL WATER	TO BE USED AS:	5 Public wa		8 Air conditioni	ng 11	Injection well	
SW SE	1 Domestic		6 Oil field v	vater supply	9 Dewatering	$m^{12}$	Other (Specify b	elow)
	2 Irrigation						moldoviur com	
	mitted	l/bacteriological sample	Submitted to		ter Well Disinfe		£. ~	was sub-
5 TYPE OF BLANK CASING U	<del></del>	5 Wrought iron		crete tile			dClampe	ed
and	RMP (SR)	6 Asbestos-Cement	9 Othe	er (specify below	v)	Welc	led	
	ABS 20	7 Fiberglass					adedy <u>r</u>	
Blank casing diameter 2		ft., Dia						
Casing height above land surface TYPE OF SCREEN OR PERFO		in., weight <b>SCH</b>	40 PVC			ss or gauge N Asbestos-cem		
	Stainless steel	5 Fiberglass	Carried	RMP (SR)				
2 Brass 4 0	6 Concrete tile		ABS	12 N	12 None used (open hole)			
			zed wrapped		8 Saw cut		11 None (oper	n hole)
1 Continuous slot	3 Mill slot		wrapped		9 Drilled hole			
2 Louvered shutter SCREEN-PERFORATED INTER	4 Key punched	' <b>X</b> '	h cut	) ft Fro			to , when show been such made	
SAND		ft. to .						
GRAVEL PACK INTER	RVALS: From 🎝		43	ft., Fro	m • mod sala nto teno enot	ft.	to described and	ft.
	From	ft. to	**************************************	ft., Fro			to see som mor som store	
	Neat cement	(2) Cement grout						
Grout Intervals: From	ossible contamination:	π., From & .	π.		π., From stock pens		اندينيي Abandoned water	
1 Septic tank 4 Lateral lines		7 Pit privy		11 Fuel			Dil well/Gas well	
2 Sewer lines 5 Cess pool		8 Sewage lagoon					Other (specify be	low)
3 Watertight sewer lines	6 Seepage pit	9 Feedyard		13 Insec	ticide storage	Contami	nated Si $+e$	· · · · · · · · · · · · · · · · · · ·
Direction from well? FROM TO	LITHOLOGIC	2100	FROM	How ma	ny feet?	PLUGGING		
PROW TO	LITHOLOGIC	LOG	FROIVI	10		1 20001110	INTERIVALO	
Gr 000 mill								
	surface silts, Clay (CL)	Clays						
	ey Silt (ML)				- COLLAND MORPH PROFILE THE STANDS FOR FROM			
34.00 43.00 Sand								
43.00 TD End o	of Borehole		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					
					AUANIATURA			THE STREET CONTRACTOR OF THE STREET
							A 1989 A 198	
					ush Mount			
	AND THE PROPERTY OF THE PROPER	WWW. 64 (February 1981)		3 1	iver			
					Taylor			
<u> </u>					8/21/95			
7 CONTRACTOR'S OR LAND	OOWNER'S CERTIFICA							
completed on (mo/day/year)	9/5/95					best of my k	nowledge and be	lief. Kansas
Water Well Contractor's License	9 No	This Water \	Well Record	•	N //		9/28/95	<b>7</b>
under the business name of INSTRUCTIONS: Use typewriter or		onmental, Inc.	N 700 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	by (signa	ature) ( )	won of	Darin k	nuncl
INSTRUCTIONS: Use typewriter or of Health and Environment, Bureau	oali point pen. PLEASE PHESS I of Water, Topeka, Kansas 66	<u>р гілімі, т</u> ала <u>Рніі\ I</u> clearly. F 620-0001. Telephone: 913-296	-5545. Send one	to WATER WELL O	e the correct answer WNER and retain or	ne for your record	s copies to Nansas De ds.	sharment