· · · · · · · · · · · · · · · · · · ·			H WELL	TECOND	Form w		52a-1212				
LOCATION OF WATER WELL:		Fraction	3000			Section Numb		hip Number	_	e Number	<i>(</i>)
County: SALINE		SE 1/4			E 1/4	22	<u>†</u>	<u> 14 s </u>	<u>R</u>	3 E	W
Distance and directio	n from nearest town o	or city street a	ddress of	well if loca	ited within d	ity?					
	8	355 HEMLO	CK DR.								
WATER WELL O	WNER: GUY RYAN	1									
RR#, St. Address, B	ox # : 855 HEMI	LOCK DR.					Boar	d of Agriculture, (Division of V	Vater Reso	OUTCE
	: SALINA,K							ication Number:			
	LOCATION WITH 4			D WELL	74.6	4 FI F					
AN "X" IN SECTION											
i !	! W	ELL'S STATIC	WATER	LEVEL	.21.0	ft. below land	surface measu	ed on mo/day/yr	. 37197	בּצ	
w	NE -X	Pum	p test data	ı: Well wa	ater was .	39 ft	. after 1.	hours pu	mping	.25	дрп
	Es	t. Yield 50	 дрп	: Well wa	ater was .	. <i>.</i>	. after	hours pu	mping		дрп
6 I i	Bo	re Hole Diam	eter 9	in. 1	to	7.5	t., and		to		ft
# w - 1		ELL WATER 1	-			water supply			Injection we		
: i	1 i l'''	1 Domestic		eedlot		d water supply		_	Other (Spec		
SW	SE							g well ,	٠.	•	
1		2 Irrigation					_				
<u> </u>	I Wa	as a chemical/	bacteriolog	jicał sampl	e submitted	-		oX; If yes,	75	-	ıs sul
		tted					Water Well Disi		X No		
TYPE OF BLANK	CASING USED:		5 Wroug	tht iron	8 C	oncrete tile	CASIN	G JOINTS: Glued	1¾ CI	amped	
1 Steel	3 RMP (SR)		6 Asbes	tos-Cemer	nt 90	ther (specify be	elow)	Weld	e d		
2 PVC	4 ABS		7 Fibero	lass			<i>.</i>	. Threa	ded		
Stank casing diameter	er5 in.	to 64.6) ft	Dia					in to		ft
	land surface										
	OR PERFORATION M		.iii., iroigi			PVC		0 Asbestos-ceme			
			C ="		-						
1 Steel	3 Stainless st		5 Fiberg			RMP (SR)		1 Other (specify)			
2 Brass	4 Galvanized		6 Concr		_	ABS	1	2 None used (op	en hole)		
CREEN OR PERFO	DRATION OPENINGS	ARE:		5 Ga	uzed wrappi	∍d	8 Saw cut	1	11 None (open hole))
1 Continuous s	lot 3 Mill s	lot •035		6 Wir	e wrapped		9 Drilled t	noles			
2 Louvered shu	itter 4 Key i	punched		7 Tor	ch cut	_	10 Other (s	specify)	.		
CREEN-PERFORAT	TED INTERVALS:	From	4.6	ft. to	74.0	5	rom	ft. t	0		. ft
								ft. to			
GRAVEL P	ACK INTERVALS:	From 5	0	ft to	74.0	5 4 5	From	ft. to	• · · · · · · · · · · · · · · · · · · ·		4
CHATCE	TON MILETARES.	From	F	ft. to							
GROUT MATERIA	4 Nont com		0.0		_				_		ft.
			2 Cement								
	om.,. 🛭 5 ft.		π.,	rom	· · · · · · · · · ·						ft.
	source of possible cor	ntamination:				10 Liv	restock pens	14 A	bandoned w	ater well	
 Septic tank 	4 Lateral li	ines	7	Pit privy		11 Fu	el storage	15 O	il well/Gas v	veli	
2 Sewer lines	ol	8 Sewage lagoon				12 Fertilizer storage 16 Other (specify below)					
3 Watertight se	wer lines 6 Seepage	pit pit	9	Feedyard		13 Ins	secticide storage		<i>.</i>		
Direction from well?	NORTH					How r	nany feet?	25			
FROM TO		LITHOLOGIC	LOG		FRO		1	PLUGGING I	NTERVALS		
0 3	FILL DIRT										
3 65	CLAY TAN S	Υ Υ .1ΤΣ									
65 74.6	. 1						1				
-	1	<u> </u>									
_7.5	SHALE						+				
							<u> </u>				
	1										
	 				1		-				
	 				-		1				
							<u></u>				
						L					
CONTRACTOR'S	OR LANDOWNER'S	CERTIFICATI	ON: This	water well	was (1)_cor	structed (2) re	econstructed or	(3) plugged upd	er my jurier	liction and	wo
ompleted on (mo/do	y/year) . 9-14-95.							he best of my kno			
Inter Wall Costs ::-	r's License No	388	<i></i>	Tala 144-1-	Mall O	and this re	CUTU IS TURN TO T	OZALI	wiegge and 295 -	Dellet, Ka	ınsa
				nis water	vveii Hecore		\			~~~	•••
	ame of PESTINGER		_			by (sig		7/	stre	E)	
INSTRUCTIONS: Use of Health and Environ	typewriter or ball point pen. ment, Bureau of Water, Top	<u>PLEASE PRESS F</u> eka, Kansas 6662	IRMLY and <u>P</u> 0-0001. Telep	RINT clearly. hone: 913-296	Please fill in bla 6-5545. Send o	anks, underline or ci ne to WATER WELL	rcle the correct and OWNER and retain	wers. Send top three of one for your records.	copies to Kansa	is Department	rt