	<b>line</b> direction	THE PARTY OF THE P	······································	ER WELL RECORD	<del></del>	C-5 KSA 8			
Distance and 100' S Wa 2 WATER V RR#, St. Addr City, State, Z 3 LOCATE V	direction	TER VVELL:	Fraction	<b>CW</b> 1/	1	Section Numb			
100' S Wa 2 WATER V RR#, St. Addr City, State, Z 3 LOCATE V		a from postost to	NE 1/4		NW 1/4	13	T 14	S   R 3   E	(W)
2 WATER V RR#, St. Addr City, State, ZI	ılnut &	15' W 5th - S		address of well it is	ocated within c	ity r			
RR#, St. Addr City, State, ZI		VNER: City of							
City, State, ZI		•					Board of Agricultu	re, Division of Water Resou	ırces
3 LOCATE V WITH AN'	P Code	: Salina,	Kansas 6740	1			Application Numbe	· ·	
WITH AN	VELL'S I	OCATION	4 DEPTH OF C	OMPLETED WELL	45	ft. ELE	VATION:		
	'X'' IN SI 1		Depth(s) Groun	dwater Encountere	d 13	0.8	ft. 2	ft. 3	f
<b>A</b>		<u> </u>						no/day/yr	
		\$	Pum	p test data: Well v	water was	.NA ft.	after ho	ours pumping	. gpn
	<b>6</b> 100 — —	NE	Est. Yield N	Agpm: Wellv	water was	ft.	after ho	ours pumping	. gpn
<u>•</u>	1	1	Bore Hole Diam	eter <b>8</b> in	ı. to 4	5	, and	in. to	ft
₹ W <del> </del>	1	——— E	WELL WATER	TO BE USED AS:	5 Public wa	ter supply	8 Air conditioning	11 Injection well	
1			1 Domestic	3 Feedlot				12 Other (Specify below	
cole mos	SW	- SE - W	2 Irrigation						
↓	l	1	i	al/bacteriological sa	imple submitted	•		; If yes, mo/day/yr sample v	was
	5	>	submitted	OMAN (WATER STORY OF THE STORY			Vater Well Disinfected?	Yes No ✔	
		CASING USED:		5 Wrought iron		ncrete tile		S: Glued Clamped .	
1 Steel		3 RMP (SI	R)	6 Asbestos-Cem	ent 9 Oth	er (specify be	elow)	Welded	
(2 <b>)</b> PVC		4 ABS		7 Fiberglass				Threaded 🗸	
_								in. to	
Casing height	above la	and surface	0	.in., weight				gauge No Sch. 40 .	
TYPE OF SCI	REEN O	R PERFORATIO	N MATERIAL		<b>(</b> 7)		10 Asbest		
1 Steel		3 Stainless		5 Fiberglass	8 1			specify)	
2 Brass		4 Galvaniz		6 Concrete tile		\BS		ised (open hole)	
		RATION OPENIN			auzed wrapped		8 Saw cut	11 None (open ho	ıle)
	inuous sl		/lill slot		lire wrapped		9 Drilled holes		
	ered shu		(ey punched		orch cut				
SCREEN-PER	REORAI	ED INTERVALS:						ft. to	
GRA	VEL DA	CK INTERVALS:						ft. to	
OIV (	VLL I / \	OKTIVI EKVI (EO.						ft. to	
C GPOLE M	ATEDIAL	. 1 Neat							
Grout Interval	e. Eror	. 1 Near	ff to 28	ff From	28	to 29	ft From		f
		ource of possible					estock pens	14 Abandoned water wel	
		•		7 Pit privy	,		el storage	15 Oil well/Gas well	
1 Septic tank 4 Lateral lines 2 Sewer lines 5 Cess pool							rtilizer storage	16 Other (specify below)	1
3 Watertight sewer lines 6 Seep			3				secticide storage	other (opposity below)	
Direction fron	_		prige pri		-		any feet?	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
FROM	TO		LITHOLOGIC	LOG	FROM	TO	PLUG	GING INTERVALS	
0	6	Clay Loam, I	Brown to Blac	k					
6	11	Clay, Gray to	o Black						
11	13.5	Sand, Light T	Гan						
	15	Clayey Sand.	2					4. 4	
13.5		Clayey Sand,	, Brown						
13.5	25	Sand,							
	26.5	Sand,							
15 23	22	Silty Sand, Gray Brown							
15 23		Silty Clay, L	ight Gray						
15 23 25	34								
15 23 25 26.5	34	Sand,							
15 23 25 26.5 32	34	Sand,				1			
15 23 25 26.5 32	34	Sand,							
15 23 25 26.5 32	34	Sand,					MW12, Flushmount		
15 23 25 26.5 32	34	Sand,					Project Name: Salina I		
15 23 25 26.5 32	34	Sand,							
15 23 25 26.5 32 34	34 45		D'S CEDTIEICAT	ION: This water w	all was (1) con	structed (2) r	Project Name: Salina I GeoCore # 126 , CDM	# 8558-112	
15 23 25 26.5 32 34	34 45	DR LANDOWNE!					Project Name: Salina I GeoCore # 126 , CDM econstructed, or (3) plu		

INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.