| CATION OF WAT | | | m WWC-5 KSA 8 | | |
|--|---|--|---|--|--|
| | | | Section Numb | | Range Number |
| YSAUTHE | | 14 MW 14 SW | 1/4 13 | T 14 s | |
| | from nearest town or city stree | | | | |
| 100' M. Pr | escott and 30' w | J. Santa Fe - SA | LTHA, KS 67 | 401 | |
| ATER WELL OW | NER: CITY OF SALTH | A | | | |
| | x# :300 W. AsH | | | Board of Agricultu | re, Division of Water Resource |
| | : SALTHA, Ks 6 | | | | er: |
| CATE WELL'S LO "X" IN SECTION | OCATION WITH 4 DEPTH OF | | | | |
| X IN SECTION | Uepth(s) Grou | | | | ft. 3 |
| ! | | | | | //yr .2:23:96 |
| NW | PL PL | ımp test data: Well water w | as <i>P.P.</i> ft | after hours | pumping gpm |
| NW | Est. Yield . K | 14 gpm: Well water w | as ft | after hours | pumping gpm |
| | Bore Hole Dia | ameterin. to | ۶ | ., and | in. to |
| V | WELL WATER | R TO BE USED AS: 5 F | Public water supply | 8 Air conditioning | 11 Injection well |
| 14' | 1 Domes | tic 3 Feedlot 6 0 | Oil field water supply | 9 Dewatering | |
| ISW | 2 Irrigation | on 4 Industrial 7 L | awn and garden only | Monitoring well | |
| | , , , | | | | yes, mo/day/yr sample was sui |
| | mitted | 3.00.00,000 | | Water Well Disinfected? Yes | · |
| PE OF BLANK O | | 5 Wrought iron | | | ilued , Clamped |
| 1 Steel | 3 RMP (SR) | 6 Asbestos-Cement | | | Velded |
| 2)PVC | A ABS | | , , , | · - ···/ | hreaded. X |
| | 3/4in. to5.1 | .7 # Dia | in to | t Dia | in to |
| | and surface | | | | |
| - | R PERFORATION MATERIAL: | 7 | <i>(</i> 7)₽VC | 10 Asbestos-c | |
| 1 Steel | 3 Stainless steel | 5 Fiberglass | 8 RMP (SR) | | cify) |
| 2 Brass | 4 Galvanized steel | 6 Concrete tile | 9 ABS | 12 None used | |
| | RATION OPENINGS ARE: | 5 Gauzed | | 8 Saw cut | 11 None (open hole) |
| | ^ | 6 Wire wra | | 9 Drilled holes | · None (open nois) |
| 1 Continuous sic | ** - | | • | | |
| 2 Louvered shut | ter 4 Key punched | 7 Torch cu | (17 | 10 Other (specify) | ft. to |
| :EN-PERFURATI | | | | rom . , | , |
| | From | | 11 P | ***** | 44 400 |
| | | | | | ft. toff |
| GRAVEL PA | CK INTERVALS: From | . 2.5 ² ft. to | 6.1.7ti., F | From , | ft. toft |
| | CK INTERVALS: From From | . 2.5 ft. to ft. to | 6. 1. 7 | rom , | ft. to |
| | CK INTERVALS: From From | . 2.5 ft. to ft. to | 6. 1. 7 | rom , | ft. to |
| ROUT MATERIAL | CK INTERVALS: From From 1 Neat cement m | 2.5 ft. to | 6 17 | rom rom 4 Other tt., From | ft. to |
| ROUT MATERIAL Intervals: From is the nearest so | CK INTERVALS: From From I Neat cement m Int. to purce of possible contamination | 2.5 | 6 1.7 | From | ft. to |
| ROUT MATERIAL Intervals: From is the nearest so 1 Septic tank | CK INTERVALS: From From 1 Neat cement m ft. to purce of possible contamination 4 Lateral lines | . 2.5 | 6 /. 7 | from | ft. to |
| ROUT MATERIAL Intervals: From is the nearest so 1 Septic tank 2 Sewer lines | CK INTERVALS: From From 1 Neat cement m ft. to purce of possible contamination 4 Lateral lines 5 Cess pool | tt. to ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage lagoon | 6 / . 7 | From | ft. to |
| ROUT MATERIAL Intervals: From is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew | CK INTERVALS: From From 1 Neat cement m ft. to purce of possible contamination 4 Lateral lines | . 2.5 | 6 /. 7 | from | ft. to |
| ROUT MATERIAL Intervals: From is the nearest so | CK INTERVALS: From From I Neat cement m ft. to purce of possible contamination 4 Lateral lines 5 Cess pool ver lines 6 Seepage pit | tt. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoon 9 Feedyard | 6 /. 7 | from | ft. to |
| ROUT MATERIAL Intervals: From is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew tion from well? | CK INTERVALS: From From I Neat cement m It. to Surce of possible contamination 4 Lateral lines 5 Cess pool ver lines 6 Seepage pit | tt. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoon 9 Feedyard | 6 /. 7 | from | ft. to |
| ROUT MATERIAL Intervals: From is the nearest so is the nearest so is seen to see it seen to see it seen from well? My TO S \$5 | CK INTERVALS: From From 1 Neat cement m 1. It to purce of possible contamination 4 Lateral lines 5 Cess pool ver lines 6 Seepage pit LITHOLOG | tt. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoon 9 Feedyard | 6 /. 7 | from 4 Other tt., From restock pens el storage ritilizer storage secticide storage many feet? PLUGGIN | ft. to |
| ROUT MATERIAL Intervals: From is the nearest so is the nearest so is septic tank. 2 Sewer lines 3 Watertight sewetion from well? DM TO 5 5 7 | CK INTERVALS: From From I Neat cement m It. to Surce of possible contamination 4 Lateral lines 5 Cess pool ver lines 6 Seepage pit LITHOLOG CLAY SANO | tt. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoon 9 Feedyard | 6 /. 7 | from | ft. to |
| ROUT MATERIAL Intervals: From is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew tion from well? DM TO D S 7 | CK INTERVALS: From From 1 Neat cement m/ft. to25 Durce of possible contamination 4 Lateral lines 5 Cess pool ver lines 6 Seepage pit LITHOLOG CLAY SANO CLAY CRY/BLK | tt. to ft. to ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage lagoon 9 Feedyard | 6 /. 7 | from 4 Other ft., From vestock pens el storage intilizer storage many feet? PLUGGIN | ft. to |
| ROUT MATERIAL Intervals: From is the nearest soft 1 Septic tank 2 Sewer lines 3 Watertight sew tion from well? DM TO DS 5 T 7 T 11 | CK INTERVALS: From From 1 Neat cement 2 Session 1 Neat Cess 2 Session 1 Neat Cess 1 Nea | tt. to ft. to ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage lagoon 9 Feedyard | 6 /. 7 | from 4 Other ft., From vestock pens el storage intilizer storage many feet? PLUGGIN | ft. to |
| ROUT MATERIAL Intervals: From is the nearest sof 1 Septic tank 2 Sewer lines 3 Watertight sew tion from well? DM TO 5 7 7 7 1 18 8 21 | CK INTERVALS: From From 1 Neat cement 1 Neat cement 1 Neat cement 1 Litholog 2 Sepage pit CLAY CLA | tt. to ft. to ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage lagoon 9 Feedyard | 6 /. 7 | from 4 Other tt., From restock pens el storage ritilizer storage secticide storage many feet? PLUGGIN | ft. to |
| ROUT MATERIAL Intervals: From is the nearest sof 1 Septic tank 2 Sewer lines 3 Watertight sew tion from well? DM TO 5 7 7 7 1 18 8 21 1 27 | CK INTERVALS: From From 1 Neat cement 1 Neat cement 1 to 25 Curce of possible contamination 4 Lateral lines 5 Cess pool Ver lines 6 Seepage pit LITHOLOG CLAY SANO SIL SANO SIL SANO | tt. to ft. to ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage lagoon 9 Feedyard | 6 /. 7 | from 4 Other ft., From vestock pens el storage intilizer storage many feet? PLUGGIN | ft. to |
| ROUT MATERIAL Intervals: From is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew tion from well? DM TO 5 5 7 11 18 2 1 2 7 7 3 4 | CK INTERVALS: From From 1 Neat cement 1 Neat cement 1 Neat cement 1 Litholog 2 Sepage pit CLAY CLA | tt. to ft. to ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage lagoon 9 Feedyard | 6 /. 7 | from 4 Other ft., From vestock pens el storage intilizer storage many feet? PLUGGIN | ft. to |
| ROUT MATERIAL Intervals: From is the nearest so is the nearest so is septic tank. In the septic tank is septic tank. In t | CK INTERVALS: From From 1 Neat cement 1 Neat cement 1 The to 25 Curce of possible contamination 4 Lateral lines 5 Cess pool Ver lines 6 Seepage pit LITHOLOG CLAY SMAQ CLAY CLAY SMAQ CLAY CL | tt. to ft. to ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage lagoon 9 Feedyard | 6 /. 7 | from 4 Other ft., From vestock pens el storage intilizer storage many feet? PLUGGIN | ft. to |
| ROUT MATERIAL Intervals: From is the nearest soft is septic tank 2 Sewer lines 3 Watertight sew that it is septic tank 1 Septic tank 2 Sewer lines 3 Watertight sew that is several tank 3 Watertight sew that is several tank 1 Sewer lines 3 Watertight sew that is several tank 1 Sewer lines 1 Sewer lines 2 Sewer lines 3 Watertight sew that is several tank 1 Sewer lines 2 Sewer lines 3 Watertight sew that is several tank 3 Watertight sewer lines 4 Sewer lines 5 Sewer lines 5 Sewer lines 6 Sewer lines 6 Sewer lines 6 Sewer lines 6 Sewer lines 7 Watertight sewer lines 6 Sewer lines 7 Watertight sewer lines 6 Sewer lines 7 Watertight sewer lines 7 Watertight sewer lines 8 Watertight sewer lines 9 Watertight sewer lines | CK INTERVALS: From From 1 Neat cement 1 Neat cement 1 The to 25 Curce of possible contamination 4 Lateral lines 5 Cess pool Ver lines 6 Seepage pit LITHOLOG CLAY SMAQ CLAY CLAY SMAQ CLAY CLAY CLAY SMAQ CLAY CL | tt. to ft. to ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage lagoon 9 Feedyard | 6 /. 7 | from 4 Other ft., From vestock pens el storage intilizer storage many feet? PLUGGIN | ft. to |
| ROUT MATERIAL Intervals: From is the nearest soft is septic tank in 2 Sewer lines in 3 Watertight sewer in 1 Septic tank in 1 Septic tank in 1 Septic tank in 2 Sewer lines in 1 Septic tank in 1 | CK INTERVALS: From From 1 Neat cement 1 Neat cement 1 The to 25 Curce of possible contamination 4 Lateral lines 5 Cess pool Ver lines 6 Seepage pit LITHOLOG CLAY SMAQ CLAY CLAY SMAQ CLAY CL | tt. to ft. to ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage lagoon 9 Feedyard | 6 /. 7 | from 4 Other ft., From vestock pens el storage intilizer storage many feet? PLUGGIN | ft. to |
| OUT MATERIAL Intervals: From is the nearest soft septic tank 2 Sewer lines 3 Watertight sew ion from well? M TO S T T II 18 2 1 2 7 1 3 4 5 5 6 5 5 | CK INTERVALS: From From 1 Neat cement 1 Neat cement 1 to 25 Curce of possible contamination 4 Lateral lines 5 Cess pool Ver lines 6 Seepage pit LITHOLOG CLAY SANO CLAY CLAY SANO CLAY SANO CLAY | tt. to ft. to ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage lagoon 9 Feedyard | 6 /. 7 | from 4 Other ft., From vestock pens el storage intilizer storage many feet? PLUGGIN | ft. to |
| ROUT MATERIAL Intervals: From is the nearest soft is septic tank 2 Sewer lines 3 Waterlight sewer in the sewer lines 5 Waterlight sewer lines 6 S S S S S S S S S S S S S S S S S S S | CK INTERVALS: From From 1 Neat cement 1 Neat cement 1 to 25 Curce of possible contamination 4 Lateral lines 5 Cess pool Ver lines 6 Seepage pit LITHOLOG CLAY SANO CLAY CLAY SANO CLAY SANO CLAY | tt. to ft. to ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage lagoon 9 Feedyard | 6 /. 7 | from 4 Other ft., From vestock pens el storage intilizer storage many feet? PLUGGIN | ft. to |
| ROUT MATERIAL Intervals: From is the nearest soft is septic tank 2 Sewer lines 3 Watertight sewetion from well? DM TO 5 \$ 7 7 7 11 8 21 7 36 6 50 5 55 | CK INTERVALS: From From 1 Neat cement 1 Neat cement 1 to 25 Curce of possible contamination 4 Lateral lines 5 Cess pool Ver lines 6 Seepage pit LITHOLOG CLAY SANO CLAY CLAY SANO CLAY SANO CLAY | tt. to ft. to ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage lagoon 9 Feedyard | 6 /. 7 | from 4 Other ft., From vestock pens el storage intilizer storage many feet? PLUGGIN | ft. to |
| ROUT MATERIAL Intervals: From is the nearest soft is septic tank 2 Sewer lines 3 Waterlight sewer in the sewer lines 5 Waterlight sewer lines 6 S S S S S S S S S S S S S S S S S S S | CK INTERVALS: From From 1 Neat cement 1 Neat cement 1 to 25 Curce of possible contamination 4 Lateral lines 5 Cess pool Ver lines 6 Seepage pit LITHOLOG CLAY SANO CLAY CLAY SANO CLAY SANO CLAY | tt. to ft. to ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage lagoon 9 Feedyard | 6 /. 7 | from 4 Other ft., From vestock pens el storage intilizer storage many feet? PLUGGIN | ft. to |
| ROUT MATERIAL Intervals: From is the nearest sof 1 Septic tank 2 Sewer lines 3 Watertight sew tion from well? DM TO 5 \$ 7 \$ 11 \$ 18 \$ 21 \$ 1 \$ 3 \$ 6 \$ 6 \$ 5 \$ 6 \$ 5 \$ 5 | CK INTERVALS: From From 1 Neat cement 1 Neat cement 1 to 25 Curce of possible contamination 4 Lateral lines 5 Cess pool Ver lines 6 Seepage pit LITHOLOG CLAY SANO CLAY CLAY SANO CLAY SANO CLAY | tt. to ft. to ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage lagoon 9 Feedyard | 6 /. 7 | from 4 Other ft., From vestock pens el storage intilizer storage many feet? PLUGGIN | ft. to |
| ROUT MATERIAL Intervals: From is the nearest sof 1 Septic tank 2 Sewer lines 3 Watertight sew tion from well? DM TO 5 \$ 7 \$ 11 \$ 18 \$ 21 \$ 1 \$ 27 \$ 36 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ | CK INTERVALS: From From I Neat cement II. In to 25 Durce of possible contamination 4 Lateral lines 5 Cess pool Ver lines 6 Seepage pit LITHOLOG CLAY SANO CLAY SANO SILA CLAY SILA SANO SILA CLAY SANO SANO SILA SI | tt. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoon 9 Feedyard Feedyard | 6. 1. 7 | from 4 Other ft., From restock pens fel storage fitilizer storage many feet? PLUGGIN MW 6 Surface Camp KWW C Lice | ft. to ft |
| ROUT MATERIAL Intervals: From is the nearest so 1. Septic tank 2. Sewer lines 3. Watertight sew tion from well? DM TO 5. 5. 7. 7. 11. 1.8 2.1 1. 2.7 7. 3.6 6. 5.6 5.5 5.5 6.3 | CK INTERVALS: From From I Neat cement II. Int. to 2.5 Durce of possible contamination 4 Lateral lines 5 Cess pool Ver lines 6 Seepage pit LITHOLOG CLAY SAND CLAY SILY SILY SAND A-C SILY SAND OR LANDOWNER'S CERTIFIC | tt. to ft. to | (1) constructed, (2) r | From 4 Other ft., From restock pens rel storage ritilizer storage many feet? PLUGGIN MW 6 Sunface Camp KWW C Lice | ft. to ft |
| ROUT MATERIAL Intervals: From is the nearest soft is the nearest soft is sever lines. In the sever lines is watertight sever tion from well? I Septic tank Sewer lines Watertight sever lines TO | CK INTERVALS: From From 1 Neat cement 1 Neat cement 1 to 25 Curce of possible contamination 4 Lateral lines 5 Cess pool Ver lines 6 Seepage pit LITHOLOG CLAY SANO CLAY | tt. to ft. to | (1) constructed, (2) rand this r | From 4 Other ft., From restock pens rel storage ritilizer storage many feet? PLUGGIN MW 6 Sunface Camp KWW C Lice | ft. to |
| ROUT MATERIAL Intervals: From is the nearest so the series of tank 2 Sewer lines 3 Waterlight sewer to the series of the series | CK INTERVALS: From From I Neat cement II. Int. to 2.5 Durce of possible contamination 4 Lateral lines 5 Cess pool Ver lines 6 Seepage pit LITHOLOG CLAY SAND CLAY SILY SILY SAND A-C SILY SAND OR LANDOWNER'S CERTIFIC | tt. to ft. to | ft., F tt., F tt., F Bentonite ft. to | rom 4 Other ft., From restock pens el storage intilizer storage many feet? PLUGGIN WW 6 Sunface Camp KWW C Aice econstructed, or (3) plugged ecord is true to the best of med on (mo/day/yr) | ft. to |