

LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number	
County: <u>SALINE</u>	<u>SE 1/4 NW 1/4 SW 1/4</u>	<u>13</u>	<u>T 14 S</u>	<u>R 3 EW</u>	
Distance and direction from nearest town or city street address of well if located within city? <u>600' N Prescott and 30' E SANTA FE - SALINA, KS</u>					
WATER WELL OWNER: <u>CITY OF SALINA</u>					
IR#, St. Address, Box # : <u>300 W. ASH</u>			Board of Agriculture, Division of Water Resources		
City, State, ZIP Code : <u>SALINA, KS 67401</u>			Application Number:		
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		DEPTH OF COMPLETED WELL... <u>58.8</u> ... ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1. <u>35</u> ... ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL <u>35.1</u> ... ft. below land surface measured on mo/day/yr <u>2-21-96</u>			
		Pump test data: Well water was <u>NA</u> ... ft. after ... hours pumping ... gpm			
		Est. Yield <u>NA</u> ... gpm: Well water was ... ft. after ... hours pumping ... gpm			
Bore Hole Diameter... <u>2</u> ... in. to <u>6.4</u> ... ft. and ... in. to ... ft.		WELL WATER TO BE USED AS:			
1 Domestic		3 Feedlot	6 Oil field water supply	9 Dewatering	
2 Irrigation		4 Industrial	7 Lawn and garden only	10 Monitoring well	
Was a chemical/bacteriological sample submitted to Department? Yes.....No... <u>X</u>; If yes, mo/day/yr sample was submitted					
Water Well Disinfected? Yes No <u>X</u>					
TYPE OF BLANK CASING USED:					
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped					
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded					
Blank casing diameter <u>3/4</u> ... in. to <u>48.8</u> ... ft., Dia in. to ft., Dia in. to ft.					
Casing height above land surface... <u>0</u> ... in., weight lbs./ft. Wall thickness or gauge No. <u>SC4 SD</u>					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement					
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)					
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)					
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes					
3 Torch cut 10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From... <u>48.8</u> ... ft. to ... <u>58.8</u> ... ft., From ... ft. to ... ft.					
GRAVEL PACK INTERVALS: From... <u>33</u> ... ft. to ... <u>63</u> ... ft., From ... ft. to ... ft.					
GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other					
Grout Intervals: From... <u>5</u> ... ft. to ... <u>33</u> ... ft., From ... ft. to ... ft., From ... ft. to ... ft.					
What is the nearest source of possible contamination:					
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well					
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well					
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)					
13 Insecticide storage					
Direction from well? How many feet?					
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	3	SILTY CLAY, DK BRN			
3	4	SANDY SILT, MD-LT BRN			
4	9	SILT, MED BRN			
9	14	SANDY SILT, MED BRN			
14	20	SILTY SAND, LT BRN			
20	25	SILT			
25	64	SAND			
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>2-21-96</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>604</u> This Water Well Record was completed on (mo/day/yr) <u>4-15-96</u> under the business name of <u>Environmental Priority Service, Inc</u> by (signature) <u>Don Ray</u>					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.					