LOCATION OF WATER WELL:	Fraction	WELL RECORD	Form vvv	Section Number	Township N	umher	Range	Number
junty: SALTNE	NW 14	SE 1/4	nw 14	13	T 14	S	R 3	
stance and direction from nearest town	or city street add	tress of well if loc	ated within ci	ty?				
100'S, walnut and	15' E	4 44 5140	INA K					
WATER WELL OWNER: C.A. of						**************************************	***************************************	
R#, St. Address, Box # : 300 🜙,	ASH				Board of A	griculture, [	Division of W	ater Resource
y, State, ZIP Code : 54LL II	4, KS 674	01			Application	Number:		
LOCATE WELL'S LOCATION WITH 4 AN "X" IN SECTION BOX:					TION:			
W	VELL'S STATIC V Pump I Est. Yield .V (A) Bore Hole Diamete VELL WATER TO 1 Domestic 2 Irrigation	vater Level test data: Well wgpm: Well w erin. BE USED AS: 3 Feedlot 4 Industrial	vater was 10 vater was 10 43 5 Public valor 7 Lawn a	ft. below land sur ft. a ft. a ft. a ft. a ft., water supply water supply water supply and garden only o Department?	face measured or fter	n mo/day/yr hours pu hours pu hours pu hours pu 11 12	mping mping to Injection we Other (Spec	gpm gpm ft.  Il  ify below)  sample was sub
TYPE OF BLANK CASING USED:		5 Wrought iron	8 Cc	ncrete tile	CASING JO	INTS: Glue	d Cla	amped
1 Steel 3 RMP (SR)		6 Asbestos-Ceme	ent 9 Ot	her (specify belov	w)	Weld	ed	
②PVC _ 4 ABS		7 Fiberglass				Threa	aded. 💢	
ank casing diameter 3/4in	1. to 5.9. J	ft., Dia	in	. to	ft., Dia		in. to	ft
ising height above land surface	. <b>O</b> ii	n., weight			ft. Wall thickness	or gauge N	o. S.C.1	<b>₿</b> .⇔
'PE OF SCREEN OR PERFORATION	MATERIAL:		$\epsilon$	∑evc	10 Asi	estos-ceme	ent	
1 Steel 3 Stainless s	steel	5 Fiberglass	8	RMP (SR)	11 Oth	er (specify)		
2 Brass 4 Galvanized	d steel	6 Concrete tile	9	ABS	12 No	ne used (op	en hole)	* _
REEN OR PERFORATION OPENING	S ARE:	5 G	auzed wrappe	d	8 Saw cut		11 None (	open hole)
1 Continuous slot ③Mill	slot	6 W	ire wrapped		9 Drilled holes			
2 Louvered shutter 4 Key	punched	7 Tc	orch cut		10 Other (specif	y)		
GRAVEL PACK INTERVALS:	From	ft. to		ft., Fro	m	ft. 1	to	
GROUT MATERIAL: 1 Neat ce	ment 2	Cement grout	(QB	entonite 4	Other			
out Intervals: FromZft	: to <b>3</b> . 📿 .	ft., From	<i></i>	ft. to	ft., From .		ft. to	
hat is the nearest source of possible of		/			stock pens		bandoned w	
1 Septic tank 4 Lateral	lines	7 Pit privy		11 Fuel	storage	15 C	oil well/Gas	well
2 Sewer lines 5 Cass p	looi	8 Sewage	lagoon	12 Fertil	izer storage	16 C	Other (specify	y below)
3 Watertight sewer lines 6 Seepag	ge pit	9 Feedyard	d	13 Insec	cticide storage			
rection from well?				How ma	ny feet?			
ROM TO	LITHOLOGIC L	OG	FRO	M TO	Р	LUGGING I	NTERVALS	***************************************
	K BAN	***************************************						
	OK BUN				mmw 11			
	1 MED-LI	Ban				/)		
24 29 Silty Clay 29 63 SAND, W F.C	GY/BEN S	silt in len	ises		Syrkacz Kwwc	Comple Lierne	fign 1	5-4
					*			
·								
ater Well Contractor's License No	604	This Wate	er Well Record	and this reco	onstructed, or (3) ord is true to the b on (mo/day/yr)	est of my kr	nowledge and	
der the business name of Environ	endel Priv	ority Servi	CT THE	by (signa	ature) Don W	<u> </u>		
INSTRUCTIONS: Use typewriter or ball point per of Health and Environment, Bureau of Water, T	en. <i>PLEASE PRESS FIF</i>	PMLY and PRINT clear	ly. Please fill in bl	anks, underline or circ	le the correct answers.	Send top three	e copies to Kans	sas Department