1 LOCAT	ION OF W	ATER WELL:	Fraction			Section Numb			Range I	vumber
County:			SE 1/4	NW ½		12	<u> </u>	S	R 3	E(W)
			own or city street a - Salina, Kansa		ell if located withi	n city?				
2 WATE	R WELL O	WNER: City of	Salina							
		×# ∶ <b>P.O.</b> Bo					Board of Agricu	lture, Divis	sion of Water	Resources
			Kansas 67402-	-0736			Application Num			
3 LOCAT	E WELL'S	LOCATION					EVATION:			
WITH A		ECTION BOX:	Depth(s) Ground	vater Encou	ıntered 1	30	ft. 2	ft.	3	ft.
Ī Γ	<u> </u>		WELL'S STATIC	WATER LE	VEL 26.07	ft. below land	l surface measured or	n mo/day/	yr 3/2	5/96
	٠.٤.		Pump	test data:	Well water was .	NA ft.	after	hours pur	mping	gpm
	· – NW – -	NE	Est. Yield NA	gpm:	Well water was .	ft.	after	hours pur	mping	gpm
W Mile	!		Bore Hole Diame	ter <b>8</b> .	in. to	<b>7.9</b>	., and	in	ı. to	ft.
¥ W -		<del>                                     </del>	WELL WATER T	O BE USED	AS: 5 Public	water supply	8 Air conditioning		Injection well	y below)
1	$\mathbf{X}_{\mathbf{M}}^{\dagger}$		1 Domestic	3 Feed		d water supply	9 Dewatering		Other (Specif	y below)
	· - SW	SE	2 Irrigation	4 Indus	strial 7 Lawn a	and garden only	10 Monitoring well			
i∳ L	<u> </u>	!		bacteriologi	cal sample submi		ent? YesNo.			imple was
		S	submitted				Vater Well Disinfecte			<b>V</b>
		CASING USED:		5 Wrought		Concrete tile	CASING JOIN			npea
1 St		3 RMP (SF	•			Other (specify b	•		led	
(2)		4 ABS		7 Fiberglas					aded✔	
							ft., Dia			
_	-			n., weight.			s./ft. Wall thickness o			
		R PERFORATION				7)PVC		estos-cem		]
1 St		3 Stainless		5 Fiberglas					)	
2 Brass 4 Galvanized steel SCREEN OR PERFORATION OPENINGS ARE:				6 Concrete tile 9 ABS			12 None used (open hole)			
					5 Gauzed wrap	•	8 Saw cut		11 None (or	pen hole)
	ontinuous				6 Wire wrapped	a	9 Drilled holes			
	ouvered shi		ey punched	50	7 Torch cut	70 <del>a</del>	10 Other (specify) From			
SCREEN	PERFORA	TED INTERVALS:	From	νγ	ff to	(≺	From	IL.	to	# I
	DAVEL DA	CK INTERVALS:	From	55	ff to 7	79 ft	From	IL.	to	A
		OK MAILINA EG.					From			
ol CBOLI	r MATERIA	1 Neat		Cement gr		Bentonite	4 Other			
Grout Into	nele: Ero	_ 0			om 52.5	ft to 5:	5ft, From			
		source of possible		16.,	OIII		vestock pens		bandoned wat	
		•	ral lines	7 Pit	privy		uel storage		il well/Gas we	
1 Septic tank 4 Lateral lines 2 Sewer lines 5 Cess pool				8 Sewage lagoon					Other (specify	
3 Watertight sewer lines 6 Seepage pit			•				ecticide storage UST Basin			
Direction from well? S/SE							nany feet? 735			
FROM	ТО		LITHOLOGIC L	.OG	FR	OM TO	PLU	JGGING II	NTERVALS	
0	3	Clay, Dark B	rown							
3	18	Clay, Light B	Brown							
18	32	Sand, Light F	Red Brown							
32	36	Sand, Light F	Red Brown							
36	<b>78</b>	Sand, Gray	3.00							
78	<b>7</b> 9	Shale, Gray				.,.				
									•	
							MW14, Flushmoun			
							Project Name: Salin			
							GeoCore # 301, KD			
						onstructed, (2) r	econstructed, or (3)	olugged ur	nder my jurisd	iction
and was c	ompleted o	n (mo/day/year)		3/20/9	6	and this	s record is true to the	best of my	y knowledge a	nd belief.
Kansas W	/ater Well 0	Contractor's Licen	nse No	527	This Wate	r Well Record w	as completed on (mo/	day/yr), .	<i>a</i> 60 · · · 4/18/	96
under the			GeoCor			by (sig	nature)	L Kert	N.	

INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.

WATER WELL RECORD Form WWC-5 KSA 82a-1212